

## Flow Distribution

2055 E 5th St #100  
Tempe, AZ 85281  
alex@flowdistribution.com  
(480) 228-2512  
Lic. #00000100ESEC12878172; Employee ID:

Sample: 2211OPT3454.14915

Strain: White Raspberry  
Lot ID: SO39; Batch#: SO39-WR; Batch Size: g  
Sample Received: 11/12/2022; Report Created: 11/16/2022  
Completed Date: 11/16/2022  
Sampling: ; Environment:

## White Raspberry Pod

Concentrates & Extracts, Distillate, CO2; Harvest Process Lot:  
Reference # SO39



84.8873%

Total THC

87.7797%

Total  
Cannabinoids

**Not Tested**

ND

Total CBD

NT

Moisture

Foreign Matter

## Cannabinoids

Complete

Analyte	Qualifier	Mass	Mass
		%	mg/g
THCa	ND	ND	ND
Δ9-THC	84.8873	848.873	848.873
Δ8-THC	ND	ND	ND
THCV	0.5725	5.725	5.725
CBDa	ND	ND	ND
CBD	ND	ND	ND
CBN	0.7041	7.041	7.041
CBGa	ND	ND	ND
CBG	1.6158	16.158	16.158
<b>Total</b>		<b>87.7797</b>	<b>877.797</b>

Date Tested: 11/13/2022 12:00 am

Method: Agilent 1260II HPLC-VWD SOP 3.0

501 S Main Street  
Snowflake, AZ  
(928) 457-0222  
www.onpointlaboratories.com  
Lic# 00000006LCXI00549589



*Cathleen Cover*  
Reviewed by: Cathleen Cover  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



# Certificate of Analysis

Powered by Confident Cannabis  
2 of 2



## Flow Distribution

2055 E 5th St #100  
Tempe, AZ 85281  
alex@flowdistribution.com  
(480) 228-2512  
Lic. #00000100ESEC12878172; Employee ID:

Sample: 2211OPT3454.14915

Strain: White Raspberry  
Lot ID: SO39; Batch#: SO39-WR; Batch Size: g  
Sample Received: 11/12/2022; Report Created: 11/16/2022  
Completed Date: 11/16/2022  
Sampling: ; Environment:

## White Raspberry Pod

Concentrates & Extracts, Distillate, CO2; Harvest Process Lot:  
Reference # SO39



## Microbials

Pass

Analyte	Qualifier	Limit	Units	Status
Aspergillus		CFU/g	CFU/g	
E. Coli	Not Detected in 1g	100.0000	ND	Pass
Salmonella	Not Detected in 1g		<10CFU	Pass
			ND	Pass

OnPoint  
LABORATORIES

Date Tested: 11/12/2022 12:00 am  
Method: BioRad qPCR

501 S Main Street  
Snowflake, AZ  
(928) 457-0222  
www.onpointlaboratories.com  
Lic# 00000006LCXI00549589



*Cathleen Cover*  
Reviewed by: Cathleen Cover  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.

## Flow Distribution

2055 E 5th St #100  
Tempe, AZ 85281  
alex@flowdistribution.com  
(480) 228-2512  
Lic. #00000109ESVM44878444; Employee ID:

Sample: 2210OPT3215.13768

Strain: SO39  
Lot ID: ; Batch#: SO39; Batch Size: g  
Sample Received: 10/27/2022; Report Created: 10/31/2022  
Completed Date: 10/31/2022  
Sampling: ; Environment:

## (Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:



92.3678%

Total THC

95.4514%

Total  
Cannabinoids

**Not Tested**

ND

Total CBD

NT

Moisture

Foreign Matter

## Cannabinoids

Complete

Analyte	Qualifier	Mass	Mass
		%	mg/g
THCa		ND	ND
Δ9-THC		92.3678	923.678
Δ8-THC		ND	ND
THCV		0.5674	5.674
CBDa		ND	ND
CBD		ND	ND
CBN	M2	0.7375	7.375
CBGa		ND	ND
CBG		1.7787	17.787
<b>Total</b>		<b>95.4514</b>	<b>954.514</b>

Date Tested: 10/18/2022 12:00 am

Method: Agilent 1260II HPLC-VWD SOP 3.0

501 S Main Street  
Snowflake, AZ  
(928) 457-0222  
www.onpointlaboratories.com  
Lic# 00000006LCXI00549589



*Cathleen Cover*  
Reviewed by: Cathleen Cover  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



# Certificate of Analysis

Powered by Confident Cannabis  
2 of 6



## Flow Distribution

2055 E 5th St #100  
Tempe, AZ 85281  
alex@flowdistribution.com  
(480) 228-2512  
Lic. #00000109ESVM44878444; Employee ID:

Sample: 2210OPT3215.13768

Strain: SO39  
Lot ID: ; Batch#: SO39; Batch Size: g  
Sample Received: 10/27/2022; Report Created: 10/31/2022  
Completed Date: 10/31/2022  
Sampling: ; Environment:

## (Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:



## Microbials

Pass

Analyte	Qualifier	Limit	Units	Status
Aspergillus		CFU/g	CFU/g	
E. Coli		Not Detected in 1g	ND	Pass
Salmonella		100.0000	<10CFU	Pass
		Not Detected in 1g	ND	Pass

OnPoint  
LABORATORIES

Date Tested: 10/27/2022 12:00 am  
Method: BioRad qPCR

501 S Main Street  
Snowflake, AZ  
(928) 457-0222  
www.onpointlaboratories.com  
Lic# 00000006LCXI00549589



*Cathleen Cover*  
Reviewed by: Cathleen Cover  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



# Certificate of Analysis

Powered by Confident Cannabis  
3 of 6



## Flow Distribution

2055 E 5th St #100  
Tempe, AZ 85281  
alex@flowdistribution.com  
(480) 228-2512  
Lic. #00000109ESVM44878444; Employee ID:

Sample: 2210OPT3215.13768

Strain: SO39  
Lot ID: ; Batch#: SO39; Batch Size: g  
Sample Received: 10/27/2022; Report Created: 10/31/2022  
Completed Date: 10/31/2022  
Sampling: ; Environment:

## (Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:



## Mycotoxins

Pass

Analyte	Qualifier	LOQ	Limit	Units	Status
		PPB	PPB	PPB	
Ochratoxin A	L1 V1 R1	10.0000	20.0000	ND	Pass
Total Aflatoxins		10.0000	20.0000	ND	Pass

OnPoint  
LABORATORIES

Date Tested: 10/28/2022 12:00 am  
Method: Agilent Ultivo LC/MS

501 S Main Street  
Snowflake, AZ  
(928) 457-0222  
www.onpointlaboratories.com  
Lic# 00000006LCXI00549589



*Cathleen Cover*  
Reviewed by: Cathleen Cover  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



# Certificate of Analysis

Powered by Confident Cannabis  
4 of 6



## Flow Distribution

2055 E 5th St #100  
Tempe, AZ 85281  
alex@flowdistribution.com  
(480) 228-2512  
Lic. #00000109ESVM44878444; Employee ID:

Sample: 2210OPT3215.13768

Strain: SO39  
Lot ID: ; Batch#: SO39; Batch Size: g  
Sample Received: 10/27/2022; Report Created: 10/31/2022  
Completed Date: 10/31/2022  
Sampling: ; Environment:

## (Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:



## Heavy Metals

Pass

Analyte	Qualifier	Mass	LOQ	Limit	Status
		PPB	PPB	PPB	
Arsenic	<LOQ		200.00	400.00	Pass
Cadmium	<LOQ		200.00	400.00	Pass
Lead	<LOQ		500.00	1000.00	Pass
Mercury	<LOQ		600.00	1200.00	Pass

OnPoint  
LABORATORIES

Date Tested: 10/28/2022 12:00 am  
Method: Agilent 7800 ICP MS

501 S Main Street  
Snowflake, AZ  
(928) 457-0222  
www.onpointlaboratories.com  
Lic# 00000006LCXI00549589



*Cathleen Cover*

Reviewed by: Cathleen Cover  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



# Certificate of Analysis

Powered by Confident Cannabis  
5 of 6



## Flow Distribution

2055 E 5th St #100  
Tempe, AZ 85281  
alex@flowdistribution.com  
(480) 228-2512  
Lic. #00000109ESVM44878444; Employee ID:

Sample: 2210OPT3215.13768

Strain: SO39  
Lot ID: ; Batch#: SO39; Batch Size: g  
Sample Received: 10/27/2022; Report Created: 10/31/2022  
Completed Date: 10/31/2022  
Sampling: ; Environment:

## (Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:



## Pesticides

Pass

Analyte	Qualifier	LOQ	Limit	Units	Status	Analyte	Qualifier	LOQ	Limit	Units	Status
		PPM	PPM	PPM				PPM	PPM	PPM	
DDVP		0.0500	0.1000	ND	Pass	Hexythiazox	M2	0.5000	1.0000	ND	Pass
Abamectin	M2	0.2500	0.5000	ND	Pass	Imazalil		0.1000	0.2000	ND	Pass
Acephate		0.2000	0.4000	ND	Pass	Imidacloprid		0.2000	0.4000	ND	Pass
Acequinocyl		1.0000	2.0000	ND	Pass	Kresoxim Methyl		0.2000	0.4000	ND	Pass
Acetamiprid		0.1000	0.2000	ND	Pass	Malathion		0.1000	0.2000	ND	Pass
Aldicarb		0.2000	0.4000	ND	Pass	Metalaxyl		0.1000	0.2000	ND	Pass
Azoxystrobin		0.1000	0.2000	ND	Pass	Methiocarb		0.1000	0.2000	ND	Pass
Bifenazate	M1	0.1000	0.2000	ND	Pass	Methomyl		0.2000	0.4000	ND	Pass
Bifenthrin	M2	0.1000	0.2000	ND	Pass	Myclobutanil		0.1000	0.2000	ND	Pass
Boscalid	V1	0.2000	0.4000	ND	Pass	Naled		0.2500	0.5000	ND	Pass
Carbaryl		0.1000	0.2000	ND	Pass	Oxamyl		0.5000	1.0000	ND	Pass
Carbofuran		0.1000	0.2000	ND	Pass	Paclobutrazol		0.2000	0.4000	ND	Pass
Chlorantraniliprole		0.1000	0.2000	ND	Pass	Permethrins		0.1000	0.2000	ND	Pass
Chlorfenapyr	M2	0.5000	1.0000	ND	Pass	Phosmet		0.1000	0.2000	ND	Pass
Chlorpyrifos	M2	0.1000	0.2000	ND	Pass	Piperonyl Butoxide		1.0000	2.0000	ND	Pass
Clofentezine		0.1000	0.2000	ND	Pass	Prallethrin		0.1000	0.2000	ND	Pass
Cyfluthrin	M2	0.5000	1.0000	ND	Pass	Propiconazole		0.2000	0.4000	ND	Pass
Cypermethrin	M2	0.5000	1.0000	ND	Pass	Propoxur		0.1000	0.2000	ND	Pass
Daminozide		0.5000	1.0000	ND	Pass	Pyrethrins		0.5000	1.0000	ND	Pass
Diazinon		0.1000	0.2000	ND	Pass	Pyridaben		0.1000	0.2000	ND	Pass
Dimethoate		0.1000	0.2000	ND	Pass	Spinosad	M2	0.1000	0.2000	ND	Pass
Ethoprophos		0.1000	0.2000	ND	Pass	Spiromesifen		0.1000	0.2000	ND	Pass
Etofenprox		0.2000	0.4000	ND	Pass	Spirotetramat		0.1000	0.2000	ND	Pass
Etoxazole		0.1000	0.2000	ND	Pass	Spiroxamine		0.2000	0.4000	ND	Pass
Fenoxycarb		0.1000	0.2000	ND	Pass	Tebuconazole		0.2000	0.4000	ND	Pass
Fenpyroximate		0.2000	0.4000	ND	Pass	Thiacloprid		0.1000	0.2000	ND	Pass
Fipronil		0.2000	0.4000	ND	Pass	Thiamethoxam		0.1000	0.2000	ND	Pass
Fonicamid		0.5000	1.0000	ND	Pass	Trifloxystrobin	M2	0.1000	0.2000	ND	Pass
Fludioxonil	M2	0.2000	0.4000	ND	Pass						

## Herbicides

Analyte	Qualifier	LOQ	Limit	Units	Status
		PPM	PPM	PPM	
Pendimethalin		0.0500	0.1000	NR	NT

Date Tested: 10/28/2022 12:00 am  
Method: Agilent Ultivo LC/MS

501 S Main Street  
Snowflake, AZ  
(928) 457-0222  
www.onpointlaboratories.com  
Lic# 00000006LCXI00549589



*Cathleen Cover*  
Reviewed by: Cathleen Cover  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.





# Certificate of Analysis

Powered by Confident Cannabis  
6 of 6



## Flow Distribution

2055 E 5th St #100  
Tempe, AZ 85281  
alexat@flowdistribution.com  
(480) 228-2512  
Lic. #00000109ESVM44878444; Employee ID:

Sample: 2210OPT3215.13768

Strain: SO39  
Lot ID: ; Batch#: SO39; Batch Size: g  
Sample Received: 10/27/2022; Report Created: 10/31/2022  
Completed Date: 10/31/2022  
Sampling: ; Environment:

## (Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:



## Solvents

Pass

Analyte	Qualifier	Limit	LOQ	Mass	Status
		PPM	PPM	PPM	
Acetone		1000.0000	500.0000	ND	Pass
Acetonitrile	V1 L1 M1	410.0000	205.0000	ND	Pass
Benzene		2.0000	1.0000	ND	Pass
Butanes		5000.0000	2500.0000	ND	Pass
Chloroform		60.0000	30.0000	ND	Pass
Dichloromethane		600.0000	300.0000	ND	Pass
Ethanol		5000.0000	2500.0000	ND	Pass
Ethyl-Acetate		5000.0000	2500.0000	ND	Pass
Ethyl-Ether		5000.0000	2500.0000	ND	Pass
Heptane		5000.0000	2500.0000	ND	Pass
Hexanes		290.0000	145.0000	ND	Pass
Isopropanol		5000.0000	2500.0000	ND	Pass
Isopropyl-Acetate		5000.0000	2500.0000	ND	Pass
Methanol	V1 L1 M1	3000.0000	1500.0000	ND	Pass
Pentanes		5000.0000	2500.0000	ND	Pass
Propane		5000.0000	2500.0000	ND	Pass
Toluene		890.0000	445.0000	ND	Pass
Xylenes	V1	2170.0000	1085.0000	ND	Pass

OnPoint  
LABORATORIES

Date Tested: 10/28/2022 12:00 am  
Method: Agilent Intuvo 9000 gas chromatography

501 S Main Street  
Snowflake, AZ  
(928) 457-0222  
www.onpointlaboratories.com  
Lic# 00000006LCXI00549589

*Cathleen Cover*  
Reviewed by: Cathleen Cover  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.