Certificate of Analysis

Powered by Confident Cannabis

ACCREDITED
CERTIFICATE #5706.01

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alext@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151; Employee ID:

Sample: 2301OPT0212.0939

Strain: Blue Burst
Lot ID: SO48; Batch#: SO48-BB; Batch Size: 8 g
Sample Received: 01/19/2023; Report Created: 01/23/2023
Completed Date: 01/23/2023
Sampling: ; Environment:

Blue Burst Pod

Concentrates & Extracts, Distillate, CO2; Harvest Process Lot:
Reference #SO48

82.0778% Total THC	**87.9547%** Total Cannabinoids	**Not Tested**	
0.6965% Total CBD	**NT** Moisture (Q3)	Foreign Matter	

Cannabinoids

Complete

Analyte	Qualifier	Mass %	Mass mg/g
THCa		ND	ND
Δ9-THC		82.0778	820.778
Δ8-THC		ND	ND
THCV		0.6201	6.201
CBDa		ND	ND
CBD		0.6965	6.965
CBN		ND	ND
CBGa		ND	ND
CBG		4.5603	45.603
Total		**87.9547**	**879.547**

Date Tested: 01/19/2023 12:00 am

Method: Agilent 1260II HPLC-VWD SOP 3.0

501 S Main Street
Snowflake, AZ
(928) 457-0222
www.onpointlaboratories.com
Lic# 00000006LCXI00549589

THE EMERALD TEST SPRING 2020 HEMP POTENCY IN OIL OnPoint Laboratories

Cathleen Cover

Reviewed by: Cathleen Cover
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.
Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alext@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151; Employee ID:

Sample: 2301OPT0212.0939

Strain: Blue Burst
Lot ID: SO48; Batch#: SO48-BB; Batch Size: 8 g
Sample Received: 01/19/2023; Report Created: 01/23/2023
Completed Date: 01/23/2023
Sampling: ; Environment:

Blue Burst Pod

Concentrates & Extracts, Distillate, CO2; Harvest Process Lot:
Reference #SO48

Microbials

Pass

Analyte	Qualifier	Limit	Units	Status
		CFU/g	CFU/g	
Aspergillus		Not Detected in 1g	ND	Pass
E. Coli		100.0000	<10CFU	Pass
Salmonella		Not Detected in 1g	ND	Pass

Date Tested: 01/20/2023 12:00 am
Method: BioRad qPCR

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.
Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

Certificate of Analysis

Powered by Confident Cannabis

ACCREDITED
CERTIFICATE #5706.01

Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alext@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151; Employee ID:

Sample: 2212OPT3983.17220

Strain: SO48
Lot ID: ; Batch#: SO48; Batch Size: g
Sample Received: 12/22/2022; Report Created: 12/31/2022
Completed Date: 12/31/2022
Sampling: ; Environment:

(Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:

89.5505% Total THC	**95.7629%** Total Cannabinoids	**Not Tested**	
0.6759% Total CBD	**NT** Moisture (Q3)	Foreign Matter	

Cannabinoids

Complete

Analyte	Qualifier	Mass %	Mass mg/g
THCa		ND	ND
Δ9-THC		89.5505	895.505
Δ8-THC		ND	ND
THCV		1.0475	10.475
CBDa		ND	ND
CBD		0.6759	6.759
CBN		0.8040	8.040
CBGa		ND	ND
CBG		3.6850	36.850
Total		**95.7629**	**957.629**

Date Tested: 12/22/2022 12:00 am

Method: Agilent 1260II HPLC-VWD SOP 3.0

501 S Main Street
Snowflake, AZ
(928) 457-0222
www.onpointlaboratories.com
Lic# 00000006LCXI00549589

THE EMERALD TEST SPRING 2022 HEMP POTENCY IN OIL OnPoint Laboratories

Cathleen Cover

Reviewed by: Cathleen Cover
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.
Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alext@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151; Employee ID:

Sample: 2212OPT3983.17220

Strain: SO48
Lot ID: ; Batch#: SO48; Batch Size: g
Sample Received: 12/22/2022; Report Created: 12/31/2022
Completed Date: 12/31/2022
Sampling: ; Environment:

(Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:

Microbials

Pass

Analyte	Qualifier	Limit	Units	Status
		CFU/g	CFU/g	
Aspergillus		Not Detected in 1g	ND	Pass
E. Coli		100.0000	<10CFU	Pass
Salmonella		Not Detected in 1g	ND	Pass

Date Tested: 12/22/2022 12:00 am
Method: BioRad qPCR

Reviewed by: Cathleen Cover
Lab Director

All Rights Reserved

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.
Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alext@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151; Employee ID:

Sample: 2212OPT3983.17220

Strain: SO48
Lot ID: ; Batch#: SO48; Batch Size: g
Sample Received: 12/22/2022; Report Created: 12/31/2022
Completed Date: 12/31/2022
Sampling: ; Environment:

(Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:

Mycotoxins

Pass

Analyte	Qualifier	LOQ	Limit	Units	Status
		PPB	PPB	PPB	
Ochratoxin A	R1V1	10.0000	20.0000	ND	Pass
Total Aflatoxins	V1L1	10.0000	20.0000	ND	Pass

Date Tested: 12/27/2022 07:00 am
Method: Agilent Ultivo LC/MS

Cathleen Cover

Reviewed by: Cathleen Cover
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

CONFIDENT CANNABIS

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.
Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alext@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151; Employee ID:

Sample: 2212OPT3983.17220

Strain: SO48
Lot ID: ; Batch#: SO48; Batch Size: g
Sample Received: 12/22/2022; Report Created: 12/31/2022
Completed Date: 12/31/2022
Sampling: ; Environment:

(Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:

Heavy Metals

Pass

Analyte	Qualifier	Mass	LOQ	Limit	Status
		PPB	PPB	PPB	
Arsenic	L1	<LOQ	200.00	400.00	Pass
Cadmium	L1	<LOQ	200.00	400.00	Pass
Lead	L1	<LOQ	500.00	1000.00	Pass
Mercury	L1	<LOQ	600.00	1200.00	Pass

Date Tested: 12/23/2022 12:00 am
Method: Agilent 7800 ICP MS

HEAVY METALS IN HEMP OIL

Reviewed by: Cathleen Cover
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.
Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alext@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151; Employee ID:

Sample: 2212OPT3983.17220

Strain: SO48
Lot ID: ; Batch#: SO48; Batch Size: g
Sample Received: 12/22/2022; Report Created: 12/31/2022
Completed Date: 12/31/2022
Sampling: ; Environment:

(Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:

Pesticides

Pass

Analyte	Qualifier	LOQ	Limit	Units	Status
		PPM	PPM	PPM	
DDVP		0.0500	0.1000	ND	Pass
Abamectin	V1L1	0.2500	0.5000	ND	Pass
Acephate	V1L1	0.2000	0.4000	ND	Pass
Acequinocyl		1.0000	2.0000	ND	Pass
Acetamiprid		0.1000	0.2000	ND	Pass
Aldicarb		0.2000	0.4000	ND	Pass
Azoxystrobin	V1	0.1000	0.2000	ND	Pass
Bifenazate	L1	0.1000	0.2000	ND	Pass
Bifenthrin		0.1000	0.2000	ND	Pass
Boscalid		0.2000	0.4000	ND	Pass
Carbaryl	V1L1	0.1000	0.2000	ND	Pass
Carbofuran		0.1000	0.2000	ND	Pass
Chlorantraniliprole		0.1000	0.2000	ND	Pass
Chlorfenapyr	V1L1	0.5000	1.0000	ND	Pass
Chlorpyrifos		0.1000	0.2000	ND	Pass
Clofentezine		0.1000	0.2000	ND	Pass
Cyfluthrin		0.5000	1.0000	ND	Pass
Cypermethrin		0.5000	1.0000	ND	Pass
Daminozide		0.5000	1.0000	ND	Pass
Diazinon		0.1000	0.2000	ND	Pass
Dimethoate		0.1000	0.2000	ND	Pass
Ethoprophos		0.1000	0.2000	ND	Pass
Etofenprox		0.2000	0.4000	ND	Pass
Etoxazole		0.1000	0.2000	ND	Pass
Fenoxycarb		0.1000	0.2000	ND	Pass
Fenpyroximate		0.2000	0.4000	ND	Pass
Fipronil		0.2000	0.4000	ND	Pass
Flonicamid	V1	0.5000	1.0000	ND	Pass
Fludioxonil		0.2000	0.4000	ND	Pass

Analyte	Qualifier	LOQ	Limit	Units	Status
		PPM	PPM	PPM	
Hexythiazox		0.5000	1.0000	ND	Pass
Imazalil		0.1000	0.2000	ND	Pass
Imidacloprid		0.2000	0.4000	ND	Pass
Kresoxim Methyl		0.2000	0.4000	ND	Pass
Malathion	V1L1	0.1000	0.2000	ND	Pass
Metalaxyl		0.1000	0.2000	ND	Pass
Methiocarb	V1	0.1000	0.2000	ND	Pass
Methomyl		0.2000	0.4000	ND	Pass
Myclobutanil		0.1000	0.2000	ND	Pass
Naled	V1L1	0.2500	0.5000	ND	Pass
Oxamyl		0.5000	1.0000	ND	Pass
Paclobutrazol		0.2000	0.4000	ND	Pass
Permethrins		0.1000	0.2000	ND	Pass
Phosmet	V1	0.1000	0.2000	ND	Pass
Piperonyl Butoxide		1.0000	2.0000	ND	Pass
Prallethrin		0.1000	0.2000	ND	Pass
Propiconazole		0.2000	0.4000	ND	Pass
Propoxur		0.1000	0.2000	ND	Pass
Pyrethrins		0.5000	1.0000	ND	Pass
Pyridaben		0.1000	0.2000	ND	Pass
Spinosad		0.1000	0.2000	ND	Pass
Spiromesifen		0.1000	0.2000	ND	Pass
Spirotetramat		0.1000	0.2000	ND	Pass
Spiroxamine		0.2000	0.4000	ND	Pass
Tebuconazole		0.2000	0.4000	ND	Pass
Thiacloprid		0.1000	0.2000	ND	Pass
Thiamethoxam		0.1000	0.2000	ND	Pass
Trifloxystrobin		0.1000	0.2000	ND	Pass

Herbicides

Analyte	Qualifier	LOQ	Limit	Units	Status
		PPM	PPM	PPM	
Pendimethalin		0.0500	0.1000	NR	NT

Date Tested: 12/27/2022 12:00 am
Method: Agilent Ultivo LC/MS

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.
Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alext@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151; Employee ID:

Sample: 2212OPT3983.17220

Strain: SO48
Lot ID: ; Batch#: SO48; Batch Size: g
Sample Received: 12/22/2022; Report Created: 12/31/2022
Completed Date: 12/31/2022
Sampling: ; Environment:

(Stiiizy Lab #3) Raw Distillate - Bulk

Concentrates & Extracts, Distillate, Other; Harvest Process Lot:

Solvents

Pass

Analyte	Qualifier	Limit	LOQ	Mass	Status
		PPM	PPM	PPM	
Acetone		1000.0000	500.0000	ND	Pass
Acetonitrile		410.0000	205.0000	ND	Pass
Benzene		2.0000	1.0000	ND	Pass
Butanes		5000.0000	2500.0000	ND	Pass
Chloroform		60.0000	30.0000	ND	Pass
Dichloromethane		600.0000	300.0000	ND	Pass
Ethanol		5000.0000	2500.0000	ND	Pass
Ethyl-Acetate		5000.0000	2500.0000	ND	Pass
Ethyl-Ether		5000.0000	2500.0000	ND	Pass
Heptane		5000.0000	2500.0000	ND	Pass
Hexanes		290.0000	145.0000	ND	Pass
Isopropanol		5000.0000	2500.0000	ND	Pass
Isopropyl-Acetate		5000.0000	2500.0000	ND	Pass
Methanol		3000.0000	1500.0000	ND	Pass
Pentanes		5000.0000	2500.0000	ND	Pass
Propane		5000.0000	2500.0000	ND	Pass
Toluene		890.0000	445.0000	ND	Pass
Xylenes		2170.0000	1085.0000	ND	Pass

Date Tested: 12/22/2022 12:00 am
Method: Agilent Intuvo 9000 gas chromatography

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.
Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.