(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

1 of 4

### **Kushy Punch 100mg Hybrid Sour Apple**

Sample ID: 2302APO0300.1595

Strain: Hybrid

Matrix: Ingestible

Type: Soft Chew

Produced: Collected:

Received: 02/03/2023 Completed: 02/10/2023

Batch #: 9010H.002.0223.06.100.KPSA

Client

Tru Med Lic. # 00000079DCUU00478781

Lot #:



Date Tested	Result
	Pass
02/06/2023	Complete
02/08/2023	Pass
02/07/2023	Pass
02/07/2023	Pass
02/07/2023	Pass
02/06/2023	Pass
	02/06/2023 02/08/2023 02/07/2023 02/07/2023 02/07/2023

Complete Cannabinoids

10.1220 mg/serving 101.2200 mg/container

**Total THC** 

ND ND

Total CBD

10.5076 mg/serving 105.0759 mg/container

**Total Cannabinoids** 

NT

**Total Terpenes** 

Analyte	LOD	LOQ	Result	Result	
	mg/container	mg/container	mg/container	mg/g	
THCa		1.7418	ND	ND	
Δ9-THC		1.7418	101.2200	3.4867	
Δ8-THC		1.7418	ND	ND	
THCV		1.7418	ND	ND	
CBDa		1.7418	ND	ND	
CBD		1.7418	ND	ND	
CBDVa		1.7418	ND	ND	
CBDV		1.7418	ND	ND	
CBN		1.7418	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBGa		1.7418	ND	ND	
CBG		1.7418	3.8559	0.1328	
CBC		1.7418	ND	ND	
Total THC			101.2200	3.4867	
Total CBD			0.0000	0.0000	
Total			105.0759	3.6196	

Date Tested: 02/06/2023 07:00 am 10 servings per container.





Bryant Kearl Lab Director 02/10/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

2 of 4

## **Kushy Punch 100mg Hybrid Sour Apple**

Sample ID: 2302APO0300.1595

Strain: Hybrid

Matrix: Ingestible

Type: Soft Chew

Produced: Collected:

Collected: Received: 02/03/2023

Completed: 02/10/2023

Batch #: 9010H.002.0223.06.100.KPSA

Client **Tru Med** 

Lic. # 00000079DCUU00478781

Lot #:

Pesticides											Pass
Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM		<u> </u>	•	PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND	M2	Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acequinocyl	1.0000	2.0000	ND	M2	Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Piperonyl Butoxide	1.0000	2.0000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Spinosad	0.1000	0.2000	ND	M2	Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiroxamine	0.2000	0.4000	ND	M2	Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Trifloxystrobin	0.1000	0.2000	ND		Pass

LABS

#### Herbicides

Fludioxonil

Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM		
Pendimethalin	0.0500	0.1000	ND		Pass

Date Tested: 02/07/2023 07:00 am Pendimethalin is no longer a regulated parameter pursuant to HB2605 2021.

0.2000

0.4000

ND





Bryant Kearl Lab Director 02/10/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

3 of 4

## Kushy Punch 100mg Hybrid Sour Apple

Sample ID: 2302APO0300.1595

Strain: Hybrid

Matrix: Ingestible

Type: Soft Chew

Produced: Collected:

Received: 02/03/2023

Completed: 02/10/2023

Batch #: 9010H.002.0223.06.100.KPSA

Client

Tru Med Lic. # 00000079DCUU00478781

Lot #:

Microbials **Pass** 

Analyte	Limit	Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 02/07/2023 12:00 am

**Pass** Mycotoxins

Analyte	LOD	LOQ	Limit	Units	Status	Q
	μg/kg	µg/kg	µg/kg	μg/kg		
B1	5	10	20	ND	Pass	
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	
Total Aflatoxins	5	10	20	ND	Pass	
Ochratoxin A	5	10	20	ND	Pass	

Date Tested: 02/07/2023 07:00 am

**Heavy Metals Pass** 

Analyte	LOD	LOQ	Limit	Units	Status	Q
	μg/g	µg/g	µg/g	μg/g		
Arsenic	0.066	0.133	0.4	ND	Pass	
Cadmium	0.066	0.133	0.4	ND	Pass	
Lead	0.166	0.333	1	ND	Pass	
Mercury	0.2	0.4	1.2	ND	Pass	

Date Tested: 02/06/2023 12:00 am





Bryant Kearl Lab Director 02/10/2023





(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

# Kushy Punch 100mg Hybrid Sour Apple

Sample ID: 2302APO0300.1595

Strain: Hybrid Matrix: Ingestible

Type: Soft Chew

Produced: Collected:

Received: 02/03/2023

Completed: 02/10/2023

Batch #: 9010H.002.0223.06.100.KPSA

Client

Tru Med Lic. # 00000079DCUU00478781

Lot #:

#### **Residual Solvents**

Analyte	LOQ	Limit	Mass	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Propane	1907.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

Date Tested: 02/08/2023 12:00 am





Bryant Kearl Lab Director 02/10/2023

