

PRODUCED ON: APR 14, 2023

GLOBE FARMACY INC.

HIGH SOCIETY

CERTIFICATE OF ANALYSIS
REGULATORY COMPLIANCE TESTING

PASS



POTENCY
TESTED



TERPENES
TESTED



MOISTURE
TESTED



FOREIGN MATTER
NT

PASS
PESTICIDES



TESTED
MYCOTOXINS



NT
SOLVENTS



PASS
HEAVY METALS



PASS
MICROBIALS



CANNABINOID SUMMARY


** TOTAL THC = (THCA X 0.877) + THC | TOTAL CBD = (CBDA X 0.877) + CBD

17.31 %
TOTAL THC**

< LOQ %
TOTAL CBD**

20.82 %
TOTAL CANNABINOIDS

TERPENOID SUMMARY



SAMPLE INFO

BATCH NO.: 032023R32-HS
MATRIX: FLOWER
CATEGORY: INHALABLE
SAMPLE ID: PS-230411-004
COLLECTED ON: APR 11, 2023
RECEIVED ON: APR 11, 2023
BATCH/SAMPLE SIZE: 27 LBS / 10.0564 G
RECEIVED BY: AARON BROWN

CULTIVATOR INFO

LICENSE
00000045DCYU00647140
MEDICINAL - CULTIVATOR LICENSE
CULTIVATOR
GLOBE FARMACY INC
2727 N FAIRVIEW AVE
TUCSON, ARIZONA 85705

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTTRULL
LAB DIRECTOR, PLANT SAFE
APR 14, 2023






HPLC-POT-L020: CANNABINOIDS BY HPLC | APR 13, 2023

TESTED

ANALYTE	LOQ (mg/g)	LIMIT	AMT	AMT	ANALYTE	LOQ (mg/g)	LIMIT	AMT	AMT	
CBC	Q3	1.00	ND	ND	CBN	Q3	1.00	ND	ND	
CBCA	Q3	2.00	< LOQ	< LOQ	N/A	CBNA	Q3	1.00	< LOQ	< LOQ
CBD	1.00		ND	ND	Δ ⁸ -THC	Q3	1.00	ND	ND	
CBDA	1.00		< LOQ	< LOQ	N/A	Δ ⁹ -THC	1.00	1.7 mg/g	0.17 %	
CBDV	Q3	1.00	ND	ND	THCA	1.00	195.4 mg/g	19.54 %		
CBDVA	Q3	1.00	ND	ND	THCV	Q3	1.00	ND	ND	
CBG	Q3	1.00	< LOQ	< LOQ	N/A	THCVA	Q3	1.00	2.4 mg/g	0.24 %
CBGA	Q3	1.00	8.7 mg/g	0.87 %	TOTAL THC**			173.1 mg/g	17.31 %	
CBL	Q3	1.00	ND	ND	TOTAL CBD**			< LOQ	< LOQ	

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC



GC-TRP-L024: TERPENES BY GC-MS | APR 13, 2023

TESTED

ANALYTE	LOQ (mg/g)	AMT	AMT	ANALYTE	LOQ (mg/g)	AMT	AMT		
D-LIMONENE	Q3	0.05	5.8 mg/g	0.58 %	GERANIOL	Q3	0.05	0.1 mg/g	0.01 %
TRANS-β-CARYOPHYLLENE	Q3	0.05	5.2 mg/g	0.52 %	TERPINOLENE	Q3	0.05	0.1 mg/g	0.01 %
α-HUMULENE	Q3	0.05	1.6 mg/g	0.16 %	(-)-GUAIOL	Q3	0.05	ND	ND
α-PINENE	Q3	0.05	1.5 mg/g	0.15 %	(-)-ISOPULEGOL	Q3	0.05	ND	ND
(-)-β-PINENE	Q3	0.05	1.4 mg/g	0.14 %	α-OCIMENE	Q3	0.05	ND	ND
β-MYRCENE	Q3	0.05	0.9 mg/g	0.09 %	α-TERPINENE	Q3	0.05	ND	ND
(-)-α-BISABOLOL	Q3	0.05	0.4 mg/g	0.04 %	Δ ³ -CARENE	Q3	0.05	ND	ND
CIS-β-OCIMENE	Q3	0.05	0.4 mg/g	0.04 %	EUCALYPTOL	Q3	0.05	ND	ND
TRANS-NEROLIDOL	Q3	0.05	0.4 mg/g	0.04 %	γ-TERPINENE	Q3	0.05	ND	ND
(-)-CARYOPHYLLENE OXIDE	Q3	0.05	0.3 mg/g	0.03 %	LINALOOL	Q3	0.05	ND	ND
CAMPHENE	Q3	0.05	0.2 mg/g	0.02 %	P-CYMENE	Q3	0.05	ND	ND
CIS-NEROLIDOL	Q3	0.05	0.1 mg/g	0.01 %	TOTAL TERPENES			18.4 mg/g	1.84 %



ICP-HVY-L021: HEAVY METALS BY ICP-MS | APR 12, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
ARSENIC	0.20	0.4	ND	PASS	LEAD	0.50	1	ND	PASS
CADMIUM	0.20	0.4	ND	PASS	MERCURY	0.60	1.2	ND	PASS



LC-PES-L022: PESTICIDES BY LC-MS/MS | APR 13, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
ABAMECTIN	0.25	0.5	ND	PASS	MALATHION	0.10	0.2	ND	PASS
ACEPHATE	0.20	0.4	ND	PASS	METALAXYL	0.10	0.2	ND	PASS
ACEQUINOCYL	1.00	2	ND	PASS	METHIOCARB	0.10	0.2	ND	PASS

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
APR 14, 2023



ACETAMIPRID	0.10	0.2	ND	PASS	METHOMYL	0.20	0.4	ND	PASS	
ALDICARB	0.20	0.4	ND	PASS	MYCLOBUTANIL	0.10	0.2	ND	PASS	
AZOXYSTROBIN	0.10	0.2	ND	PASS	NALED	0.25	0.5	ND	PASS	
BIFENAZATE	0.10	0.2	ND	PASS	OXAMYL	0.50	1	ND	PASS	
BIFENTHRIN	0.10	0.2	ND	PASS	PACLOBUTRAZOL	0.20	0.4	ND	PASS	
BOSCALID	0.20	0.4	ND	PASS	PENDIMETHALIN	Q3	0.05	ND	N/A	
CARBARYL	0.10	0.2	ND	PASS	PERMETHRIN	0.10	0.2	ND	PASS	
CARBOFURAN	0.10	0.2	ND	PASS	PHOSMET	0.10	0.2	ND	PASS	
CHLORANTRANILIPROLE	0.10	0.2	ND	PASS	PIPERONYLBUTOXIDE	M1	1.00	2	ND	PASS
CHLORFENAPYR	0.50	1	ND	PASS	PRALLETHRIN	0.10	0.2	ND	PASS	
CHLORPYRIFOS	0.10	0.2	ND	PASS	PROPICONAZOLE	M2	0.20	0.4	ND	PASS
CLOFENTEZINE	0.10	0.2	ND	PASS	PROPOXUR	0.10	0.2	ND	PASS	
CYFLUTHRIN	M2	0.50	1	ND	PYRETHRINS	0.50	1	ND	PASS	
CYPERMETHRIN	0.50	1	ND	PASS	PYRETHRINS CINERIN I	0.50		ND	N/A	
DAMINOZIDE	0.50	1	ND	PASS	PYRETHRINS CINERIN II	0.50		ND	N/A	
DIAZINON	0.10	0.2	ND	PASS	PYRETHRINS JASMOLIN I	0.50		ND	N/A	
DICHLORVOS	0.05	0.1	ND	PASS	PYRETHRINS JASMOLIN II	0.50		ND	N/A	
DIMETHOATE	0.10	0.2	ND	PASS	PYRETHRINS PYRETHRIN I	0.50		ND	N/A	
ETHOPROPHOS	0.10	0.2	ND	PASS	PYRETHRINS PYRETHRIN II	0.50		ND	N/A	
ETOFENPROX	0.20	0.4	ND	PASS	PYRIDABEN	0.10	0.2	ND	PASS	
ETOXAZOLE	0.10	0.2	ND	PASS	SPINOSAD	0.10	0.2	ND	PASS	
FENOXYCARB	0.10	0.2	ND	PASS	SPINOSAD A	0.10		ND	N/A	
FENPYROXIMATE	0.20	0.4	ND	PASS	SPINOSAD D	0.10		ND	N/A	
FIPRONIL	0.20	0.4	ND	PASS	SPIROMESIFEN	0.10	0.2	ND	PASS	
FLONICAMID	0.50	1	ND	PASS	SPIROTETRAMAT	M2	0.10	0.2	ND	PASS
FLUDIOXONIL	0.20	0.4	ND	PASS	SPIROXAMINE	M2	0.20	0.4	ND	PASS
HEXYTHIAZOX	0.50	1	ND	PASS	TEBUCONAZOLE	0.20	0.4	ND	PASS	
IMAZALIL	M2	0.10	0.2	ND	THIACLOPRID	0.10	0.2	ND	PASS	
IMIDACLOPRID	0.20	0.4	ND	PASS	THIAMETHOXAM	0.10	0.2	ND	PASS	
KRESOXIM-METHYL	0.20	0.4	ND	PASS	TRIFLOXYSTROBIN	0.10	0.2	ND	PASS	



LC-MYC-L022: MYCOTOXINS BY LC-MS/MS | APR 13, 2023

TESTED

ANALYTE	LOQ (µg/kg)	LIMIT (µg/kg)	AMT (µg/kg)	PASS/FAIL	ANALYTE	LOQ (µg/kg)	LIMIT (µg/kg)	AMT (µg/kg)	PASS/FAIL
AFLATOXINS		20	ND	N/A	AFLATOXIN G1	10.00		ND	N/A
AFLATOXIN B1	10.00		ND	N/A	AFLATOXIN G2	10.00		ND	N/A
AFLATOXIN B2	10.00		ND	N/A	OCHRATOXIN A	10.00	20	ND	N/A



PCR-ASP-L017: ASPERGILLUS BY QPCR | APR 13, 2023

PASS

ANALYTE	LIMIT (amount)	AMT (Units)	PASS/FAIL	ANALYTE	LIMIT (amount)	AMT (Units)	PASS/FAIL
ASPERGILLUS FLAVUS	Any	ND	PASS	ASPERGILLUS NIGER	Any	ND	PASS
ASPERGILLUS FUMIGATUS	Any	ND	PASS	ASPERGILLUS TERREUS	Any	ND	PASS

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
APR 14, 2023

David Luttrull





TMP-ECO-L018: E. COLI BY PETRI-FILM | APR 12, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
ESCHERICHIA COLI	100	<10	PASS



PCR-SAL-L016: SALMONELLA BY QPCR | APR 12, 2023

PASS

ANALYTE	LIMIT (amount)	AMT (Units)	PASS/FAIL
SALMONELLA SPP.	Any	ND	PASS



HMA-MOI-L019: MOISTURE CONTENT BY HMA | APR 12, 2023

TESTED

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE	Q3	9.08	N/A

PRODUCT IMAGES



Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
APR 14, 2023

