

SAMPLE NAME: LR Dulce De Uva

SAMPLE ID: A23H0165-04

CCB ID: 2308OPT2837.11188

CULTIVATOR/MANUFACTURER

Business Name: Globe Farmacy Inc

License: GFI00000045DCYU00647140

SAMPLE DETAIL

Date Collected: 8/18/2023 11:51:08AM

Matrix: Live Resin

Strain: Dulce De Uva

Ex. Lot ID: N/A

Batch#: EX081523-DDU

Batch Size: N/A

Other Information:



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 67.112%

d9-THC + (THCa * 0.877)

Total CBD: ND

CBD + (CBDa * 0.877)

Total Cannabinoids: 78.019%

CBD + CBG + CBN + CBDa + CBGa
+ THCa + THCv + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS

Mycotoxins: PASS

Metals: PASS

Solvents: PASS

Pesticides: PASS

Data Reviewed by Symone Whalin, Technical Laboratory Director

| | |
|------------------|--|
| 67.112% | 78.019% |
| Total THC | Total Cannabinoids <small>*Q3 Informational use only</small> |
| ND | N/A |
| Total CBD | Moisture <small>*Q3 Informational use only</small> |

CANNABINOID TEST RESULTS

Date Analyzed: 08/20/23 04:22; Method: Agilent 1260 LC

| Analyte | Qualifier | LOQ | Result | Result |
|--------------|-----------|-----------|---------------|---------------|
| | | % | % | mg/g |
| delta 9-THC | | 0.030000 | 0.94720 | 9.47 |
| THCA | | 0.030000 | 77.428 | 774.28 |
| CBD | | 0.020000 | ND | ND |
| CBDA | | 0.020000 | ND | ND |
| CBN | Q3M2 | 0.0040000 | ND | ND |
| delta 8-THC | Q3 | 0.030000 | ND | ND |
| CBG | Q3 | 0.0040000 | ND | ND |
| CBGA | Q3 | 0.0040000 | 1.6667 | 16.67 |
| THCV | Q3 | 0.0040000 | ND | ND |
| Total CBD | | 0.030000 | ND | ND |
| Total THC | | 0.030000 | 67.112 | 671.12 |
| Total | | 0.0040000 | 78.019 | 780.19 |


HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 08/19/23 19:58; Method: Agilent 7800 ICP MS

| Analyte | Qualifier | LOQ | Limit | Result | Status |
|---------|-----------|-----|-------|--------|--------|
| | | ppb | ppb | ppb | |
| Arsenic | | 200 | 400 | ND | Pass |
| Cadmium | | 200 | 400 | ND | Pass |
| Lead | | 500 | 1000 | ND | Pass |
| Mercury | | 600 | 1200 | ND | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director




PESTICIDES TEST RESULTS

Pass

Date Analyzed: 08/20/23 22:50; Method: Agilent 1260 LC 6470BMS

| Analyte | Qualifier | LOQ | Limit | Result | Status | Analyte | Qualifier | LOQ | Limit | Result | Status |
|---------------------|-----------|--------|-------|--------|--------|--------------------|-----------|-------|-------|--------|--------|
| | | ppm | ppm | ppm | | | | ppm | ppm | ppm | |
| Avermectin B1a | L1, V1 | 0.250 | 0.5 | ND | Pass | Hexythiazox | M2, V1 | 0.500 | 1 | ND | Pass |
| Acephate | | 0.200 | 0.4 | ND | Pass | Imazalil | V1 | 0.100 | 0.2 | ND | Pass |
| Acequinocyl | L1, V1 | 1.00 | 2 | ND | Pass | Imidacloprid | L1, V1 | 0.200 | 0.4 | ND | Pass |
| Acetamiprid | | 0.100 | 0.2 | ND | Pass | Kresoxim-methyl | | 0.200 | 0.4 | ND | Pass |
| Aldicarb | | 0.200 | 0.4 | ND | Pass | Malathion | V1 | 0.100 | 0.2 | ND | Pass |
| Azoxystrobin | | 0.100 | 0.2 | ND | Pass | Metaxyl | | 0.100 | 0.2 | ND | Pass |
| Bifenazate | M1 | 0.100 | 0.2 | ND | Pass | Methiocarb | | 0.100 | 0.2 | ND | Pass |
| Bifenthrin | L1, V1 | 0.100 | 0.2 | ND | Pass | Methomyl | | 0.200 | 0.4 | ND | Pass |
| Boscalid | V1 | 0.200 | 0.4 | ND | Pass | Myclobutanil | V1 | 0.100 | 0.2 | ND | Pass |
| Carbaryl | | 0.100 | 0.2 | ND | Pass | Naled | V1 | 0.250 | 0.5 | ND | Pass |
| Carbofuran | | 0.100 | 0.2 | ND | Pass | Oxamyl | | 0.500 | 1 | ND | Pass |
| Chlorantraniliprole | L1, V1 | 0.100 | 0.2 | ND | Pass | Paclobutrazol | | 0.200 | 0.4 | ND | Pass |
| Chlorfenapyr | L1, V1 | 0.500 | 1 | ND | Pass | Permethrins | L1, V1 | 0.100 | 0.2 | ND | Pass |
| Chlorpyrifos | M2 | 0.100 | 0.2 | ND | Pass | Phosmet | V1 | 0.100 | 0.2 | ND | Pass |
| Clofentezine | | 0.100 | 0.2 | ND | Pass | Piperonyl Butoxide | | 1.00 | 2 | ND | Pass |
| Cyfluthrin | L1, V1 | 0.500 | 1 | ND | Pass | Prallethrin | L1, V1 | 0.100 | 0.2 | ND | Pass |
| Cypermethrin | V1, L1 | 0.500 | 1 | ND | Pass | Propiconazole | | 0.200 | 0.4 | ND | Pass |
| Daminozide | | 0.500 | 1 | ND | Pass | Propoxur | | 0.100 | 0.2 | ND | Pass |
| DDVP (Dichlorvos) | | 0.0500 | 0.1 | ND | Pass | Pyrethrins | L1, V1 | 0.500 | 1 | ND | Pass |
| Diazinon | | 0.100 | 0.2 | ND | Pass | Pyridaben | V1 | 0.100 | 0.2 | ND | Pass |
| Dimethoate | | 0.100 | 0.2 | ND | Pass | Spinosad | | 0.100 | 0.2 | ND | Pass |
| Ethoprop(hos) | | 0.100 | 0.2 | ND | Pass | Spiromesifen | | 0.100 | 0.2 | ND | Pass |
| Etofenprox | M2 | 0.200 | 0.4 | ND | Pass | Spirotetramat | L1, V1 | 0.100 | 0.2 | ND | Pass |
| Etoxazole | | 0.100 | 0.2 | ND | Pass | Spiroxamine | | 0.200 | 0.4 | ND | Pass |
| Fenoxycarb | V1 | 0.100 | 0.2 | ND | Pass | Tebuconazole | V1 | 0.200 | 0.4 | ND | Pass |
| Fenpyroximate | V1 | 0.200 | 0.4 | ND | Pass | Thiacloprid | | 0.100 | 0.2 | ND | Pass |
| Fipronil | | 0.200 | 0.4 | ND | Pass | Thiamethoxam | | 0.100 | 0.2 | ND | Pass |
| Flonicamid | | 0.500 | 1 | ND | Pass | Trifloxystrobin | M2 | 0.100 | 0.2 | ND | Pass |
| Fludioxonil | V1 | 0.200 | 0.4 | ND | Pass | | | | | | |

MYCOTOXINS TEST RESULTS

Pass

Date Analyzed: 08/20/23 22:50; Method: Agilent 1260 LC 6470BMS

| Analyte | Qualifier | LOQ | Limit | Result | Status |
|------------------|-----------|------|-------|--------|--------|
| | | ppb | ppb | ppb | |
| Aflatoxin B1 | | 10.0 | | ND | |
| Aflatoxin B2 | | 10.0 | | ND | |
| Aflatoxin G1 | | 10.0 | | ND | |
| Aflatoxin G2 | | 10.0 | | ND | |
| Ochratoxin A | L1 | 10.0 | 20 | ND | Pass |
| Total Aflatoxins | | 10.0 | 20 | ND | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director




RESIDUAL SOLVENTS TEST RESULTS

Pass

Date Analyzed: 08/19/23 23:14; Method: Agilent Intuvo 9000 GC 5977BMS

| Analyte | Qualifier | LOQ | Limit | Result | Status |
|-------------------|-----------|-------|-------|--------|--------|
| | | ppm | ppm | ppm | |
| Acetone | M1 | 500.0 | 1000 | ND | Pass |
| Acetonitrile | | 205.0 | 410 | ND | Pass |
| Benzene | | 1,000 | 2 | ND | Pass |
| Butanes | | 2,500 | 5000 | ND | Pass |
| Chloroform | | 30.00 | 60 | ND | Pass |
| Dichloromethane | | 300.0 | 600 | ND | Pass |
| Ethanol | | 2,500 | 5000 | ND | Pass |
| Ethyl acetate | | 2,500 | 5000 | ND | Pass |
| Ethyl ether | | 2,500 | 5000 | ND | Pass |
| Heptane | | 2,500 | 5000 | ND | Pass |
| Hexanes | | 145.0 | 290 | ND | Pass |
| Isopropyl acetate | | 2,500 | 5000 | ND | Pass |
| Methanol | | 1,500 | 3000 | ND | Pass |
| Pentanes | | 2,500 | 5000 | ND | Pass |
| 2-Propanol (IPA) | | 2,500 | 5000 | ND | Pass |
| Propane | | 2,500 | 5000 | ND | Pass |
| Toluene | | 445.0 | 890 | ND | Pass |
| Xylenes | | 1,085 | 2170 | ND | Pass |

MICROBIALS TEST RESULTS

Pass

Date Analyzed: 08/21/23 08:14; Method: 3M Petrifilm

| Analyte | Qualifier | Limit | Result | Status |
|-----------------------|-----------|----------------------|------------------------|--------|
| | | cfu/g | cfu/g | |
| Escherichia coli | | 100 | <40 CFU/g | Pass |
| Salmonella spp. | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus terreus | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus niger | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus fumigatus | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus flavus | | Detectable in 1 gram | Not detected in 1 gram | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director