

**SAMPLE NAME:** Red Pop  
**SAMPLE ID:** A23H0023-09  
**CCB ID:** 2308OPT2691.10574

**CULTIVATOR/MANUFACTURER**  
**Business Name:** Globe Pharmacy Inc  
**License:** GFI00000045DCYU00647140

**SAMPLE DETAIL**

**Date Collected:** 8/2/2023 11:46:46AM  
**Matrix:** Flower - Cured  
**Strain:** Red Pop  
**Ex. Lot ID:** N/A  
**Batch#:** 053123R41-RRP  
**Batch Size:** N/A  
**Other Information:**



Scan QR code to verify authenticity of results.

**CANNABINOID ANALYSIS SUMMARY**

**Total THC: 20.993%**  
d9-THC + (THCa \* 0.877)

**Total CBD: ND**  
CBD + (CBDa \* 0.877)

**Total Cannabinoids: 24.076%**  
CBD + CBG + CBN + CBDa + CBGa  
+ THCa + THCv + d8THC + d9THC

**SAFETY ANALYSIS SUMMARY**

**Microbials: PASS**  
**Solvents: NOT TESTED**

**Mycotoxins: NOT TESTED**  
**Pesticides: PASS**

**Metals: PASS**

**TERPENE ANALYSIS SUMMARY**


\*Q3 Informational use only

**Caryophyllene: 0.4793%**

**d-Limonene: 0.1789%**

**Humulene: 0.1336%**

Data Reviewed by Symone Whalin, Technical Laboratory Director




<b>20.993%</b>	<b>24.076%</b>
<b>Total THC</b>	<b>Total Cannabinoids</b> <small>*Q3 Informational use only</small>
<b>ND</b>	<b>N/A</b>
<b>Total CBD</b>	<b>Moisture</b> <small>*Q3 Informational use only</small>

### CANNABINOID TEST RESULTS

Date Analyzed: 08/03/23 16:18; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.030000	0.80390	8.04
THCA		0.030000	23.020	230.20
CBD		0.030000	ND	ND
CBDA		0.030000	ND	ND
CBN	Q3M2	0.030000	ND	ND
delta 8-THC	Q3	0.030000	ND	ND
CBG	Q3	0.030000	ND	ND
CBGA	Q3	0.030000	0.25180	2.52
THCV	Q3	0.030000	ND	ND
Total CBD		0.030000	ND	ND
Total THC		0.030000	20.993	209.93
<b>Total</b>		0.030000	<b>24.076</b>	<b>240.76</b>

### HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 08/04/23 12:26; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic		200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead		500	1000	ND	Pass
Mercury		600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




### TERPENE TEST RESULTS

\*Q3- Terpene results are for informational use only.

Date Analyzed:08/03/23 16:00; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
Caryophyllene	Q3	0.04000	0.4793	4.79
d-Limonene	Q3	0.04000	0.1789	1.79
Humulene	Q3	0.04000	0.1336	1.34
alpha-Bisabolol	Q3	0.04000	0.09530	0.95
Linalool	Q3	0.04000	0.08610	0.86
Fenchol	Q3	0.04000	0.06200	0.62
alpha-Terpineol	Q3	0.04000	0.06010	0.60
Farnesene	Q3	0.04000	0.05440	0.54
Caryophyllene Oxide	Q3	0.04000	0.05200	0.52
beta-Myrcene	Q3	0.04000	0.04250	0.43
alpha-Cedrene	Q3	0.04000	ND	ND
alpha-Phellandrene	Q3	0.04000	ND	ND
alpha-Pinene	Q3	0.04000	ND	ND
alpha-Terpinene	Q3	0.04000	ND	ND
beta-Pinene	Q3	0.04000	ND	ND
gamma-Terpinene	Q3	0.04000	ND	ND
gamma-Terpineol	Q3	0.04000	ND	ND
3-Carene	Q3	0.04000	ND	ND
Camphene	Q3	0.04000	ND	ND
Camphor	Q3	0.04000	ND	ND
Cedrol	Q3	0.04000	ND	ND
endo-Borneol	Q3	0.04000	ND	ND
Eucalyptol	Q3	0.04000	ND	ND
Fenchone	Q3	0.04000	ND	ND
Geraniol	Q3	0.04000	ND	ND
Geranyl acetate	Q3	0.04000	ND	ND
Guaiol	Q3	0.04000	ND	ND
Isoborneol	Q3	0.04000	ND	ND
Isopulegol	Q3	0.04000	ND	ND
Menthol	Q3	0.04000	ND	ND
Nerol	Q3	0.04000	ND	ND
Nerolidol	Q3	0.04000	ND	ND
Pulegone	Q3	0.04000	ND	ND
Sabinene	Q3	0.04000	ND	ND
Sabinene Acetate	Q3	0.04000	ND	ND
Terpinolene	Q3	0.04000	ND	ND
Valencene	Q3	0.04000	ND	ND
trans-beta-Ocimene	Q3	0.04000	ND	ND
cis-beta-Ocimene	Q3	0.04000	ND	ND

**1.308%**

**Total Terpenes**

Data Reviewed by Symone Whalin, Technical Laboratory Director




**PESTICIDES TEST RESULTS**

**Pass**

Date Analyzed: 08/04/23 14:01; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	L1, V1	0.250	0.5	ND	Pass	Hexythiazox	V1	0.500	1	ND	Pass
Acephate		0.200	0.4	ND	Pass	Imazalil		0.100	0.2	ND	Pass
Acequinocyl	L1, V1	1.00	2	ND	Pass	Imidacloprid	L1, V1	0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Kresoxim-methyl		0.200	0.4	ND	Pass
Aldicarb	R1	0.200	0.4	ND	Pass	Malathion	R1	0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Metaxyl		0.100	0.2	ND	Pass
Bifenazate		0.100	0.2	ND	Pass	Methiocarb	V1	0.100	0.2	ND	Pass
Bifenthrin	V1	0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Boscalid	V1	0.200	0.4	ND	Pass	Myclobutanil	V1	0.100	0.2	ND	Pass
Carbaryl		0.100	0.2	ND	Pass	Naled		0.250	0.5	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Chlorantraniliprole	L1, V1	0.100	0.2	ND	Pass	Paclobutrazol		0.200	0.4	ND	Pass
Chlorfenapyr	M2	0.500	1	ND	Pass	Permethrins	L1, V1	0.100	0.2	ND	Pass
Chlorpyrifos		0.100	0.2	ND	Pass	Phosmet	V1	0.100	0.2	ND	Pass
Clofentezine	V1	0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Cyfluthrin	L1, V1	0.500	1	ND	Pass	Prallethrin	L1, V1	0.100	0.2	ND	Pass
Cypermethrin	L1, V1	0.500	1	ND	Pass	Propiconazole	M2	0.200	0.4	ND	Pass
Daminozide	M1	0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)		0.0500	0.1	ND	Pass	Pyrethrins	L1, V1	0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben	V1	0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad	V1	0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox		0.200	0.4	ND	Pass	Spirotetramat	L1, V1	0.100	0.2	ND	Pass
Etoxazole		0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb	V1	0.100	0.2	ND	Pass	Tebuconazole		0.200	0.4	ND	Pass
Fenpyroximate	V1	0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil		0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Flonicamid	V1	0.500	1	ND	Pass	Trifloxystrobin		0.100	0.2	ND	Pass
Fludioxonil		0.200	0.4	ND	Pass						

*Symone Whalin*

Data Reviewed by Symone Whalin, Technical Laboratory Director





**MICROBIALS TEST RESULTS**

**Pass**

Date Analyzed: 08/05/23 08:37; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director

