

Sample ID: A23H0023-10

Date Issued: 08/08/2023

SAMPLE NAME: White Rainbows

SAMPLE ID: A23H0023-10

CCB ID: 2308OPT2691.10575

CULTIVATOR/MANUFACTURER

Business Name: Globe Farmacy Inc License: GFI00000045DCYU00647140

SAMPLE DETAIL

Date Collected: 8/2/2023 11:46:46AM

Matrix: Flower - Cured Strain: White Rainbows

Ex. Lot ID: N/A

Batch#: 053123R41-WR

Batch Size: N/A

Other Information:





Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 17.175% **Total CBD: ND** Total Cannabinoids: 19.753%

d9-THC + (THCa * 0.877) CBD + (CBDa * 0.877) CBD + CBG + CBN + CBDa + CBGa + THCa + THCV + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS **Mycotoxins: NOT TESTED Metals: PASS**

Solvents: NOT TESTED Pesticides: PASS

TERPENE ANALYSIS SUMMARY

*Q3 Informational use only

d-Limonene: 0.4317% Caryophyllene: 0.3888% Farnesene: 0.3526%

Data Reviewed by Symone Whalin, Technical Laboratory Director

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | https://www.onpointlaboratories.com | License #: 00000006LCXI00549589



Printed: 8/8/2023 1:59 pm Page 1 of 5



Sample ID: A23H0023-10

Date Issued: 08/08/2023

17.175%

19.753%

Total THC

Total Cannabinoids

*Q3 Informational use only

ND

N/A

Total CBD

Moisture

*Q3 Informational use only

CANNABINOID TEST RESULTS

Date Analyzed: 08/03/23 16:28; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.030000	1.0118	10.12
THCA		0.030000	18.430	184.30
CBD		0.030000	ND	ND
CBDA		0.030000	ND	ND
CBN	Q3M2	0.030000	ND	ND
delta 8-THC	Q3	0.030000	ND	ND
CBG	Q3	0.030000	0.11770	1.18
CBGA	Q3	0.030000	0.19370	1.94
THCV	Q3	0.030000	ND	ND
Total CBD		0.030000	ND	ND
Total THC		0.030000	17.175	171.75
Total		0.030000	19.753	197.53

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 08/04/23 12:29; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic		200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead		500	1000	ND	Pass
Mercury		600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director

propointlaboratories.com | License #: 000000





Sample ID: A23H0023-10

Date Issued: 08/08/2023

TERPENE TEST RESULTS

*Q3- Terpene results are for informational use only.

Date Analyzed:08/03/23 16:25; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Result	Result	
		%	%	mg/g	
d-Limonene	Q3	0.04000	0.4317	4.32	
Caryophyllene	Q3	0.04000	0.3888	3.89	
Farnesene	Q3	0.04000	0.3526	3.53	
Linalool	Q3	0.04000	0.2121	2.12	
Humulene	Q3	0.04000	0.1165	1.17	
alpha-Pinene	Q3	0.04000	0.1126	1.13	
beta-Pinene	Q3	0.04000	0.08450	0.85	
alpha-Terpineol	Q3	0.04000	0.05220	0.52	
cis-beta-Ocimene	Q3	0.04000	0.04420	0.44	
Fenchol	Q3	0.04000	0.04250	0.43	
alpha-Bisabolol	Q3	0.04000	ND	ND	
alpha-Cedrene	Q3	0.04000	ND	ND	
alpha-Phellandrene	Q3	0.04000	ND	ND	
alpha-Terpinene	Q3	0.04000	ND	ND	
beta-Myrcene	Q3	0.04000	ND	ND	
gamma-Terpinene	Q3	0.04000	ND	ND	
gamma-Terpineol	Q3	0.04000	ND	ND	
3-Carene	Q3	0.04000	ND	ND	
Camphene	Q3	0.04000	ND	ND	
Camphor	Q3	0.04000	ND	ND	
Caryophyllene Oxide	Q3	0.04000	ND	ND	
Cedrol	Q3	0.04000	ND	ND	
endo-Borneol	Q3	0.04000	ND	ND	
Eucalyptol	Q3	0.04000	ND	ND	
Fenchone	Q3	0.04000	ND	ND	
Geraniol	Q3	0.04000	ND	ND	
Geranyl acetate	Q3	0.04000	ND	ND	
Guaiol	Q3	0.04000	ND	ND	
Isoborneol	Q3	0.04000	ND	ND	
Isopulegol	Q3	0.04000	ND	ND	
Menthol	Q3	0.04000	ND	ND	
Nerol	Q3	0.04000	ND	ND	
Nerolidol	Q3	0.04000	ND	ND	
Pulegone	Q3	0.04000	ND	ND	
Sabinene	Q3	0.04000	ND	ND	
Sabinene Acetate	Q3	0.04000	ND	ND	
Terpinolene	Q3	0.04000	ND	ND	
Valencene	Q3	0.04000	ND	ND	
trans-beta-Ocimene	Q3	0.04000	ND	ND	

2.189%

Total Terpenes

Data Reviewed by Symone Whalin, Technical Laboratory Director

Leafly. certified



Sample ID: A23H0023-10

Date Issued: 08/08/2023

PESTICIDES TEST RESULTS

Date Analyzed: 08/04/23 14:16; Method: Agilent 1260 LC 6470BMS

Pass

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	L1, V1	0.250	0.5	ND	Pass	Hexythiazox	V1	0.500	1	ND	Pass
Acephate		0.200	0.4	ND	Pass	Imazalil		0.100	0.2	ND	Pass
Acequinocyl	L1, V1	1.00	2	ND	Pass	Imidacloprid	L1, V1	0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Kresoxim-methyl		0.200	0.4	ND	Pass
Aldicarb	R1	0.200	0.4	ND	Pass	Malathion	R1	0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Metalaxyl		0.100	0.2	ND	Pass
Bifenazate		0.100	0.2	ND	Pass	Methiocarb	V1	0.100	0.2	ND	Pass
Bifenthrin	V1	0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Boscalid	V1	0.200	0.4	ND	Pass	Myclobutanil	V1	0.100	0.2	ND	Pass
Carbaryl		0.100	0.2	ND	Pass	Naled		0.250	0.5	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Chlorantraniliprole	L1, V1	0.100	0.2	ND	Pass	Paclobutrazol		0.200	0.4	ND	Pass
Chlorfenapyr	M2	0.500	1	ND	Pass	Permethrins	L1, V1	0.100	0.2	ND	Pass
Chlorpyrifos		0.100	0.2	ND	Pass	Phosmet	V1	0.100	0.2	ND	Pass
Clofentezine	V1	0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Cyfluthrin	L1, V1	0.500	1	ND	Pass	Prallethrin	L1, V1	0.100	0.2	ND	Pass
Cypermethrin	L1, V1	0.500	1	ND	Pass	Propiconazole	M2	0.200	0.4	ND	Pass
Daminozide	M1	0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)		0.0500	0.1	ND	Pass	Pyrethrins	L1, V1	0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben	V1	0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad	V1	0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox		0.200	0.4	ND	Pass	Spirotetramat	L1, V1	0.100	0.2	ND	Pass
Etoxazole		0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb	V1	0.100	0.2	ND	Pass	Tebuconazole		0.200	0.4	ND	Pass
Fenpyroximate	V1	0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil		0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Flonicamid	V1	0.500	1	ND	Pass	Trifloxystrobin		0.100	0.2	ND	Pass
Fludioxonil		0.200	0.4	ND	Pass						

Data Reviewed by Symone Whalin, Technical Laboratory Director







Aspergillus flavus

Globe Farmacy Inc Certificate of Analysis

Sample ID: A23H0023-10

Date Issued: 08/08/2023

Not detected in 1 gram

MICROBIALS TEST RESULTS Date Analyzed: 08/05/23 08:37; Method: 3M Petrifilm

Pass

Pass

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass

Detectable in 1 gram

Data Reviewed by Symone Whalin, Technical Laboratory Director

