



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/01/2023

2306OPT2380.9310

SAMPLE NAME: FP - Papaya Punch Bulk Shatter

Matrix: Concentrates & Extracts | Type: Shatter
Strain Name: Papaya Punch | Classification:

CULTIVATOR/MANUFACTURER:

Business Name: The Kind Relief Inc DBA: Flow Distribution
License: 00000049DCRR00713151

Address: 1102 N. 21st Ave, Phoenix, AZ 85009

SAMPLE DETAIL:

Batch Number:
PP0323-PP

Date Received:
06/28/2023

Batch Size:
10 g

External Lot ID:

Sample Size:

Other Information:

Unit Mass:
g



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: **79.8681%**
 Δ^9 -THC + (THCa * 0.877)

Total Cannabinoids: **91.8448%**
CBD + CBDa + CBG + CBGa + CBN + Δ^8 -THC + Δ^9 -THC + THCa + THCv

Total CBD: **ND**
CBD + (CBDa * 0.877)

SAFETY ANALYSIS SUMMARY

Pesticides: Pass

Heavy Metals: Pass

Moisture: **Not Tested**

Mycotoxins: Pass

Residual Solvents: Pass

Water Activity: **Not Tested**

Microbials: Pass

Foreign Material: **Not Tested**

TERPENE ANALYSIS SUMMARY

NOT TESTED



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



OnPoint
LABORATORIES

Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/01/2023

2306OPT2380.9310

CANNABINOID TEST RESULTS: 06/28/2023

Method: HPLC

79.8681% 79.8681% Total THC	91.8448% 91.8448% Total Cannabinoids
ND ND Total CBD	NT Moisture (Q3)

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
THCa		0.0300	88.4066	884.066
Δ9-THC		0.0300	2.3355	23.355
Δ8-THC		0.0300	ND	ND
CBDa		0.0200	ND	ND
CBD		0.0200	ND	ND
CBN		0.0040	ND	ND
CBG		0.0040	ND	ND
CBGa		0.0040	1.1027	11.027
THCV		0.0040	ND	ND
Total THC			79.8681	798.6809
Total CBD			ND	ND
Total				

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/01/2023

2306OPT2380.9310


MICROBIALS TEST RESULTS: 06/28/2023

Pass

Method: BioRad qPCR

Analyte	Qualifier	Limits/Units	Result	Final Result
E. Coli		CFU/g 100	CFU/g <40.0000	Pass
Yeast & Mold	Q3		NR	NT

Analyte	Qualifier	Limits/Units	Result	Final Result
Salmonella		1g	Not Detected	Pass
Aspergillus fumigatus		1g	Not Detected	Pass
Aspergillus niger		1g	Not Detected	Pass
Aspergillus flavus		1g	Not Detected	Pass
Aspergillus terreus		1g	Not Detected	Pass



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



OnPoint
LABORATORIES

Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/01/2023

2306OPT2380.9310

PESTICIDES TEST RESULTS: 06/28/2023

Pass

Method: Agilent Ultivo LC/MS

Pesticides	Qualifier	LOQ	Limit	Result	Final Result	Pesticides	Qualifier	LOQ	Limit	Result	Final Result
		PPM	PPM	PPM				PPM	PPM	PPM	
Abamectin	V1L1	0.2500	0.5000	ND	Pass	Hexythiazox	M2	0.5000	1.0000	ND	Pass
Acephate	M2	0.2000	0.4000	ND	Pass	Imazalil	M2	0.1000	0.2000	ND	Pass
Acequinocyl	M2	1.0000	2.0000	ND	Pass	Imidacloprid	V1M2	0.2000	0.4000	ND	Pass
Acetamiprid	M2	0.1000	0.2000	ND	Pass	Kresoxim Methyl	M2	0.2000	0.4000	ND	Pass
Aldicarb	M2	0.2000	0.4000	ND	Pass	Malathion	M2	0.1000	0.2000	ND	Pass
Azoxystrobin	M2	0.1000	0.2000	ND	Pass	Metalaxyl	M2	0.1000	0.2000	ND	Pass
Bifenazate	M1	0.1000	0.2000	ND	Pass	Methiocarb	M2	0.1000	0.2000	ND	Pass
Bifenthrin	V1M2	0.1000	0.2000	ND	Pass	Methomyl	M2	0.2000	0.4000	ND	Pass
Boscalid	M2	0.2000	0.4000	ND	Pass	Myclobutanil	V1M2	0.1000	0.2000	ND	Pass
Carbaryl	M2	0.1000	0.2000	ND	Pass	Naled	V1M2	0.2500	0.5000	ND	Pass
Carbofuran	M2	0.1000	0.2000	ND	Pass	Oxamyl	M2	0.5000	1.0000	ND	Pass
Chlorantraniliprole	V1M2	0.1000	0.2000	ND	Pass	Paclobutrazol	V1L1	0.2000	0.4000	ND	Pass
Chlorfenapyr	V1M3	0.5000	1.0000	ND	Pass	Permethrins	V1M2	0.1000	0.2000	ND	Pass
Chlorpyrifos	M2	0.1000	0.2000	ND	Pass	Phosmet	V1M2	0.1000	0.2000	ND	Pass
Clofentezine	M2	0.1000	0.2000	ND	Pass	Piperonyl Butoxide	M2	1.0000	2.0000	ND	Pass
Cyfluthrin	M2	0.5000	1.0000	ND	Pass	Prallethrin	V1M2	0.1000	0.2000	ND	Pass
Cypermethrin	V1M2	0.5000	1.0000	ND	Pass	Propoxur	M2	0.1000	0.2000	ND	Pass
Daminozide	M2	0.5000	1.0000	ND	Pass	Pyrethrins	M2	0.5000	1.0000	ND	Pass
DDVP	M2	0.0500	0.1000	ND	Pass	Propiconazole	V1M2	0.2000	0.4000	ND	Pass
Diazinon	M2	0.1000	0.2000	ND	Pass	Pyridaben	M2	0.1000	0.2000	ND	Pass
Dimethoate	M2	0.1000	0.2000	ND	Pass	Spinosad	M2	0.1000	0.2000	ND	Pass
Ethoprophos	M2	0.1000	0.2000	ND	Pass	Spiromesifen	M2	0.1000	0.2000	ND	Pass
Etofenprox	M2	0.2000	0.4000	ND	Pass	Spirotetramat	V1M2	0.1000	0.2000	ND	Pass
Etoxazole	M2	0.1000	0.2000	ND	Pass	Spiroxamine	M2	0.2000	0.4000	ND	Pass
Fenoxycarb	M2	0.1000	0.2000	ND	Pass	Tebuconazole	V1L1	0.2000	0.4000	ND	Pass
Fenpyroximate	M2	0.2000	0.4000	ND	Pass	Thiacloprid	M2	0.1000	0.2000	ND	Pass
Fipronil	M2	0.2000	0.4000	ND	Pass	Thiamethoxam	M2	0.1000	0.2000	ND	Pass
Flonicamid	V1M2	0.5000	1.0000	ND	Pass	Trifloxystrobin	M2	0.1000	0.2000	ND	Pass
Fludioxonil	M2	0.2000	0.4000	ND	Pass						

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/01/2023

2306OPT2380.9310

MYCOTOXINS TEST RESULTS: 06/28/2023

Pass

Method: Agilent Ultivo LC/MS

Analyte	Qualifier	LOQ PPB	Limit PPB	Result PPB	Final Result
Ochratoxin A	V1M2R1	10.0000	20.0000	ND	Pass
Total Aflatoxins	V1M2	10.0000	20.0000	ND	Pass



OnPoint LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/01/2023

2306OPT2380.9310

HEAVY METALS TEST RESULTS: 06/29/2023

Pass

Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Final Result
		PPB	PPB	PPB	
Arsenic		200.00	400.00	ND	Pass
Cadmium		200.00	400.00	<LOQ	Pass
Lead		500.00	1000.00	<LOQ	Pass
Mercury		600.00	1200.00	ND	Pass



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



OnPoint
LABORATORIES

Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/01/2023

2306OPT2380.9310

SOLVENTS TEST RESULTS: 06/28/2023

Pass

Method: Agilent Intuvo 9000 gas chromatography

Analyte	Qualifier	LOQ	Limit	Result	Final Result
		PPM	PPM	PPM	
Acetone	M1	500.0000	1000.0000	ND	Pass
Acetonitrile		205.0000	410.0000	ND	Pass
Benzene		1.0000	2.0000	ND	Pass
Butanes	M1	2500.0000	5000.0000	ND	Pass
Chloroform		30.0000	60.0000	ND	Pass
Dichloromethane		300.0000	600.0000	ND	Pass
Ethanol		2500.0000	5000.0000	ND	Pass
Ethyl-Acetate		2500.0000	5000.0000	ND	Pass
Ethyl-Ether		2500.0000	5000.0000	ND	Pass
Heptane		2500.0000	5000.0000	ND	Pass
Hexanes		145.0000	290.0000	ND	Pass
Isopropanol		2500.0000	5000.0000	ND	Pass
Isopropyl-Acetate		2500.0000	5000.0000	ND	Pass
Methanol		1500.0000	3000.0000	ND	Pass
Pentanes		2500.0000	5000.0000	ND	Pass
Propane		2500.0000	5000.0000	ND	Pass
Toluene		445.0000	890.0000	ND	Pass
Xylenes		1085.0000	2170.0000	ND	Pass

OnPoint

LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.