Result

Pass

A008/197NW0523/TB1000mg

Sample ID: 2307APO1698.8146

Strain: Tigersblood

Matrix: Ingestible Type: Syrup/Honey Produced: Collected: 07/10/2023 04:47 pm Received: 07/10/2023 Completed: 07/13/2023 Batch #: A008/197NW0523/TB1000mg

Client **Nebula** Lic.#

Lot #: A008/197NW0523/TB1000mg



Summary
Test Date Tested
Batch

Cannabinoids07/12/2023CompleteMicrobials07/13/2023Pass

Cannabinoids Complete

37.3770 mg/serving 934.4255 mg/container

Total THC

ND ND

Total CBD

38.3069 mg/serving 957.6737 mg/container

Total Cannabinoids (Q3)

NT

Total Terpenes (Q3)

Analyte	LOD	LOQ	Result	Result	
Allalyte	mg/container	mg/container	mg/container	mg/g	
THCa	mg/container	8.6612	ND	ND	
Δ9-THC		8.6612	934.4255	6.4732	
Δ8-THC		8.6612	ND	ND	
THCV		8.6612	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBDa		8.6612	ND	ND	
CBD		8.6612	ND	ND	
CBDVa		8.6612	ND	ND	
CBDV		8.6612	ND	ND	
CBN		8.6612	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBGa		8.6612	ND	ND	
CBG		8.6612	23.2481	0.1611	
CBC		8.6612	ND	ND	
Total THC			934.4255	6.4732	
Total CBD			ND	ND	
Total			957.6737	6.6343	

Date Tested: 07/12/2023 12:00 am 25 servings per container.





Bryant Kearl Lab Director 07/13/2023

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255 (602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

Salatory Compliance resting

2 of 3

A008/197NW0523/TB1000mg

Sample ID: 2307APO1698.8146

Strain: Tigersblood

Matrix: Ingestible Type: Syrup/Honey Produced: Collected: 07/10/2023 04:47 pm Received: 07/10/2023 Completed: 07/13/2023 Batch #: A008/197NW0523/TB1000mg

Client Nebula Lic.#

Lot #: A008/197NW0523/TB1000mg

N 4: l-: - l -	Daga
Microbials	Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		_
E. Coli	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 07/13/2023 12:00 am

Mycotoxins Not Tested

Analyte LOD LOQ Limit Units Status Q

LABS

Date Tested:

Heavy Metals Not Tested

Analyte LOD LOQ Limit Units Status Q

Date Tested:





Bryant Kearl Lab Director 07/13/2023 Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255 (602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

3 of 3

A008/197NW0523/TB1000mg

Sample ID: 2307APO1698.8146 Strain: Tigersblood

Matrix: Ingestible Type: Syrup/Honey

Batch #: A008/197NW0523/TB1000mg

Lot #: A008/197NW0523/TB1000mg

Qualifiers Definitions

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection $(K)(2)(c)$, but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
М3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection $(K)(3)$, but the recovery in subsection $(K)(2)$ was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) (1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317





Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com







CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #: 103104

License #: 00000020LCVT89602592

Order Information

Order #: 80497
Order Name: Raw
Retail Batch #: 197NW0523
Received: 06/08/2023 14:26:13
Complete: 06/12/2023 18:02:17

Harvest/Lot ID: 197NW0523 Seed-to-Sale #:

Batch Information

Create Date: 05/23/2023 Matrix: Distillate
Exp. Date: 05/23/2024 Pickup Weight: 8 g

Dispensary Information

Cultivation Facility: Phoenix
Processing Facility: Phoenix

COMPLIANCE FOR RETAIL

Regulated Analytes

CANNABINOID PROFILE (Q3)

TESTED

MICROBIAL CONTAMINANTS

MICROBIAL ANALYSIS: PASS MYCOTOXIN ANALYSIS: PASS RESIDUAL SOLVENTS

PASS

PESTICIDES, FUNGICIDES, AND GROWTH REGULATORS

PASS

HERBICIDES

NOT TESTED

HEAVY METAL ANALYSIS

PASS



Additional Analytes (Not Regulated)

TERPENES (Q3)

NOT TESTED

MOISTURE ANALYSIS (Q3)

NOT TESTED

WATER ACTIVITY (Q3)
NOT TESTED

90.8913 % Total THC

0.3137 %

Total CBD

94.3894 %

Total Cannabinoids (Q3)

FILTH & FOREIGN (Q3)

NOT TESTED

HOMOGENEITY (Q3)

NOT TESTED

Ahmed Munshi

Lab Director



Arizona

734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930









CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #: 103104

License #: 00000020LCVT89602592

Sample Prep

Tech: 3971 SOP: 418.AZ Batch Number: 60121 Batch Date: 06/08/2023 11:27:45

Sample Analysis

Date/Time: 06/09/2023 10:15:31 Tech: 3971 SOP: 417.AZ Final Weight: 0.043 g Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

TESTED

90.8913 % Total THC

0.3137 % Total CBD

94.3894 % Total Cannabinoids (Q3)

Cannabinoid Potency (Certified)

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	QUALIFIERS
CBC	0.3224/0.977	1	0.1925	1.925	
CBD	0.3224/0.977	1	0.3137	3.137	
CBDA	0.3224/0.977	1	ND	ND	
CBDV	0.3224/0.977	1	ND	ND	
CBG	0.3224/0.977	1	1.5899	15.899	
CBGA	0.3224/0.977	1	ND	ND	
CBN	0.3224/0.977	1	0.9933	9.933	
d8-THC	0.3224/0.977	1	ND	ND	
d9-THC	0.3224/0.977	1	90.8913	908.913	
THCA	0.3224/0.977	1	ND	ND	
THCV	0.3224/0.977	1	0.4087	4.087	

 $\label{eq:Total} THC = THC + \{0.877 \times THCA\} \ and \ Total \ CBD = CBD + \{0.877 \times CBDA\} \\ ND = Not \ Detected, \ NT = Not \ Tested, \ <LOQ = Below \ Limit \ of \ Quantitation \\ \end{cases}$

CANNABINOID TOTALS	WEIGHT %	MG/G
Total THC	90.8913	908.913
Total CBD	0.3137	3.137
Total Cannabinoids (Q3)	94.3894	943.894

Ahmed Munshi

Lab Director

AlMum

Arizona

734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930









CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: 00000020LCVT89602592

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 3958 **SOP:** 432.AZ Batch Number: 60128

Batch Date: 06/08/2023 14:16:40

Sample Analysis

Date/Time: 06/12/2023 17:17:50

Tech: 2463 **SOP:** 424.AZ Final Weight: 0.518 g Volume: 12.5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)	QUALIFIER
Aflatoxin B1	4/10	1	0	ND	
Aflatoxin B2	4/10	1	0	ND	M2
Aflatoxin G1	4/10	1	0	ND	
Aflatoxin G2	4/5	1	0	ND	
Ochratoxin A	10/0	1	20	ND	I1
Total Aflatoxins	4/10	1	20	ND	M2

Ahmed Munshi

Lab Director

AlMu

Arizona

734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930









Sample Prep

Tech: 3958 **SOP:** 432.AZ Batch Number: 60128 Batch Date: 06/08/2023 14:16:40

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: 00000020LCVT89602592

Pesticides, Fungicides, and **Growth Regulators**

LC-MS/MS

PASS

Sample Analysis

Date/Time: 06/12/2023 17:17:50 **Tech:** 2463 **SOP:** 424.AZ Final Weight: 0.518 g Volume: 12.5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	QUALIFIER	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)	QUALIFIER
Abamectin	0.083/0.25	1	0.5	ND	M2	Hexythiazox	0.167/0.5	1	1	ND	M2
Acephate	0.067/0.2	1	0.4	ND		Imazalil	0.033/0.1	1	0.2	ND	
Acequinocyl	0.333/1	1	2	ND	M2,V1	Imidacloprid	0.067/0.2	1	0.4	ND	
Acetamiprid	0.033/0.1	1	0.2	ND		Kresoxim-methyl	0.067/0.2	1	0.4	ND	M2
Aldicarb	0.067/0.2	1	0.4	ND		Malathion	0.033/0.1	1	0.2	ND	
Azoxystrobin	0.033/0.1	1	0.2	ND		Metalaxyl	0.033/0.1	1	0.2	ND	
Bifenazate	0.033/0.1	1	0.2	ND		Methiocarb	0.033/0.1	1	0.2	ND	M2
Bifenthrin	0.033/0.1	1	0.2	ND	M2	Methomyl	0.067/0.2	1	0.4	ND	
Boscalid	0.067/0.2	1	0.4	ND	M2	Myclobutanil	0.033/0.1	1	0.2	ND	
Carbaryl	0.033/0.1	1	0.2	ND	M2	Naled	0.083/0.25	1	0.5	ND	M2
Carbofuran	0.033/0.1	1	0.2	ND	M2	Oxamyl	0.167/0.5	1	1	ND	
Chlorantraniliprole	0.033/0.1	1	0.2	ND	M2	Paclobutrazol	0.067/0.2	1	0.4	ND	M2
Chlorfenapyr	0.167/0.5	1	1	ND	M2,I1	Permethrins	0.033/0.1	1	0.2	ND	M2
Chlorpyrifos	0.033/0.1	1	0.2	ND	M2	Phosmet	0.033/0.1	1	0.2	ND	
Clofentezine	0.033/0.1	1	0.2	ND	M2	Piperonyl Butoxide	0.333/1	1	2	ND	
Cyfluthrin	0.167/0.5	1	1	ND	M2	Prallethrin	0.033/0.1	1	0.2	ND	
Cypermethrin	0.167/0.5	1	1	ND	M2	Propiconazole	0.067/0.2	1	0.4	ND	
Daminozide	0.167/0.5	1	1	ND		Propoxur	0.033/0.1	1	0.2	ND	M2
Diazinon	0.033/0.1	1	0.2	ND	M2	Pyrethrins	0.033/0.1	1	1	ND	
Dichlorvos	0.017/0.05	1	0.1	ND	M2,I1	Pyridaben	0.033/0.1	1	0.2	ND	
Dimethoate	0.033/0.1	1	0.2	ND		Spinosad	0.033/0.1	1	0.2	ND	
thoprophos	0.033/0.1	1	0.2	ND		Spiromesifen	0.033/0.1	1	0.2	ND	M2
tofenprox	0.067/0.2	1	0.4	ND	M2	Spirotetramat	0.033/0.1	1	0.2	ND	
toxazole	0.033/0.1	1	0.2	ND		Spiroxamine	0.067/0.2	1	0.4	ND	
enoxycarb	0.033/0.1	1	0.2	ND	M2	Tebuconazole	0.067/0.2	1	0.4	ND	
enpyroximate	0.067/0.2	1	0.4	ND	M2	Thiacloprid	0.033/0.1	1	0.2	ND	M2
ipronil	0.067/0.2	1	0.4	ND	M1	Thiamethoxam	0.033/0.1	1	0.2	ND	
lonicamid	0.167/0.5	1	1	ND		Trifloxystrobin	0.033/0.1	1	0.2	ND	M2
ludioxonil	0.067/0.2	1	0.4	ND	M2						

Ahmed Munshi

Lab Director

AlMun

Arizona

734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930









CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: 00000020LCVT89602592

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 3958 **SOP:** 405.AZ

Batch Number: 60129

Batch Date: 06/08/2023 14:22:21

Sample Analysis

Date/Time: 06/12/2023 10:09:21

Tech: 3997 **SOP:** 405.AZ

Final Weight: 0.054 g Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)	QUALIFIER	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)	QUALIFIER
2-Propanol	333/1000	1	5000	ND		Ethyl ether	333/1000	1	5000	ND	
Acetone	67/200	1	1000	ND		Heptane	333/1000	1	5000	ND	
Acetonitrile	27/82	1	410	ND		Hexanes	48/145	1	290	ND	
Benzene	0.13/0.4	1	2	ND		Isopropyl acetate	333/1000	1	5000	ND	
Butanes	167/500	1	5000	ND		Methanol	200/600	1	3000	ND	
Chloroform	4/12	1	60	ND		Pentanes	333/1000	1	5000	ND	
Dichloromethane	40/120	1	600	ND		Propane	167/500	1	5000	ND	
Ethanol	333/1000	1	5000	ND		Toluene	59/178	1	890	ND	
Ethyl acetate	333/1000	1	5000	ND		Xylenes	289/868	1	2170	ND	

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3971 **SOP:** 428.AZ

Batch Number: 60130

Batch Date: 06/08/2023 14:22:29

Sample Analysis

Date/Time: 06/09/2023 16:35:21

Tech: 3971 **SOP:** 428.AZ

Final Weight: 0.224 g

Volume: 6 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	QUALIFIER
Arsenic	0.02/0.2	10	0.4	ND	
Cadmium	0.02/0.2	10	0.4	ND	
Lead	0.02/0.5	10	1	ND	
Mercury	0.02/0.6	10	1.2	<loq< td=""><td></td></loq<>	

Ahmed Munshi

Lab Director

Al/Min

Arizona

734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930









CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #: 103104

License #: 00000020LCVT89602592

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3989 SOP: 431.AZ Batch Number: 60125 Batch Date: 06/08/2023 12:51:01

Sample Analysis

Date/Time: 06/12/2023 15:24:41 Tech: 3989

SOP: 431.AZ

Final Weight: 1.017 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL	QUALIFIER
E. coli	Tempo	< 100 CFU/q	< 100 CFU/q	PASS	-

Sample Prep

Tech: 3989 SOP: 406.AZ

Tech: 3989

SOP: 406.AZ

Batch Number: 60126

Batch Date: 06/08/2023 12:51:26

Sample Analysis

Date/Time: 06/12/2023 16:02:40 Tech: 3989 SOP: 406.AZ Final Weight: 1.002 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL	QUALIFIER
Salmonella	qPCR	Not Detected in One Gram	Not Detected in One Gram	PASS	

Sample Prep

Batch Number: 60126

Batch Date: 06/08/2023 12:51:26

Sample Analysis

Date/Time: 06/12/2023 16:02:40 Tech: 3989 SOP: 406.AZ Final Weight: 1.002 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL	QUALIFIER
Aspergillus flavus	qPCR	Not Detected in One Gram	Not Detected in One Gram	PASS	
Aspergillus fumigatus	qPCR	Not Detected in One Gram	Not Detected in One Gram	PASS	
Aspergillus niger	qPCR	Not Detected in One Gram	Not Detected in One Gram	PASS	
Aspergillus terreus	qPCR	Not Detected in One Gram	Not Detected in One Gram	PASS	

Ahmed Munshi

Lab Director

AlMun

Arizona

734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930









CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104 License #: 00000020LCVT89602592

QUALIFIER LEGEND

ALSO REFERENCED AS "Q"

11 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample

Ahmed Munshi

Lab Director

AlMun

Arizona 734 W Highland

734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930



