OnPoint LABORATORIES

Regulatory Compliance Testing

# CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/11/2023

**2307OPT2445.9572**

## SAMPLE NAME: Baller (Live resin Pod) 6.30.2023

Matrix: Concentrates & Extracts | Type: Live Resin
Strain Name: Ballerz X Muddy Waters | Classification:

## CULTIVATOR/MANUFACTURER:

**Business Name:** Source One Meds, LLC
**License:** 00000052ESLX15969554

**Address:** 143 N. Miami Ave, Miami, AZ 85539

## SAMPLE DETAIL:

**Batch Number:**
7264 1501 5553 2996

**Date Received:**
07/06/2023

**Batch Size:**

**External Lot ID:**

**Sample Size:**

**Other Information:**

**Unit Mass:**
g

Scan QR code to verify authenticity of results.

## CANNABINOID ANALYSIS SUMMARY

**Total THC:** 81.3395%
Δ9-THC + (THCa * 0.877)

**Total Cannabinoids:** 84.7986%
CBD + CBDa + CBG + CBGa + CBN + Δ8-THC + Δ9-THC + THCa + THCV

**Total CBD:** ND
CBD + (CBDa * 0.877)

## SAFETY ANALYSIS SUMMARY

| | | | | | |
|---|---|---|---|---|---|
| **Pesticides:** | ☑ Pass | **Heavy Metals:** | ☑ Pass | **Moisture:** | Not Tested |
| **Mycotoxins:** | ☑ Pass | **Residual Solvents:** | ☑ Pass | **Water Activity:** | Not Tested |
| **Microbials:** | ☑ Pass | **Foreign Material:** | Not Tested | | |

## TERPENE ANALYSIS SUMMARY — NOT TESTED

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee

Leafly certified

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | https://www.onpointlaboratories.com | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

OnPoint LABORATORIES

Regulatory Compliance Testing

# CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/11/2023

**2307OPT2445.9572**

## CANNABINOID TEST RESULTS: 07/06/2023

**Method:** HPLC

| | |
|---|---|
| **81.3395%**<br>81.3395%<br>Total THC | **84.7986%**<br>84.7986%<br>Total Cannabinoids |
| **ND**<br>ND<br>Total CBD | **NT**<br>Moisture (Q3) |

| Analyte | Qualifier | LOQ | Result | Result |
|---|---|---|---|---|
| | | % | % | mg/g |
| **THCa** | | 0.0300 | 9.8904 | 98.904 |
| **Δ9-THC** | | 0.0300 | 72.6656 | 726.656 |
| **Δ8-THC** | | 0.0300 | ND | ND |
| **CBDa** | | 0.0200 | ND | ND |
| **CBD** | | 0.0200 | ND | ND |
| **CBN** | M2 | 0.0040 | ND | ND |
| **CBG** | | 0.0040 | 1.1299 | 11.299 |
| **CBGa** | | 0.0040 | 0.6307 | 6.307 |
| **THCV** | | 0.0040 | 0.4820 | 4.820 |
| **Total THC** | | | **81.3395** | **813.3948** |
| **Total CBD** | | | **ND** | **ND** |
| **Total** | | | | |

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee

Leafly certified

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | https://www.onpointlaboratories.com | License #: 00000006LCXI00549589

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

OnPoint LABORATORIES

Regulatory Compliance Testing

# CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/11/2023

**2307OPT2445.9572**

## MICROBIALS TEST RESULTS: 07/06/2023

☑ Pass

**Method:** BioRad qPCR

| Analyte | Qualifier | Limits/Units | Result | Final Result |
|---|---|---|---|---|
| | | CFU/g | CFU/g | |
| **E. Coli** | | 100 | <40.0000 | Pass |
| **Yeast & Mold** | Q3 | | NR | NT |

| Analyte | Qualifier | Limits/Units | Result | Final Result |
|---|---|---|---|---|
| **Salmonella** | | 1g | Not Detected | Pass |
| **Aspergillus fumigatus** | | 1g | Not Detected | Pass |
| **Aspergillus niger** | | 1g | Not Detected | Pass |
| **Aspergillus flavus** | | 1g | Not Detected | Pass |
| **Aspergillus terreus** | | 1g | Not Detected | Pass |

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee

Leafly certified

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | https://www.onpointlaboratories.com | License #: 00000006LCXI00549589

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

OnPoint LABORATORIES

Regulatory Compliance Testing

# CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/11/2023

**2307OPT2445.9572**

## PESTICIDES TEST RESULTS: 07/05/2023

☑ Pass

**Method:** Agilent Ultivo LC/MS

| Pesticides | Qualifier | LOQ PPM | Limit PPM | Result PPM | Final Result |
|---|---|---|---|---|---|
| Abamectin | M1 | 0.2500 | 0.5000 | ND | Pass |
| Acephate | | 0.2000 | 0.4000 | ND | Pass |
| Acequinocyl | | 1.0000 | 2.0000 | ND | Pass |
| Acetamiprid | | 0.1000 | 0.2000 | ND | Pass |
| Aldicarb | | 0.2000 | 0.4000 | ND | Pass |
| Azoxystrobin | | 0.1000 | 0.2000 | ND | Pass |
| Bifenazate | M1 | 0.1000 | 0.2000 | ND | Pass |
| Bifenthrin | M2 | 0.1000 | 0.2000 | ND | Pass |
| Boscalid | | 0.2000 | 0.4000 | ND | Pass |
| Carbaryl | | 0.1000 | 0.2000 | ND | Pass |
| Carbofuran | | 0.1000 | 0.2000 | ND | Pass |
| Chlorantraniliprole | L1 | 0.1000 | 0.2000 | ND | Pass |
| Chlorfenapyr | | 0.5000 | 1.0000 | ND | Pass |
| Chlorpyrifos | M2 | 0.1000 | 0.2000 | ND | Pass |
| Clofentezine | | 0.1000 | 0.2000 | ND | Pass |
| Cyfluthrin | | 0.5000 | 1.0000 | ND | Pass |
| Cypermethrin | | 0.5000 | 1.0000 | ND | Pass |
| Daminozide | V1 | 0.5000 | 1.0000 | ND | Pass |
| DDVP | M2 | 0.0500 | 0.1000 | ND | Pass |
| Diazinon | | 0.1000 | 0.2000 | ND | Pass |
| Dimethoate | | 0.1000 | 0.2000 | ND | Pass |
| Ethoprophos | | 0.1000 | 0.2000 | ND | Pass |
| Etofenprox | | 0.2000 | 0.4000 | ND | Pass |
| Etoxazole | | 0.1000 | 0.2000 | ND | Pass |
| Fenoxycarb | | 0.1000 | 0.2000 | ND | Pass |
| Fenpyroximate | | 0.2000 | 0.4000 | ND | Pass |
| Fipronil | | 0.2000 | 0.4000 | ND | Pass |
| Flonicamid | | 0.5000 | 1.0000 | ND | Pass |
| Fludioxonil | | 0.2000 | 0.4000 | ND | Pass |

| Pesticides | Qualifier | LOQ PPM | Limit PPM | Result PPM | Final Result |
|---|---|---|---|---|---|
| Hexythiazox | | 0.5000 | 1.0000 | ND | Pass |
| Imazalil | | 0.1000 | 0.2000 | ND | Pass |
| Imidacloprid | | 0.2000 | 0.4000 | ND | Pass |
| Kresoxim Methyl | | 0.2000 | 0.4000 | ND | Pass |
| Malathion | | 0.1000 | 0.2000 | ND | Pass |
| Metalaxyl | | 0.1000 | 0.2000 | ND | Pass |
| Methiocarb | | 0.1000 | 0.2000 | ND | Pass |
| Methomyl | | 0.2000 | 0.4000 | ND | Pass |
| Myclobutanil | | 0.1000 | 0.2000 | ND | Pass |
| Naled | | 0.2500 | 0.5000 | ND | Pass |
| Oxamyl | | 0.5000 | 1.0000 | ND | Pass |
| Paclobutrazol | M2 | 0.2000 | 0.4000 | ND | Pass |
| Permethrins | | 0.1000 | 0.2000 | ND | Pass |
| Phosmet | | 0.1000 | 0.2000 | ND | Pass |
| Piperonyl Butoxide | | 1.0000 | 2.0000 | ND | Pass |
| Prallethrin | | 0.1000 | 0.2000 | ND | Pass |
| Propoxur | | 0.1000 | 0.2000 | ND | Pass |
| Pyrethrins | | 0.5000 | 1.0000 | ND | Pass |
| Propiconazole | | 0.2000 | 0.4000 | ND | Pass |
| Pyridaben | | 0.1000 | 0.2000 | ND | Pass |
| Spinosad | M1 | 0.1000 | 0.2000 | ND | Pass |
| Spiromesifen | | 0.1000 | 0.2000 | ND | Pass |
| Spirotetramat | | 0.1000 | 0.2000 | ND | Pass |
| Spiroxamine | | 0.2000 | 0.4000 | ND | Pass |
| Tebuconazole | M2 | 0.2000 | 0.4000 | ND | Pass |
| Thiacloprid | | 0.1000 | 0.2000 | ND | Pass |
| Thiamethoxam | | 0.1000 | 0.2000 | ND | Pass |
| Trifloxystrobin | M2 | 0.1000 | 0.2000 | ND | Pass |

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee

Leafly certified

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | https://www.onpointlaboratories.com | License #: 00000006LCXI00549589

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

Regulatory Compliance Testing

# CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/11/2023

**2307OPT2445.9572**

## MYCOTOXINS TEST RESULTS: 07/05/2023

☑ Pass

**Method:** Agilent Ultivo LC/MS

| Analyte | Qualifier | LOQ | Limit | Result | Final Result |
|---|---|---|---|---|---|
| | | PPB | PPB | PPB | |
| **Ochratoxin A** | V1R1 | 10.0000 | 20.0000 | ND | Pass |
| **Total Aflatoxins** | | 10.0000 | 20.0000 | ND | Pass |

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | https://www.onpointlaboratories.com | License #: 00000006LCXI00549589

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

OnPoint LABORATORIES

Regulatory Compliance Testing

# CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/11/2023

**2307OPT2445.9572**

## HEAVY METALS TEST RESULTS: 07/06/2023

☑ Pass

**Method:** Agilent 7800 ICP MS

| Analyte | Qualifier | LOQ | Limit | Result | Final Result |
|---|---|---|---|---|---|
| | | PPB | PPB | PPB | |
| **Arsenic** | | 200.00 | 400.00 | ND | Pass |
| **Cadmium** | | 200.00 | 400.00 | <LOQ | Pass |
| **Lead** | | 500.00 | 1000.00 | <LOQ | Pass |
| **Mercury** | | 600.00 | 1200.00 | <LOQ | Pass |

OnPoint LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee Symone Whalin

Leafly certified

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | https://www.onpointlaboratories.com | License #: 00000006LCXI00549589

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.

OnPoint LABORATORIES

Regulatory Compliance Testing

# CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/11/2023

**2307OPT2445.9572**

## SOLVENTS TEST RESULTS: 07/08/2023

☑ Pass

**Method:** Agilent Intuvo 9000 gas chromatography

| Analyte | Qualifier | LOQ | Limit | Result | Final Result |
|---|---|---|---|---|---|
| | | PPM | PPM | PPM | |
| Acetone | M1 | 500.0000 | 1000.0000 | ND | Pass |
| Acetonitrile | | 205.0000 | 410.0000 | ND | Pass |
| Benzene | | 1.0000 | 2.0000 | ND | Pass |
| Butanes | | 2500.0000 | 5000.0000 | ND | Pass |
| Chloroform | | 30.0000 | 60.0000 | ND | Pass |
| Dichloromethane | | 300.0000 | 600.0000 | ND | Pass |
| Ethanol | | 2500.0000 | 5000.0000 | ND | Pass |
| Ethyl-Acetate | | 2500.0000 | 5000.0000 | ND | Pass |
| Ethyl-Ether | | 2500.0000 | 5000.0000 | ND | Pass |
| Heptane | | 2500.0000 | 5000.0000 | ND | Pass |
| Hexanes | | 145.0000 | 290.0000 | ND | Pass |
| Isopropanol | | 2500.0000 | 5000.0000 | ND | Pass |
| Isopropyl-Acetate | | 2500.0000 | 5000.0000 | ND | Pass |
| Methanol | | 1500.0000 | 3000.0000 | ND | Pass |
| Pentanes | | 2500.0000 | 5000.0000 | ND | Pass |
| Propane | | 2500.0000 | 5000.0000 | ND | Pass |
| Toluene | | 445.0000 | 890.0000 | ND | Pass |
| Xylenes | | 1085.0000 | 2170.0000 | ND | Pass |

OnPoint LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee Symone Whalin

Leafly certified

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | https://www.onpointlaboratories.com | License #: 00000006LCXI00549589

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 – Q3.