

## Jealousy

Sample ID: 2307APO1858.8905  
Strain: Jealousy

Matrix: Plant  
Type: Flower - Cured

Produced:  
Collected: 07/28/2023 11:20 am  
Received: 07/28/2023  
Completed: 08/02/2023  
Batch #: 20230719JLY-3T12T13

Client  
**Aeriz AZ**  
Lic. # 00000106DCQV00747138

Lot #:




## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	07/31/2023	Complete
Terpenes	07/29/2023	Complete
Microbials	08/01/2023	Pass
Pesticides	07/31/2023	Pass
Heavy Metals	07/31/2023	Pass

## Cannabinoids

Complete



Analyte	LOD %	LOQ %	Result %	Result mg/g	Q
THCa		0.1000	33.8342	338.342	<div style="width: 100%;"></div>
Δ9-THC		0.1000	0.1497	1.497	<div style="width: 5%;"></div>
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	ND	ND	
CBDa		0.1000	<LOQ	<LOQ	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	ND	ND	
CBGa		0.1000	1.3793	13.793	<div style="width: 10%;"></div>
CBG		0.1000	0.2241	2.241	<div style="width: 5%;"></div>
CBC		0.1000	ND	ND	
<b>Total THC</b>			<b>29.8223</b>	<b>298.2230</b>	
<b>Total CBD</b>			<b>&lt;LOQ</b>	<b>&lt;LOQ</b>	
<b>Total</b>			<b>35.5873</b>	<b>355.873</b>	

Date Tested: 07/31/2023 07:00 am



Bryant Kearl  
Lab Director  
08/02/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



## Jealousy

Sample ID: 2307APO1858.8905

Strain: Jealousy

Matrix: Plant

Type: Flower - Cured

Produced:

Collected: 07/28/2023 11:20 am

Received: 07/28/2023

Completed: 08/02/2023

Batch #: 20230719JLY-3T12T13

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Lot #:

## Pesticides

Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND	M2R1	Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acequinocyl	1.0000	2.0000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Permethrins	0.1000	0.2000	ND	M2	Pass
Chlorpyrifos	0.1000	0.2000	ND	M2	Pass	Phosmet	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Piperonyl Butoxide	1.0000	2.0000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND	M2	Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND	M2	Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Spinosad	0.1000	0.2000	ND	M1	Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND	M2	Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiroxamine	0.2000	0.4000	ND	M1	Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Trifloxystrobin	0.1000	0.2000	ND	M2	Pass
Fludioxonil	0.2000	0.4000	ND		Pass						

## Herbicides

Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM		
Pendimethalin	0.0500	0.1000	ND		Pass

Date Tested: 07/31/2023 07:00 am

Pendimethalin is no longer a regulated parameter pursuant to HB2605 2021.



Bryant Kearl  
Lab Director  
08/02/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



## Jealousy

Sample ID: 2307APO1858.8905

Strain: Jealousy

Matrix: Plant

Type: Flower - Cured

Produced:

Collected: 07/28/2023 11:20 am

Received: 07/28/2023

Completed: 08/02/2023

Batch #: 20230719JLY-3T12T13

Client

**Aeriz AZ**

Lic. # 00000106DCQV00747138

Lot #:

## Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g	ND	Pass	
Aspergillus flavus	Detected/Not Detected in 1g	ND	Pass	
Aspergillus fumigatus	Detected/Not Detected in 1g	ND	Pass	
Aspergillus niger	Detected/Not Detected in 1g	ND	Pass	
Aspergillus terreus	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli	CFU/g 10.0	CFU/g 100.0	CFU/g < 10 CFU/g	Pass	

Date Tested: 08/01/2023 12:00 am

## Mycotoxins

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q
---------	-----	-----	-------	-------	--------	---

Date Tested:

## Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
Arsenic	µg/g 0.066	µg/g 0.133	µg/g 0.4	µg/g ND	Pass	
Cadmium	0.066	0.133	0.4	ND	Pass	
Lead	0.166	0.333	1	ND	Pass	
Mercury	0.2	0.4	1.2	ND	Pass	

Date Tested: 07/31/2023 12:00 am



Bryant Kearl  
Lab Director  
08/02/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



## Jealousy

Sample ID: 2307APO1858.8905

Strain: Jealousy

Matrix: Plant

Type: Flower - Cured

Produced:

Collected: 07/28/2023 11:20 am

Received: 07/28/2023

Completed: 08/02/2023

Batch #: 20230719JLY-3T12T13

Client

Aeriz AZ


Lic. # 00000106DCQV00747138

Lot #:

## Terpenes

Analyte	LOQ	Mass	Mass	Q	Analyte	LOQ	Mass	Mass	Q
	%	%	mg/g			%	%	mg/g	
trans-Caryophyllene	0.0057	0.6982	6.982	Q3	Cedrol	0.0060	ND	ND	Q3
Limonene	0.0054	0.2869	2.869	Q3	cis-β-Farnesene	0.0074	ND	ND	Q3
α-Humulene	0.0059	0.2042	2.042	Q3	cis-Nerolidol	0.0086	ND	ND	Q3
Linalool	0.0061	0.1972	1.972	Q3	Eucalyptol	0.0054	ND	ND	Q3
α-Pinene	0.0056	0.0955	0.955	Q3	α-Farnesene	0.0073	ND	ND	Q3
β-Pinene	0.0049	0.0910	0.910	Q3	Fenchone	0.0064	<LOQ	<LOQ	Q3
Endo-Fenchyl Alcohol	0.0136	0.0676	0.676	Q3	γ-Terpinene	0.0049	ND	ND	Q3
β-Myrcene	0.0055	0.0406	0.406	Q3	Geraniol	0.0083	ND	ND	Q3
trans-Nerolidol	0.0089	0.0391	0.391	Q3	Geranyl Acetate	0.0082	ND	ND	Q3
Valencene	0.0061	0.0236	0.236	Q3	Guaiol	0.0065	ND	ND	Q3
Camphene	0.0039	0.0166	0.166	Q3	Hexahydro Thymol	0.0109	ND	ND	Q3
α-Bisabolol	0.0072	0.0098	0.098	Q3	Isoborneol	0.0115	ND	ND	Q3
Caryophyllene Oxide	0.0064	0.0092	0.092	Q3	Isopulegol	0.0079	ND	ND	Q3
Borneol	0.0062	0.0065	0.065	Q3	Nerol	0.0108	ND	ND	Q3
3-Carene	0.0051	ND	ND	Q3	Ocimene	0.0057	<LOQ	<LOQ	Q3
α-Cedrene	0.0052	ND	ND	Q3	Pulegone	0.0072	ND	ND	Q3
α-Phellandrene	0.0042	ND	ND	Q3	Sabinene	0.0061	ND	ND	Q3
α-Terpinene	0.0105	ND	ND	Q3	Sabinene Hydrate	0.0086	ND	ND	Q3
trans-β-Farnesene	0.0049	ND	ND	Q3	Terpinolene	0.0047	<LOQ	<LOQ	Q3
Camphor	0.0154	ND	ND	Q3	<b>Total</b>		<b>1.7858</b>	<b>17.858</b>	

## Primary Aromas



Date Tested: 07/29/2023 07:00 am  
Terpenes analysis is not regulated by AZDHS.



*[Signature]*

Bryant Kearl  
Lab Director  
08/02/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



**Jealousy**

Sample ID: 2307APO1858.8905  
Strain: Jealousy

Matrix: Plant  
Type: Flower - Cured

Produced:  
Collected: 07/28/2023 11:20 am  
Received: 07/28/2023  
Completed: 08/02/2023  
Batch #: 20230719JLY-3T12T13

Client  
**Aeriz AZ**  
Lic. # 00000106DCQV00747138  
Lot #:

**Qualifiers Definitions**

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317



Bryant Kearl  
Lab Director  
08/02/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com

