

SAMPLE NAME: Forum Cookies x The Woah Shatter (Batch
ID: 230728-001)

SAMPLE ID: A23H0048-01

CCB ID: 2308OPT2720.10707

CULTIVATOR/MANUFACTURER

Business Name: Canamo Concentrates

License: 00000109ESVM44878444

SAMPLE DETAIL

Date Collected: 8/4/2023 11:07:51AM

Matrix: Shatter

Strain: Forum Cookies x The Woah

Ex. Lot ID: N/A

Batch#: 230728-001

Batch Size: N/A

Other Information:



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 72.237%

d9-THC + (THCa * 0.877)

Total CBD: ND

CBD + (CBDa * 0.877)

Total Cannabinoids: 82.961%

CBD + CBG + CBN + CBDa + CBGa
+ THCa + THCV + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS

Mycotoxins: PASS

Metals: PASS

Solvents: PASS

Pesticides: PASS

Data Reviewed by Symone Whalin, Technical Laboratory Director



72.237%	82.961%
Total THC	Total Cannabinoids <small>*Q3 Informational use only</small>
ND	N/A
Total CBD	Moisture <small>*Q3 Informational use only</small>

CANNABINOID TEST RESULTS

Date Analyzed: 08/06/23 01:52; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.030000	4.5470	45.47
THCA		0.030000	77.184	771.84
CBD		0.030000	ND	ND
CBDA		0.030000	ND	ND
CBN	Q3M2	0.030000	ND	ND
delta 8-THC	Q3	0.030000	ND	ND
CBG	Q3	0.030000	ND	ND
CBGA	Q3	0.030000	1.2304	12.30
THCV	Q3	0.030000	ND	ND
Total CBD		0.030000	ND	ND
Total THC		0.030000	72.237	722.37
Total		0.030000	82.961	829.61

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 08/05/23 19:29; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic	R1	200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead	V1	500	1000	ND	Pass
Mercury	V1	600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




PESTICIDES TEST RESULTS

Pass

Date Analyzed: 08/07/23 21:38; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	V1	0.250	0.5	ND	Pass	Imazalil		0.100	0.2	ND	Pass
Acephate		0.200	0.4	ND	Pass	Imidacloprid		0.200	0.4	ND	Pass
Acequinocyl		1.00	2	ND	Pass	Kresoxim-methyl		0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Malathion		0.100	0.2	ND	Pass
Aldicarb		0.200	0.4	ND	Pass	Metalaxyl		0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Methiocarb		0.100	0.2	ND	Pass
Bifenazate	L1	0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Bifenthrin		0.100	0.2	ND	Pass	Myclobutanil		0.100	0.2	ND	Pass
Boscalid		0.200	0.4	ND	Pass	Naled		0.250	0.5	ND	Pass
Carbaryl		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Paclobutrazol		0.200	0.4	ND	Pass
Chlorantraniliprole		0.100	0.2	ND	Pass	Permethrins	M2	0.100	0.2	ND	Pass
Chlorfenapyr	L1	0.500	1	ND	Pass	Phosmet		0.100	0.2	ND	Pass
Chlorpyrifos		0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Clofentezine		0.100	0.2	ND	Pass	Prallethrin		0.100	0.2	ND	Pass
Cyfluthrin	L1	0.500	1	ND	Pass	Propiconazole		0.200	0.4	ND	Pass
Cypermethrin		0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)		0.0500	0.1	ND	Pass	Pyrethrins	M3	0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben	M2	0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad		0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox		0.200	0.4	ND	Pass	Spirotetramat		0.100	0.2	ND	Pass
Etoxazole		0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb		0.100	0.2	ND	Pass	Tebuconazole		0.200	0.4	ND	Pass
Fenpyroximate		0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil		0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Fonicamid		0.500	1	ND	Pass	Trifloxystrobin		0.100	0.2	ND	Pass
Fludioxonil		0.200	0.4	ND	Pass						
Hexythiazox	M2	0.500	1	ND	Pass						

MYCOTOXINS TEST RESULTS

Pass

Date Analyzed: 08/07/23 21:38; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Aflatoxin B1		10.0		ND	
Aflatoxin B2		10.0		ND	
Aflatoxin G1		10.0		ND	
Aflatoxin G2		10.0		ND	
Total Aflatoxins		10.0	20	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




RESIDUAL SOLVENTS TEST RESULTS

Pass

Date Analyzed: 08/06/23 07:59; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm	
Acetone		500.0	1000	ND	Pass
Acetonitrile		205.0	410	ND	Pass
Benzene		1,000	2	ND	Pass
Butanes		2,500	5000	ND	Pass
Chloroform		30.00	60	ND	Pass
Dichloromethane		300.0	600	ND	Pass
Ethanol		2,500	5000	ND	Pass
Ethyl acetate		2,500	5000	ND	Pass
Ethyl ether		2,500	5000	ND	Pass
Heptane		2,500	5000	ND	Pass
Hexanes		145.0	290	ND	Pass
Isopropyl acetate		2,500	5000	ND	Pass
Methanol		1,500	3000	ND	Pass
Pentanes		2,500	5000	ND	Pass
2-Propanol (IPA)		2,500	5000	ND	Pass
Propane		2,500	5000	ND	Pass
Toluene		445.0	890	ND	Pass
Xylenes		1,085	2170	ND	Pass

MICROBIALS TEST RESULTS

Pass

Date Analyzed: 08/06/23 09:16; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director


