

Sample ID: A23I0042-02

Date Issued: 09/12/2023

SAMPLE NAME: Toxic Marriage

SAMPLE ID: A23I0042-02

CCB ID: 2309OPT2963.11757

CULTIVATOR/MANUFACTURER

Business Name: Globe Farmacy Inc **License:** GFI00000045DCYU00647140

SAMPLE DETAIL

Date Collected: 9/8/2023 9:15:01AM

Matrix: Flower - Cured **Strain:** Toxic Marriage

Ex. Lot ID: N/A

Batch#: 070223R45-TM

Batch Size: N/A

Other Information:





Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 25.074%

d9-THC + (THCa * 0.877)

CBD + (CBDa * 0.877)

Total Cannabinoids: 29.111%

 $\begin{aligned} & \mathsf{CBD} + \mathsf{CBG} + \mathsf{CBN} + \mathsf{CBDa} + \mathsf{CBGa} \\ & + \mathsf{THCa} + \mathsf{THCV} + \mathsf{d8THC} + \mathsf{d9THC} \end{aligned}$

SAFETY ANALYSIS SUMMARY

Microbials: PASS Mycotoxins: NOT TESTED Metals: PASS

Solvents: NOT TESTED Pesticides: PASS

Data Reviewed by Symone Whalin, Technical Laboratory Director

Symone Whalin





Sample ID: A23I0042-02

Date Issued: 09/12/2023

25.074%

29.111%

Total THC

Total Cannabinoids

*Q3 Informational use only

ND

N/A

Total CBD

Moisture
*Q3 Informational use only

CANNABINOID TEST RESULTS

Date Analyzed: 09/09/23 17:37; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result	
		%	%	mg/g	
delta 9-THC		0.030000	1.1497	11.50	
THCA		0.030000	27.279	272.79	
CBD		0.030000	ND	ND	
CBDA		0.030000	ND	ND	
CBN	Q3M2	0.030000	ND	ND	
delta 8-THC	Q3	0.030000	ND	ND	
CBG	Q3	0.030000	ND	ND	
CBGA	Q3	0.030000	0.68250	6.83	
THCV	Q3	0.030000	ND	ND	
Total CBD		0.030000	ND	ND	
Total THC		0.030000	25.074	250.74	
Total		0.030000	29.111	291.11	

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 09/09/23 14:55; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic		200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead		500	1000	ND	Pass
Mercury		600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director

Symone Wholin





Sample ID: A23I0042-02

Date Issued: 09/12/2023


PESTICIDES TEST RESULTS

Date Analyzed: 09/10/23 04:53; Method: Agilent 1260 LC 6470BMS

Pass

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	L1, V1	0.250	0.5	ND	Pass	Hexythiazox		0.500	1	ND	Pass
Acephate		0.200	0.4	ND	Pass	Imazalil	V1	0.100	0.2	ND	Pass
Acequinocyl		1.00	2	ND	Pass	Imidacloprid		0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Kresoxim-methyl		0.200	0.4	ND	Pass
Aldicarb		0.200	0.4	ND	Pass	Malathion	V1	0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Metalaxyl		0.100	0.2	ND	Pass
Bifenazate		0.100	0.2	ND	Pass	Methiocarb		0.100	0.2	ND	Pass
Bifenthrin		0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Boscalid	V1	0.200	0.4	ND	Pass	Myclobutanil		0.100	0.2	ND	Pass
Carbaryl		0.100	0.2	ND	Pass	Naled	R1	0.250	0.5	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Chlorantraniliprole		0.100	0.2	ND	Pass	Paclobutrazol	V1	0.200	0.4	ND	Pass
Chlorfenapyr	M2, V1	0.500	1	ND	Pass	Permethrins	M2, V1	0.100	0.2	ND	Pass
Chlorpyrifos	V1	0.100	0.2	ND	Pass	Phosmet	R1, V1	0.100	0.2	ND	Pass
Clofentezine		0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Cyfluthrin	L1, V1	0.500	1	ND	Pass	Prallethrin	M1	0.100	0.2	ND	Pass
Cypermethrin	M1, V1	0.500	1	ND	Pass	Propiconazole	V1	0.200	0.4	ND	Pass
Daminozide	V1	0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)	M1	0.0500	0.1	ND	Pass	Pyrethrins		0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben	V1	0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad	V1	0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox		0.200	0.4	ND	Pass	Spirotetramat	M1, M2	0.100	0.2	ND	Pass
Etoxazole		0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb	V1	0.100	0.2	ND	Pass	Tebuconazole	V1	0.200	0.4	ND	Pass
Fenpyroximate		0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil	V1	0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Flonicamid	V1	0.500	1	ND	Pass	Trifloxystrobin	M2	0.100	0.2	ND	Pass
Fludioxonil	V1	0.200	0.4	ND	Pass						

Data Reviewed by Symone Whalin, Technical Laboratory Director







Sample ID: A23I0042-02

Date Issued: 09/12/2023

Pass

MICROBIALS TEST RESULTS

Date Analyzed: 09/10/23 07:53; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director



Printed: 9/12/2023 2:56 pm