



Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

| | |
|----------------------------|---|
| Batch Number: | EX050223RM |
| Harvest Date: | 03/28/2023 |
| Manufacture Date: | 05/02/2023 |
| Extraction Method: | Butane |
| Distribution Chain: | Globe Pharmacy Inc (00000045DCYU00647140) to Globe Pharmacy Inc (00000108ESND56774062) |




PRODUCED ON: MAY 11, 2023

GLOBE FARMACY INC.

EX CR RAINMAKER

CERTIFICATE OF ANALYSIS
REGULATORY COMPLIANCE TESTING

PASS




POTENCY
TESTED



TERPENES
NT



MOISTURE
NT




FOREIGN MATTER
NT

PASS
PESTICIDES


PASS
MYCOTOXINS


PASS
SOLVENTS


PASS
HEAVY METALS


PASS
MICROBIALS


CANNABINOID SUMMARY





** TOTAL THC = (THCA X 0.877) + THC | TOTAL CBD = (CBDA X 0.877) + CBD

57.79 %
TOTAL THC**

0.15 %
TOTAL CBD**

71.70 %
TOTAL CANNABINOIDS

TERPENOID SUMMARY

| | | |
|-----------------------|--|----|
| TOTAL TERPENES |  | NT |
| LIMONENE |  | NT |
| TRANS-NEROLIDOL |  | NT |
| TRANS-β-CARYOPHYLLENE |  | NT |

SAMPLE INFO

BATCH NO.: EX050223RM
MATRIX: CONCENTRATE
CATEGORY: INHALABLE
SAMPLE ID: PS-230504-006
COLLECTED ON: MAY 04, 2023
RECEIVED ON: MAY 04, 2023
BATCH/SAMPLE SIZE: 900 G / 7.62580 G
RECEIVED BY: AARON BROWN

CULTIVATOR INFO

LICENSE
00000045DCYU00647140
MEDICINAL - CULTIVATOR LICENSE
CULTIVATOR
GLOBE FARMACY INC
2727 N FAIRVIEW AVE
TUCSON, ARIZONA 85705

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTTRULL
LAB DIRECTOR, PLANT SAFE
MAY 11, 2023






HPLC-POT-L020: CANNABINOIDS BY HPLC | MAY 09, 2023

TESTED

| ANALYTE | LOQ (mg/g) | LIMIT | AMT | AMT | ANALYTE | LOQ (mg/g) | LIMIT | AMT | AMT |
|---------|------------|-------|-----------|--------|---------------------|------------|-------|------------|---------|
| CBC | Q3 | 1.00 | ND | ND | CBN | Q3 | 1.00 | ND | ND |
| CBCA | Q3 | 2.00 | 7.2 mg/g | 0.72 % | CBNA | Q3 | 1.00 | 1.3 mg/g | 0.13 % |
| CBD | | 1.00 | ND | ND | Δ ⁸ -THC | Q3 | 1.00 | ND | ND |
| CBDA | | 1.00 | 1.7 mg/g | 0.17 % | Δ ⁹ -THC | | 1.00 | 8.4 mg/g | 0.84 % |
| CBDV | Q3 | 1.00 | ND | ND | THCA | D1 | 4.00 | 649.4 mg/g | 64.94 % |
| CBDVA | Q3 | 1.00 | ND | ND | THCV | Q3 | 1.00 | ND | ND |
| CBG | Q3 | 1.00 | 2.0 mg/g | 0.20 % | THCVA | Q3 | 1.00 | 28.6 mg/g | 2.86 % |
| CBGA | Q3 | 1.00 | 18.4 mg/g | 1.84 % | TOTAL THC** | | | 577.9 mg/g | 57.79 % |
| CBL | Q3 | 1.00 | ND | ND | TOTAL CBD** | | | 1.5 mg/g | 0.15 % |

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC



ICP-HVY-L021: HEAVY METALS BY ICP-MS | MAY 05, 2023

PASS

| ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL | ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL |
|---------|-----------|-------------|-----------|-----------|---------|-----------|-------------|-----------|-----------|
| ARSENIC | 0.20 | 0.4 | ND | PASS | LEAD | 0.50 | 1 | ND | PASS |
| CADIUM | 0.20 | 0.4 | ND | PASS | MERCURY | V1 | 0.60 | 1.2 | ND |



LC-PES-L022: PESTICIDES BY LC-MS/MS | MAY 09, 2023

PASS

| ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL | ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL | | |
|---------------------|-----------|-------------|-----------|-----------|---------|------------------------|-------------|-----------|-----------|----|------|
| ABAMECTIN | | 0.25 | 0.5 | ND | PASS | MALATHION | | 0.10 | 0.2 | ND | PASS |
| ACEPHATE | | 0.20 | 0.4 | ND | PASS | METALAXYL | | 0.10 | 0.2 | ND | PASS |
| ACEQUINOCYL | V1 | 1.00 | 2 | ND | PASS | METHIOCARB | | 0.10 | 0.2 | ND | PASS |
| ACETAMIPRID | | 0.10 | 0.2 | ND | PASS | METHOMYL | | 0.20 | 0.4 | ND | PASS |
| ALDICARB | | 0.20 | 0.4 | ND | PASS | MYCLOBUTANIL | M2 | 0.10 | 0.2 | ND | PASS |
| AZOXYSTROBIN | M2 | 0.10 | 0.2 | ND | PASS | NALED | | 0.25 | 0.5 | ND | PASS |
| BIFENAZATE | | 0.10 | 0.2 | ND | PASS | OXAMYL | | 0.50 | 1 | ND | PASS |
| BIFENTHRIN | M2 | 0.10 | 0.2 | ND | PASS | PACLOBUTRAZOL | M2 | 0.20 | 0.4 | ND | PASS |
| BOSCALID | M2 | 0.20 | 0.4 | ND | PASS | PENDIMETHALIN | Q3 M2 | 0.05 | | ND | N/A |
| CARBARYL | | 0.10 | 0.2 | ND | PASS | PERMETHRIN | M2 | 0.10 | 0.2 | ND | PASS |
| CARBOFURAN | | 0.10 | 0.2 | ND | PASS | PHOSMET | M2 | 0.10 | 0.2 | ND | PASS |
| CHLORANTRANILIPROLE | M2 | 0.10 | 0.2 | ND | PASS | PIPERONYLBUTOXIDE | | 1.00 | 2 | ND | PASS |
| CHLORFENAPYR | M2 | 0.50 | 1 | ND | PASS | PRALLETHRIN | M2 | 0.10 | 0.2 | ND | PASS |
| CHLORPYRIFOS | M2 | 0.10 | 0.2 | ND | PASS | PROPICONAZOLE | M2 | 0.20 | 0.4 | ND | PASS |
| CLOFENTEZINE | M2 | 0.10 | 0.2 | ND | PASS | PROPOXUR | | 0.10 | 0.2 | ND | PASS |
| CYFLUTHRIN | | 0.50 | 1 | ND | PASS | PYRETHRINS | | 0.50 | 1 | ND | PASS |
| CYPERMETHRIN | M2 | 0.50 | 1 | ND | PASS | PYRETHRINS CINERIN I | | 0.50 | | ND | N/A |
| DAMINOZIDE | | 0.50 | 1 | ND | PASS | PYRETHRINS CINERIN II | M1 I1 | 0.50 | | ND | N/A |
| DIAZINON | M2 | 0.10 | 0.2 | ND | PASS | PYRETHRINS JASMOLIN I | M2 I1 | 0.50 | | ND | N/A |
| DICHLORVOS | | 0.05 | 0.1 | ND | PASS | PYRETHRINS JASMOLIN II | | 0.50 | | ND | N/A |
| DIMETHOATE | | 0.10 | 0.2 | ND | PASS | PYRETHRINS PYRETHRIN I | | 0.50 | | ND | N/A |

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
MAY 11, 2023



| | | | | | | | | | | | |
|-----------------|-------|------|-----|----|------|-------------------------|----|------|-----|-------|------|
| ETHOPROPHOS | M2 | 0.10 | 0.2 | ND | PASS | PYRETHRINS PYRETHRIN II | M2 | 0.50 | ND | N/A | |
| ETOFENPROX | M2 | 0.20 | 0.4 | ND | PASS | PYRIDABEN | M2 | 0.10 | 0.2 | ND | PASS |
| ETOXAZOLE | | 0.10 | 0.2 | ND | PASS | SPINOSAD | | 0.10 | 0.2 | ND | PASS |
| FENOXYCARB | M2 | 0.10 | 0.2 | ND | PASS | SPINOSAD A | | 0.10 | | ND | N/A |
| FENPYROXIMATE | M2 I1 | 0.20 | 0.4 | ND | PASS | SPINOSAD D | | 0.10 | | ND | N/A |
| FIPRONIL | | 0.20 | 0.4 | ND | PASS | SPIROMESIFEN | M2 | 0.10 | 0.2 | < LOQ | PASS |
| FLONICAMID | | 0.50 | 1 | ND | PASS | SPIROTETRAMAT | | 0.10 | 0.2 | ND | PASS |
| FLUDIOXONIL | M2 | 0.20 | 0.4 | ND | PASS | SPIROXAMINE | M1 | 0.20 | 0.4 | ND | PASS |
| HEXYTHIAZOX | M2 | 0.50 | 1 | ND | PASS | TEBUCONAZOLE | M2 | 0.20 | 0.4 | ND | PASS |
| IMAZALIL | | 0.10 | 0.2 | ND | PASS | THIACLOPRID | M2 | 0.10 | 0.2 | ND | PASS |
| IMIDACLOPRID | | 0.20 | 0.4 | ND | PASS | THIAMETHOXAM | | 0.10 | 0.2 | ND | PASS |
| KRESOXIM-METHYL | | 0.20 | 0.4 | ND | PASS | TRIFLOXYSTROBIN | | 0.10 | 0.2 | ND | PASS |



LC-MYC-L022: MYCOTOXINS BY LC-MS/MS | MAY 09, 2023

PASS

| ANALYTE | LOQ (µg/kg) | LIMIT (µg/kg) | AMT (µg/kg) | PASS/FAIL | ANALYTE | LOQ (µg/kg) | LIMIT (µg/kg) | AMT (µg/kg) | PASS/FAIL | |
|-------------------|-------------|---------------|-------------|-----------|--------------|-------------|---------------|-------------|-----------|------|
| AFLATOXINS | | 20 | ND | PASS | AFLATOXIN G1 | 10.00 | | ND | N/A | |
| AFLATOXIN B1 | M2 | 10.00 | ND | N/A | AFLATOXIN G2 | 10.00 | | ND | N/A | |
| AFLATOXIN B2 | M2 | 10.00 | ND | N/A | OCHRATOXIN A | M2 | 10.00 | 20 | ND | PASS |



GC-RSO-L023: RESIDUAL SOLVENTS BY GC-MS | MAY 05, 2023

PASS

| ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL | ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL | |
|-------------------|-----------|-------------|-----------|-----------|---------|--------------------|-------------|-----------|-----------|------|
| ACETONE | | 400.00 | 1000 | ND | PASS | 2,2-DIMETHYLBUTANE | 120.00 | | ND | N/A |
| ACETONITRILE | L1 | 160.00 | 410 | ND | PASS | 2,3-DIMETHYLBUTANE | 120.00 | | ND | N/A |
| BENZENE | | 1.00 | 2 | ND | PASS | ISOPROPYL ACETATE | 2000.00 | 5000 | ND | PASS |
| BUTANES | | 2000.00 | 5000 | ND | PASS | ISOPROPYL ALCOHOL | 2000.00 | 5000 | ND | PASS |
| BUTANE | | 2000.00 | | ND | N/A | METHANOL | 1200.00 | 3000 | ND | PASS |
| ISOBUTANE | | 2000.00 | | ND | N/A | PENTANES | 2000.00 | 5000 | ND | PASS |
| CHLOROFORM | | 30.00 | 60 | ND | PASS | PENTANE | L1 | 2000.00 | ND | N/A |
| DICHLOROMETHANE | | 240.00 | 600 | ND | PASS | ISOPENTANE | 2000.00 | | ND | N/A |
| ETHANOL | | 2000.00 | 5000 | ND | PASS | NEOPENTANE | 2000.00 | | ND | N/A |
| ETHYL ACETATE | | 2000.00 | 5000 | ND | PASS | PROPANE | 2000.00 | 5000 | ND | PASS |
| ETHYL ETHER | | 2000.00 | 5000 | ND | PASS | TOLUENE | 400.00 | 890 | ND | PASS |
| HEPTANE | | 2000.00 | 5000 | ND | PASS | TOTAL XYLENES | | 2170 | ND | PASS |
| HEXANES | | 120.00 | 290 | ND | PASS | O-XYLENE | 864.00 | | ND | N/A |
| HEXANE | | 120.00 | | ND | N/A | P- AND M-XYLENE | 1736.00 | | ND | N/A |
| 2-METHYLPENTANE | | 120.00 | | ND | N/A | ETHYLBENZENE | 864.00 | | ND | N/A |
| 3-METHYLPENTANE | | 120.00 | | ND | N/A | | | | | |



PCR-ASP-L017: ASPERGILLUS BY QPCR | MAY 08, 2023

PASS

| ANALYTE | LIMIT (amount) | AMT (Units) | PASS/FAIL | ANALYTE | LIMIT (amount) | AMT (Units) | PASS/FAIL |
|--------------------|----------------|-------------|-----------|-------------------|----------------|-------------|-----------|
| ASPERGILLUS FLAVUS | Any | ND | PASS | ASPERGILLUS NIGER | Any | ND | PASS |

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
MAY 11, 2023

David Luttrull





TMP-ECO-L018: E. COLI BY PETRI-FILM | MAY 05, 2023

PASS

| ANALYTE | LIMIT (CFU/g) | AMT (CFU/g) | PASS/FAIL |
|------------------|---------------|-------------|-----------|
| ESCHERICHIA COLI | 100 | <10 | PASS |



PCR-SAL-L016: SALMONELLA BY QPCR | MAY 05, 2023

PASS

| ANALYTE | LIMIT (amount) | AMT (Units) | PASS/FAIL |
|-----------------|----------------|-------------|-----------|
| SALMONELLA SPP. | Any | ND | PASS |

PRODUCT IMAGES



Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
MAY 11, 2023

