



Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Batch Number:	EX050923VF
Harvest Date:	04/10/2023
Manufacture Date:	05/09/2023
Extraction Method:	Butane
Distribution Chain:	Globe Pharmacy Inc (00000045DCYU00647140) to Globe Pharmacy Inc (00000108ESND56774062)



PRODUCED ON: MAY 17, 2023

GLOBE FARMACY INC.

EX LR VIOLET FOG PHENO MIX

CERTIFICATE OF ANALYSIS REGULATORY COMPLIANCE TESTING

PASS



POTENCY
TESTED



TERPENES
NT



MOISTURE
NT



FOREIGN MATTER
NT

PASS
PESTICIDES



PASS
MYCOTOXINS



PASS
SOLVENTS



PASS
HEAVY METALS



PASS
MICROBIALS



CANNABINOID SUMMARY

** TOTAL THC = (THCA X 0.877) + THC | TOTAL CBD = (CBDA X 0.877) + CBD

60.90 %
TOTAL THC**

0.15 %
TOTAL CBD**

73.37 %
TOTAL CANNABINOIDS

TERPENOID SUMMARY

TOTAL TERPENES

NT

LIMONENE

NT

TRANS-NEROLIDOL

NT

TRANS-β-CARYOPHYLLENE

NT

SAMPLE INFO

BATCH NO.: EX050923VF

MATRIX: CONCENTRATE

CATEGORY: INHALABLE

SAMPLE ID: PS-230515-011

COLLECTED ON: MAY 15, 2023

RECEIVED ON: MAY 15, 2023

BATCH/SAMPLE SIZE: 800 G / 7.72830 G

RECEIVED BY: WILLIAM LAVERTY

CULTIVATOR INFO

LICENSE

00000045DCYU00647140

MEDICINAL - CULTIVATOR LICENSE

CULTIVATOR

GLOBE FARMACY INC

2727 N FAIRVIEW AVE

TUCSON, ARIZONA 85705

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTTRULL
LAB DIRECTOR, PLANT SAFE
MAY 17, 2023






HPLC-POT-L020: CANNABINOIDS BY HPLC | MAY 15, 2023

TESTED

ANALYTE	LOQ (mg/g)	LIMIT	AMT	AMT	ANALYTE	LOQ (mg/g)	LIMIT	AMT	AMT
CBC	Q3	1.00	ND	ND	CBN	Q3	1.00	ND	ND
CBCA	Q3	2.00	4.4 mg/g	0.44 %	CBNA	Q3	1.00	< LOQ	< LOQ
CBD		1.00	ND	ND	Δ ⁸ -THC	Q3	1.00	ND	ND
CBDA		1.00	1.7 mg/g	0.17 %	Δ ⁹ -THC		1.00	6.3 mg/g	0.63 %
CBDV	Q3	1.00	ND	ND	THCA	D1	4.00	687.2 mg/g	68.72 %
CBDVA	Q3	1.00	ND	ND	THCV	Q3	1.00	ND	ND
CBG	Q3	1.00	1.3 mg/g	0.13 %	THCVA	Q3	1.00	18.0 mg/g	1.80 %
CBGA	Q3	1.00	12.8 mg/g	1.28 %	TOTAL THC**			609.0 mg/g	60.90 %
CBL	Q3	1.00	2.0 mg/g	0.20 %	TOTAL CBD**			1.5 mg/g	0.15 %

** TOTAL CBD = (CBDA X 0.877) + CBD
 ** TOTAL THC = (THCA X 0.877) + THC



ICP-HVY-L021: HEAVY METALS BY ICP-MS | MAY 15, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
ARSENIC	0.20	0.4	ND	PASS	LEAD	0.50	1	ND	PASS
CADIUM	0.20	0.4	ND	PASS	MERCURY	V1	0.60	1.2	ND



LC-PES-L022: PESTICIDES BY LC-MS/MS | MAY 16, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL		
ABAMECTIN		0.25	0.5	ND	PASS	MALATHION		0.10	0.2	ND	PASS
ACEPHATE		0.20	0.4	ND	PASS	METALAXYL		0.10	0.2	ND	PASS
ACEQUINOCYL	V1	1.00	2	ND	PASS	METHIOCARB		0.10	0.2	ND	PASS
ACETAMIPRID		0.10	0.2	ND	PASS	METHOMYL		0.20	0.4	ND	PASS
ALDICARB		0.20	0.4	ND	PASS	MYCLOBUTANIL		0.10	0.2	ND	PASS
AZOXYSTROBIN	V1 M2	0.10	0.2	ND	PASS	NALED		0.25	0.5	ND	PASS
BIFENAZATE		0.10	0.2	ND	PASS	OXAMYL		0.50	1	ND	PASS
BIFENTHRIN	M2	0.10	0.2	ND	PASS	PACLOBUTRAZOL	V1 M2	0.20	0.4	ND	PASS
BOSCALID		0.20	0.4	ND	PASS	PENDIMETHALIN	Q3	0.05		ND	N/A
CARBARYL		0.10	0.2	ND	PASS	PERMETHRIN	M2	0.10	0.2	ND	PASS
CARBOFURAN		0.10	0.2	ND	PASS	PHOSMET	M2	0.10	0.2	ND	PASS
CHLORANTRANILIPROLE	V1 M2	0.10	0.2	ND	PASS	PIPERONYLBUTOXIDE		1.00	2	ND	PASS
CHLORFENAPYR		0.50	1	ND	PASS	PRALLETHRIN		0.10	0.2	ND	PASS
CHLORPYRIFOS		0.10	0.2	ND	PASS	PROPICONAZOLE	M2	0.20	0.4	ND	PASS
CLOFENTEZINE	M2	0.10	0.2	ND	PASS	PROPOXUR		0.10	0.2	ND	PASS
CYFLUTHRIN	M2	0.50	1	ND	PASS	PYRETHRINS		0.50	1	ND	PASS
CYPERMETHRIN	M2	0.50	1	ND	PASS	PYRETHRINS CINERIN I		0.50		ND	N/A
DAMINOZIDE		0.50	1	ND	PASS	PYRETHRINS CINERIN II		0.50		ND	N/A
DIAZINON	M2	0.10	0.2	ND	PASS	PYRETHRINS JASMOLIN I		0.50		ND	N/A
DICHLORVOS		0.05	0.1	ND	PASS	PYRETHRINS JASMOLIN II		0.50		ND	N/A
DIMETHOATE		0.10	0.2	ND	PASS	PYRETHRINS PYRETHRIN I		0.50		ND	N/A

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
 LAB DIRECTOR, PLANT SAFE
 MAY 17, 2023

David Lutrull



ETHOPROPHOS	M2	0.10	0.2	ND	PASS	PYRETHRINS PYRETHRIN II		0.50	ND	N/A	
ETOFENPROX		0.20	0.4	ND	PASS	PYRIDABEN	M2	0.10	0.2	ND	PASS
ETOXAZOLE		0.10	0.2	ND	PASS	SPINOSAD		0.10	0.2	ND	PASS
FENOXYCARB		0.10	0.2	ND	PASS	SPINOSAD A		0.10		ND	N/A
FENPYROXIMATE		0.20	0.4	ND	PASS	SPINOSAD D		0.10		ND	N/A
FIPRONIL	V1	0.20	0.4	ND	PASS	SPIROMESIFEN		0.10	0.2	ND	PASS
FLONICAMID		0.50	1	ND	PASS	SPIROTETRAMAT	V1	0.10	0.2	ND	PASS
FLUDIOXONIL		0.20	0.4	ND	PASS	SPIROXAMINE		0.20	0.4	ND	PASS
HEXYTHIAZOX		0.50	1	ND	PASS	TEBUCONAZOLE	V1 M2	0.20	0.4	ND	PASS
IMAZALIL	V1	0.10	0.2	ND	PASS	THIACLOPRID		0.10	0.2	ND	PASS
IMIDACLOPRID		0.20	0.4	ND	PASS	THIAMETHOXAM		0.10	0.2	ND	PASS
KRESOXIM-METHYL	V1	0.20	0.4	ND	PASS	TRIFLOXYSTROBIN		0.10	0.2	ND	PASS



LC-MYC-L022: MYCOTOXINS BY LC-MS/MS | MAY 16, 2023

PASS

ANALYTE	LOQ (µg/kg)	LIMIT (µg/kg)	AMT (µg/kg)	PASS/FAIL	ANALYTE	LOQ (µg/kg)	LIMIT (µg/kg)	AMT (µg/kg)	PASS/FAIL	
AFLATOXINS		20	ND	PASS	AFLATOXIN G1	M2	10.00	ND	N/A	
AFLATOXIN B1	10.00		ND	N/A	AFLATOXIN G2		10.00	ND	N/A	
AFLATOXIN B2	V1 10.00		ND	N/A	OCHRATOXIN A	I1 M2	10.00	20	ND	PASS



GC-RSO-L023: RESIDUAL SOLVENTS BY GC-MS | MAY 16, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
ACETONE	400.00	1000	ND	PASS	2,2-DIMETHYLBUTANE	120.00		ND	N/A
ACETONITRILE	160.00	410	ND	PASS	2,3-DIMETHYLBUTANE	120.00		ND	N/A
BENZENE	1.00	2	ND	PASS	ISOPROPYL ACETATE	2000.00	5000	ND	PASS
BUTANES	2000.00	5000	2813.26	PASS	ISOPROPYL ALCOHOL	2000.00	5000	ND	PASS
BUTANE	2000.00		2813.26	N/A	METHANOL	1200.00	3000	ND	PASS
ISOBUTANE	2000.00		ND	N/A	PENTANES	2000.00	5000	ND	PASS
CHLOROFORM	30.00	60	ND	PASS	PENTANE	2000.00		ND	N/A
DICHLOROMETHANE	240.00	600	ND	PASS	ISOPENTANE	2000.00		ND	N/A
ETHANOL	2000.00	5000	ND	PASS	NEOPENTANE	2000.00		ND	N/A
ETHYL ACETATE	2000.00	5000	ND	PASS	PROPANE	V1 2000.00	5000	ND	PASS
ETHYL ETHER	2000.00	5000	ND	PASS	TOLUENE	400.00	890	ND	PASS
HEPTANE	2000.00	5000	ND	PASS	TOTAL XYLENES		2170	ND	PASS
HEXANES	120.00	290	ND	PASS	O-XYLENE	864.00		ND	N/A
HEXANE	120.00		ND	N/A	P- AND M-XYLENE	1736.00		ND	N/A
2-METHYLPENTANE	120.00		ND	N/A	ETHYLBENZENE	864.00		ND	N/A
3-METHYLPENTANE	120.00		ND	N/A					



PCR-ASP-L017: ASPERGILLUS BY QPCR | MAY 17, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (Units)	PASS/FAIL	ANALYTE	LIMIT (CFU/g)	AMT (Units)	PASS/FAIL
ASPERGILLUS FLAVUS	Any	ND	PASS	ASPERGILLUS NIGER	Any	ND	PASS

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
MAY 17, 2023

David Lutrull





TMP-ECO-L018: E. COLI BY PETRI-FILM | MAY 16, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
ESCHERICHIA COLI	100	<10	PASS



PCR-SAL-L016: SALMONELLA BY QPCR | MAY 16, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (Units)	PASS/FAIL
SALMONELLA SPP.	Any	ND	PASS

PRODUCT IMAGES



Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTTRULL
LAB DIRECTOR, PLANT SAFE
MAY 17, 2023

David Luttrull

