

Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Batch Number:	080323R49-AG
Harvest Date:	08/06/2023
Distribution Chain:	Globe Farmacy Inc (00000045DCYU00647140) to Globe Farmacy Inc (00000108ESND56774062)



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

1 of 5

ALPINE GUAVA

Sample ID: 2310APO2610.12189 Strain: ALPINE GUAVA

Matrix: Plant Type: Flower - Cured Produced: Collected: 10/04/2023 04:23 pm Received: 10/04/2023

Received: 10/04/2023 Completed: 10/10/2023 Batch #: 080323R49-AG Client

Globe Farmacy Inc Lic. # 00000045DCYU00647140

Lot #:



Summary		
Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/05/2023	Complete
Terpenes	10/09/2023	Complete
Microbials	10/09/2023	Pass
Pesticides	10/06/2023	Pass
Heavy Metals	10/05/2023	Pass

Cannabinoids Complete

15.9209	5.9209% <loq< th=""><th>18.1808%</th><th></th><th colspan="3">1.7791%</th></loq<>		18.1808%		1.7791%		
Total TH	С	Total CBI	D	Total Cannabino	oids (Q3)	Total Terpenes	(Q3)
Analyte	LOD	LOQ	Result	Result			(

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
THCa		0.1000	17.4166	174.166
Δ9-THC		0.1000	0.6465	6.465
Δ8-ΤΗС		0.1000	ND	ND
THCV		0.1000	ND	ND
CBDa		0.1000	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBD		0.1000	ND	ND
CBDVa		0.1000	ND	ND
CBDV		0.1000	ND	ND
CBN		0.1000	ND	ND
CBGa		0.1000	0.1177	1.177
CBG		0.1000	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBC		0.1000	ND	ND
Total THC			15.9209	159.2090
Total CBD			<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Total			18.1808	181.808

Date Tested: $10/05/2023\,07:00\,\text{am}$





Bryant Kearl Lab Director 10/10/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

2 of 5

ALPINE GUAVA

Sample ID: 2310APO2610.12189 Strain: ALPINE GUAVA

Matrix: Plant Type: Flower - Cured Produced:

Collected: 10/04/2023 04:23 pm Received: 10/04/2023

Completed: 10/10/2023 Batch #: 080323R49-AG Client

Globe Farmacy Inc Lic. # 00000045DCYU00647140

Lot #:

Pesticides Pass

Analyte	LOQ	Limit	Mass	Q	Status	Analyte	LOQ	Limit	Mass	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	lmazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND	M1	Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND	M2	Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide		0.0000			
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND	M2	Pass	Spinosad	0.1000	0.2000	ND	M1	Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000 0.4000	ND ND		Pass	Spirotetramat	0.1000 0.2000	0.2000 0.4000	ND ND	M1	Pass
Fenpyroximate	0.2000		ND ND		Pass	Spiroxamine	0.2000	0.4000		M1	Pass
Fipronil		0.4000			Pass	Tebuconazole			ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Thiacloprid Thiamethoxam	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass		0.1000	0.2000	ND		Pass
						Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 10/06/2023 07:00 am





Bryant Kearl Lab Director 10/10/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

3 of 5

ALPINE GUAVA

Sample ID: 2310APO2610.12189 Strain: ALPINE GUAVA

Matrix: Plant Type: Flower - Cured Produced: Collected: 10/04/2023 04:23 pm Received: 10/04/2023 Completed: 10/10/2023 Batch #: 080323R49-AG Client

Globe Farmacy Inc Lic. # 00000045DCYU00647140

Lot #:

Microbials	Page
Micropiais	Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger	Detected/Not Detected in 1g	ND	Pass	
Aspergillus terreus	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 10/09/2023 12:00 am

Mycotoxins Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q

LABS

Date Tested:

Heavy Metals Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.0660	0.1330	0.4000	ND	Pass	
Cadmium	0.0660	0.1330	0.4000	ND	Pass	
Lead	0.1660	0.3330	1.0000	ND	Pass	
Mercury	0.0333	0.0667	0.2000	ND	Pass	

Date Tested: 10/05/2023 07:00 am





Bryant Kearl Lab Director 10/10/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

4 of 5

ALPINE GUAVA

Sample ID: 2310APO2610.12189 Strain: ALPINE GUAVA

Matrix: Plant Type: Flower - Cured Produced:

Collected: 10/04/2023 04:23 pm

Received: 10/04/2023 Completed: 10/10/2023 Batch #: 080323R49-AG Client

Globe Farmacy Inc Lic. # 00000045DCYU00647140

Lot #:

Terpenes

Analyte	LOO	Mass	Mass	Q	
rinaryte	%	%	mg/g		
β-Caryophyllene	0.0010	0.7211	7.211	Q3	
D,L-Limonene	0.0010	0.3180	3.180	Q3	
β-Myrcene	0.0010	0.1683	1.683	Q3	
α-Pinene	0.0010	0.0986	0.986	Q3	
β-Pinene	0.0010	0.0916	0.916	Q3	
Guaiol	0.0010	0.0667	0.667	Q3	
Linalool	0.0010	0.0647	0.647	Q3	
α-Humulene	0.0010	0.0590	0.590	Q3	
Endo-Fenchyl Alcohol	0.0010	0.0459	0.459	Q3	
Isopulegol	0.0010	0.0459	0.459	Q3	
α-Terpineol	0.0010	0.0392	0.392	Q3	
Camphene	0.0010	0.0137	0.137	Q3	
Caryophyllene Oxide	0.0010	0.0129	0.129	Q3	
trans-Nerolidol	0.0010	0.0096	0.096	Q3	
Eucalyptol	0.0010	0.0058	0.058	Q3	
D,L-Borneol	0.0010	0.0052	0.052	Q3	
cis-beta-Ocimene	0.0010	0.0050	0.050	Q3	
Terpinolene	0.0010	0.0032	0.032	Q3	
Sabinene Hydrate	0.0010	0.0024	0.024	Q3	
Fenchone	0.0010	0.0022	0.022	Q3	
3-Carene	0.0010	ND	ND	Q3	
α-Bisabolol	0.0010	ND	ND	Q3	
α-Cedrene	0.0010	ND	ND	Q3	
α-Phellandrene	0.0010	ND	ND	Q3	
α-Terpinene	0.0010	ND	ND	Q3	
α-Thujone	0.0010	ND	ND	Q3	
trans-β-Farnesene	0.0010	ND	ND	Q3	
Camphor	0.0010	ND	ND	Q3	
Carvacrol	0.0010	ND	ND	Q3	

Analyte	LOQ	Mass	Mass	Q	
	%	%	mg/g		
Carvone	0.0010	ND	ND	Q3	
Cedrol	0.0010	ND	ND	Q3	
cis-Citral	0.0010	ND	ND	Q3	
cis-Farnesol	0.0010	ND	ND	Q3	
cis-Nerolidol	0.0010	ND	ND	Q3	
Citronellol	0.0010	ND	ND	Q3	
y-Terpinene	0.0010	<loq< th=""><th><loq< th=""><th>Q3</th><th></th></loq<></th></loq<>	<loq< th=""><th>Q3</th><th></th></loq<>	Q3	
Geraniol	0.0010	ND	ND	Q3	
Geranyl Acetate	0.0010	ND	ND	Q3	
Isoborneol	0.0010	ND	ND	Q3	
Isobornyl Acetate	0.0010	ND	ND	Q3	
m-Cymene	0.0010	ND	ND	Q3	
Menthol	0.0010	ND	ND	Q3	
L-Menthone	0.0010	ND	ND	Q3	
Nerol	0.0010	ND	ND	Q3	
Nootkatone	0.0010	ND	ND	Q3	
o,p-Cymene	0.0010	ND	ND	Q3	
Octyl Acetate	0.0010	ND	ND	Q3	
Phytane	0.0010	ND	ND	Q3	
Piperitone	0.0010	ND	ND	Q3	
Pulegone	0.0010	ND	ND	Q3	
Sabinene	0.0010	ND	ND	Q3	
Safranal	0.0010	ND	ND	Q3	
Terpinen-4-ol	0.0010	ND	ND	Q3	
Thymol	0.0010	ND	ND	Q3	
trans-Citral	0.0010	ND	ND	Q3	
trans-beta-Ocimene	0.0010	ND	ND	Q3	
Valencene	0.0010	ND	ND	Q3	
Verbenone	0.0010	ND	ND	Q3	
Total		1.7791	17.791		

Primary Aromas











Date Tested: 10/09/2023 12:00 am Terpenes analysis is not regulated by AZDHS.





Bryant Kearl Lab Director 10/10/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

5 of 5

ALPINE GUAVA

Sample ID: 2310APO2610.12189 Strain: ALPINE GUAVA

Matrix: Plant Type: Flower - Cured Produced: Collected: 10/04/2023 04:23 pm Received: 10/04/2023 Completed: 10/10/2023 Batch #: 080323R49-AG

Client
Globe Farmacy Inc
Lic. # 00000045DCYU00647140

Lot #:

Qualifiers Definitions

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection $(K)(2)(c)$, but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
М3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection $(K)(3)$, but the recovery in subsection $(K)(2)$ was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) (1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317







