



Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

| | |
|----------------------------|---|
| Batch Number: | 071823R47-ICC |
| Harvest Date: | 07/18/2023 |
| Distribution Chain: | Globe Pharmacy Inc (00000045DCYU00647140) to Globe Pharmacy Inc (00000108ESND56774062) |



SAMPLE NAME: ICE CREAM CAKE
SAMPLE ID: A23I0079-08
CCB ID: 2309OPT2999.11951

CULTIVATOR/MANUFACTURER
Business Name: Globe Farmacy Inc
License: GFI00000045DCYU00647140

SAMPLE DETAIL

Date Collected: 9/19/2023 9:39:22AM
Matrix: Flower - Cured
Strain: ICE CREAM CAKE
Ex. Lot ID: N/A
Batch#: 071823R47-ICC
Batch Size: N/A
Other Information:



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 17.325%
 d9-THC + (THCa * 0.877)

Total CBD: ND
 CBD + (CBDa * 0.877)

Total Cannabinoids: 20.100%
 CBD + CBG + CBN + CBDa + CBGa
 + THCa + THCv + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS
Solvents: NOT TESTED

Mycotoxins: NOT TESTED
Pesticides: PASS

Metals: PASS

TERPENE ANALYSIS SUMMARY

*Q3 Informational use only

Farnesene: 0.6917%

Caryophyllene: 0.3948%

d-Limonene: 0.3619%

Data Reviewed by Symone Whalin, Technical Laboratory Director




| | |
|------------------|--|
| 17.325% | 20.100% |
| Total THC | Total Cannabinoids <small>*Q3 Informational use only</small> |
| ND | N/A |
| Total CBD | Moisture <small>*Q3 Informational use only</small> |

CANNABINOID TEST RESULTS

Date Analyzed: 09/20/23 17:42; Method: Agilent 1260 LC

| Analyte | Qualifier | LOQ | Result | Result |
|--------------|-----------|----------|---------------|---------------|
| | | % | % | mg/g |
| delta 9-THC | | 0.030000 | 0.44350 | 4.44 |
| THCA | | 0.030000 | 19.249 | 192.49 |
| CBD | | 0.030000 | ND | ND |
| CBDA | | 0.030000 | ND | ND |
| CBN | Q3M2 | 0.030000 | ND | ND |
| delta 8-THC | Q3 | 0.030000 | ND | ND |
| CBG | Q3 | 0.030000 | ND | ND |
| CBGA | Q3 | 0.030000 | 0.40800 | 4.08 |
| THCV | Q3 | 0.030000 | ND | ND |
| Total CBD | | 0.030000 | ND | ND |
| Total THC | | 0.030000 | 17.325 | 173.25 |
| Total | | 0.030000 | 20.100 | 201.00 |

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 09/20/23 14:58; Method: Agilent 7800 ICP MS

| Analyte | Qualifier | LOQ | Limit | Result | Status |
|---------|-----------|-----|-------|--------|--------|
| | | ppb | ppb | ppb | |
| Arsenic | | 200 | 400 | ND | Pass |
| Cadmium | | 200 | 400 | ND | Pass |
| Lead | | 500 | 1000 | ND | Pass |
| Mercury | | 600 | 1200 | ND | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director




TERPENE TEST RESULTS

*Q3- Terpene results are for informational use only.

Date Analyzed:09/20/23 17:28; Method: Agilent Intuvo 9000 GC 5977BMS

| Analyte | Qualifier | LOQ | Result | Result |
|---------------------|-----------|---------|---------|--------|
| | | % | % | mg/g |
| Farnesene | Q3 | 0.04000 | 0.6917 | 6.92 |
| Caryophyllene | Q3 | 0.04000 | 0.3948 | 3.95 |
| d-Limonene | Q3 | 0.04000 | 0.3619 | 3.62 |
| Linalool | Q3 | 0.04000 | 0.2477 | 2.48 |
| Humulene | Q3 | 0.04000 | 0.1369 | 1.37 |
| beta-Pinene | Q3 | 0.04000 | 0.04350 | 0.44 |
| alpha-Terpineol | Q3 | 0.04000 | 0.04270 | 0.43 |
| alpha-Bisabolol | Q3 | 0.04000 | ND | ND |
| alpha-Cedrene | Q3 | 0.04000 | ND | ND |
| alpha-Phellandrene | Q3 | 0.04000 | ND | ND |
| alpha-Pinene | Q3 | 0.04000 | ND | ND |
| alpha-Terpinene | Q3 | 0.04000 | ND | ND |
| beta-Myrcene | Q3 | 0.04000 | ND | ND |
| gamma-Terpinene | Q3 | 0.04000 | ND | ND |
| gamma-Terpineol | Q3 | 0.04000 | ND | ND |
| 3-Carene | Q3 | 0.04000 | ND | ND |
| Camphene | Q3 | 0.04000 | ND | ND |
| Camphor | Q3 | 0.04000 | ND | ND |
| Caryophyllene Oxide | Q3 | 0.04000 | ND | ND |
| Cedrol | Q3 | 0.04000 | ND | ND |
| endo-Borneol | Q3 | 0.04000 | ND | ND |
| Eucalyptol | Q3 | 0.04000 | ND | ND |
| Fenchol | Q3 | 0.04000 | ND | ND |
| Fenchone | Q3 | 0.04000 | ND | ND |
| Geraniol | Q3 | 0.04000 | ND | ND |
| Geranyl acetate | Q3 | 0.04000 | ND | ND |
| Guaiol | Q3 | 0.04000 | ND | ND |
| Isoborneol | Q3 | 0.04000 | ND | ND |
| Isopulegol | Q3 | 0.04000 | ND | ND |
| Menthol | Q3 | 0.04000 | ND | ND |
| Nerol | Q3 | 0.04000 | ND | ND |
| Nerolidol | Q3 | 0.04000 | ND | ND |
| Pulegone | Q3 | 0.04000 | ND | ND |
| Sabinene | Q3 | 0.04000 | ND | ND |
| Sabinene Acetate | Q3 | 0.04000 | ND | ND |
| Terpinolene | Q3 | 0.04000 | ND | ND |
| Valencene | Q3 | 0.04000 | ND | ND |
| trans-beta-Ocimene | Q3 | 0.04000 | ND | ND |
| cis-beta-Ocimene | Q3 | 0.04000 | ND | ND |

2.685%

Total Terpenes

Data Reviewed by Symone Whalin, Technical Laboratory Director




PESTICIDES TEST RESULTS

Pass

Date Analyzed: 09/20/23 19:10; Method: Agilent 1260 LC 6470BMS

| Analyte | Qualifier | LOQ | Limit | Result | Status | Analyte | Qualifier | LOQ | Limit | Result | Status |
|---------------------|-----------|--------|-------|--------|--------|--------------------|-----------|-------|-------|--------|--------|
| | | ppm | ppm | ppm | | | | ppm | ppm | ppm | |
| Avermectin B1a | V1 | 0.250 | 0.5 | ND | Pass | Hexythiazox | | 0.500 | 1 | ND | Pass |
| Acephate | | 0.200 | 0.4 | ND | Pass | Imazalil | V1 | 0.100 | 0.2 | ND | Pass |
| Acequinocyl | | 1.00 | 2 | ND | Pass | Imidacloprid | | 0.200 | 0.4 | ND | Pass |
| Acetamiprid | | 0.100 | 0.2 | ND | Pass | Kresoxim-methyl | | 0.200 | 0.4 | ND | Pass |
| Aldicarb | | 0.200 | 0.4 | ND | Pass | Malathion | | 0.100 | 0.2 | ND | Pass |
| Azoxystrobin | | 0.100 | 0.2 | ND | Pass | Metaxyl | | 0.100 | 0.2 | ND | Pass |
| Bifenazate | M1 | 0.100 | 0.2 | ND | Pass | Methiocarb | | 0.100 | 0.2 | ND | Pass |
| Bifenthrin | M2 | 0.100 | 0.2 | ND | Pass | Methomyl | | 0.200 | 0.4 | ND | Pass |
| Boscalid | | 0.200 | 0.4 | ND | Pass | Myclobutanil | | 0.100 | 0.2 | ND | Pass |
| Carbaryl | | 0.100 | 0.2 | ND | Pass | Naled | | 0.250 | 0.5 | ND | Pass |
| Carbofuran | | 0.100 | 0.2 | ND | Pass | Oxamyl | | 0.500 | 1 | ND | Pass |
| Chlorantraniliprole | | 0.100 | 0.2 | ND | Pass | Paclobutrazol | V1 | 0.200 | 0.4 | ND | Pass |
| Chlorfenapyr | V1 | 0.500 | 1 | ND | Pass | Permethrins | M2 | 0.100 | 0.2 | ND | Pass |
| Chlorpyrifos | M2 | 0.100 | 0.2 | ND | Pass | Phosmet | | 0.100 | 0.2 | ND | Pass |
| Clofentezine | | 0.100 | 0.2 | ND | Pass | Piperonyl Butoxide | | 1.00 | 2 | ND | Pass |
| Cyfluthrin | | 0.500 | 1 | ND | Pass | Prallethrin | | 0.100 | 0.2 | ND | Pass |
| Cypermethrin | | 0.500 | 1 | ND | Pass | Propiconazole | | 0.200 | 0.4 | ND | Pass |
| Daminozide | L1 | 0.500 | 1 | ND | Pass | Propoxur | | 0.100 | 0.2 | ND | Pass |
| DDVP (Dichlorvos) | | 0.0500 | 0.1 | ND | Pass | Pyrethrins | M2 | 0.500 | 1 | ND | Pass |
| Diazinon | | 0.100 | 0.2 | ND | Pass | Pyridaben | | 0.100 | 0.2 | ND | Pass |
| Dimethoate | | 0.100 | 0.2 | ND | Pass | Spinosad | M2, V1 | 0.100 | 0.2 | ND | Pass |
| Ethoprop(hos) | | 0.100 | 0.2 | ND | Pass | Spiromesifen | | 0.100 | 0.2 | ND | Pass |
| Etofenprox | M2 | 0.200 | 0.4 | ND | Pass | Spirotetramat | | 0.100 | 0.2 | ND | Pass |
| Etoxazole | | 0.100 | 0.2 | ND | Pass | Spiroxamine | | 0.200 | 0.4 | ND | Pass |
| Fenoxycarb | | 0.100 | 0.2 | ND | Pass | Tebuconazole | V1 | 0.200 | 0.4 | ND | Pass |
| Fenpyroximate | | 0.200 | 0.4 | ND | Pass | Thiacloprid | | 0.100 | 0.2 | ND | Pass |
| Fipronil | | 0.200 | 0.4 | ND | Pass | Thiamethoxam | | 0.100 | 0.2 | ND | Pass |
| Fonicamid | | 0.500 | 1 | ND | Pass | Trifloxystrobin | M2 | 0.100 | 0.2 | ND | Pass |
| Fludioxonil | | 0.200 | 0.4 | ND | Pass | | | | | | |

Data Reviewed by Symone Whalin, Technical Laboratory Director



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 0000006LCXI00549589
 The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory to provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1 Q3 testing result is for information purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labelling requirements in R9-17-317-Q3.



MICROBIALS TEST RESULTS

Pass

Date Analyzed: 09/21/23 09:02; Method: 3M Petrifilm

| Analyte | Qualifier | Limit | Result | Status |
|-----------------------|-----------|----------------------|------------------------|--------|
| | | cfu/g | cfu/g | |
| Escherichia coli | | 100 | <40 CFU/g | Pass |
| Salmonella spp. | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus terreus | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus niger | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus fumigatus | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus flavus | | Detectable in 1 gram | Not detected in 1 gram | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director


