



Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Batch Number:	EGSX072423-SLUR
Harvest Date:	07/24/2023
Manufacture Date:	08/05/2023
Extraction Method:	VACUUM DISTILLATION
Distribution Chain: (Cultivated, Prepared & Sold)	Globe Farmacy Inc (00000045DCYU00647140) to Sixth Street Enterprises Inc (00000014DCHT00564851) Globe Farmacy Inc (00000045DCYU00647140) to Globe Farmacy Inc (00000108ESND56774062)





Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 08/12/2023

2308OPT2710.10658

SAMPLE NAME: Premium Slurricane

Matrix: Concentrates & Extracts | Type: Distillate
Strain Name: Slurricane | Classification:

CULTIVATOR/MANUFACTURER:

Business Name: Globe Farmacy Inc
License: 00000045DCYU00647140

Address: 2727 N Fairview Ave, Tucson, AZ 85705

SAMPLE DETAIL:

Batch Number:
EGSX072423-SLUR

Date Received:
08/04/2023


Batch Size:

External Lot ID:

Sample Size:

Other Information:

Unit Mass:
g



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 91.59400%
Δ9-THC + (THCa * 0.877)

Total Cannabinoids: 95.41610%
CBD + CBDa + CBG + CBGa + CBN + Δ8-THC + Δ9-THC + External Cannabinoid Total + External CBD Total + External THC Total + THCa + THCv

Total CBD: ND
CBD + (CBDa * 0.877)

SAFETY ANALYSIS SUMMARY

Pesticides:	Not Tested	Heavy Metals:	Not Tested	Moisture:	Not Tested
Mycotoxins:	Not Tested	Residual Solvents:	Not Tested	Water Activity:	Not Tested
Microbials:	<input checked="" type="checkbox"/> Pass	Foreign Material:	Not Tested		

TERPENE ANALYSIS SUMMARY

NOT TESTED

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCX100549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



OnPoint
LABORATORIES

Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 08/12/2023

2308OPT2710.10658

CANNABINOID TEST RESULTS: 08/05/2023

Method:

91.59400% 91.59400% Total THC	95.41610% 95.41610% Total Cannabinoids
ND ND Total CBD	NT Moisture (Q3)

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
THCa		0.03000	ND	ND
Δ9-THC		0.03000	91.59400	915.9400
Δ8-THC		0.03000	ND	ND
CBDa		0.02000	ND	ND
CBD		0.02000	ND	ND
CBN		0.00400	0.64390	6.4390
CBG		0.00400	2.47690	24.7690
CBGa		0.00400	ND	ND
THCV		0.00400	0.70130	7.0130
Total THC			91.59400	915.94000
Total CBD			ND	ND
Total				

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 08/12/2023

2308OPT2710.10658

MICROBIALS TEST RESULTS: 08/08/2023

Pass

Method:

Analyte	Qualifier	Limits/Units	Result	Final Result
		CFU/g	CFU/g	
E. Coli		100	<50.000	Pass

Analyte	Qualifier	Limits/Units	Result	Final Result
Salmonella		1g	Not Detected	Pass
Aspergillus fumigatus		1g	Not Detected	Pass
Aspergillus niger		1g	Not Detected	Pass
Aspergillus flavus		1g	Not Detected	Pass
Aspergillus terreus		1g	Not Detected	Pass



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.

SAMPLE NAME: Premium Finished Oil

SAMPLE ID: A23H0044-20

CCB ID: 2308OPT2710.10662

CULTIVATOR/MANUFACTURER

Business Name: Globe Farmacy Inc

License: GFI00000045DCYU00647140

SAMPLE DETAIL

Date Collected: 8/4/2023 10:00:56AM

Matrix: Distillate

Strain: Finished Oil

Ex. Lot ID: N/A

Batch#: EGSX072423-

Batch Size: N/A

Other Information:



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 98.371%

d9-THC + (THCa * 0.877)

Total CBD: ND

CBD + (CBDa * 0.877)

Total Cannabinoids: 102.39%

CBD + CBG + CBN + CBDa + CBGa
+ THCa + THCv + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS

Mycotoxins: PASS

Metals: PASS

Solvents: PASS

Pesticides: PASS

Data Reviewed by Symone Whalin, Technical Laboratory Director



98.371%	102.39%
Total THC	Total Cannabinoids <small>*Q3 Informational use only</small>
ND	N/A
Total CBD	Moisture <small>*Q3 Informational use only</small>

CANNABINOID TEST RESULTS

Date Analyzed: 08/05/23 23:52; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.030000	98.371	983.71
THCA		0.030000	ND	ND
CBD		0.020000	ND	ND
CBDA		0.020000	ND	ND
CBN	Q3M2	0.0040000	0.60580	6.06
delta 8-THC	Q3	0.030000	ND	ND
CBG	Q3	0.0040000	2.3643	23.64
CBGA	Q3	0.0040000	ND	ND
THCV	Q3	0.0040000	1.0461	10.46
Total CBD		0.030000	ND	ND
Total THC		0.030000	98.371	983.71
Total		0.0040000	102.39	1023.90

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 08/05/23 19:23; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic	R1	200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead	V1	500	1000	ND	Pass
Mercury	V1	600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




PESTICIDES TEST RESULTS

Pass

Date Analyzed: 08/07/23 21:09; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	V1	0.250	0.5	ND	Pass	Imazalil		0.100	0.2	ND	Pass
Acephate		0.200	0.4	ND	Pass	Imidacloprid		0.200	0.4	ND	Pass
Acequinocyl		1.00	2	ND	Pass	Kresoxim-methyl		0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Malathion		0.100	0.2	ND	Pass
Aldicarb		0.200	0.4	ND	Pass	Metalaxyl		0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Methiocarb		0.100	0.2	ND	Pass
Bifenazate	L1	0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Bifenthrin		0.100	0.2	ND	Pass	Myclobutanil		0.100	0.2	ND	Pass
Boscalid		0.200	0.4	ND	Pass	Naled		0.250	0.5	ND	Pass
Carbaryl		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Paclobutrazol		0.200	0.4	ND	Pass
Chlorantraniliprole		0.100	0.2	ND	Pass	Permethrins	M2	0.100	0.2	ND	Pass
Chlorfenapyr	L1	0.500	1	ND	Pass	Phosmet		0.100	0.2	ND	Pass
Chlorpyrifos		0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Clofentezine		0.100	0.2	ND	Pass	Prallethrin		0.100	0.2	ND	Pass
Cyfluthrin	L1	0.500	1	ND	Pass	Propiconazole		0.200	0.4	ND	Pass
Cypermethrin		0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)		0.0500	0.1	ND	Pass	Pyrethrins	M3	0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben	M2	0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad		0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox		0.200	0.4	ND	Pass	Spirotetramat		0.100	0.2	ND	Pass
Etoxazole		0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb		0.100	0.2	ND	Pass	Tebuconazole		0.200	0.4	ND	Pass
Fenpyroximate		0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil		0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Fonicamid		0.500	1	ND	Pass	Trifloxystrobin		0.100	0.2	ND	Pass
Fludioxonil		0.200	0.4	ND	Pass						
Hexythiazox	M2	0.500	1	ND	Pass						

MYCOTOXINS TEST RESULTS

Pass

Date Analyzed: 08/07/23 21:09; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Aflatoxin B1		10.0		ND	
Aflatoxin B2		10.0		ND	
Aflatoxin G1		10.0		ND	
Aflatoxin G2		10.0		ND	
Total Aflatoxins		10.0	20	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




RESIDUAL SOLVENTS TEST RESULTS

Pass

Date Analyzed: 08/06/23 07:59; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm	
Acetone		500.0	1000	ND	Pass
Acetonitrile		205.0	410	ND	Pass
Benzene		1,000	2	ND	Pass
Butanes		2,500	5000	ND	Pass
Chloroform		30.00	60	ND	Pass
Dichloromethane		300.0	600	ND	Pass
Ethanol		2,500	5000	ND	Pass
Ethyl acetate		2,500	5000	ND	Pass
Ethyl ether		2,500	5000	ND	Pass
Heptane		2,500	5000	ND	Pass
Hexanes		145.0	290	ND	Pass
Isopropyl acetate		2,500	5000	ND	Pass
Methanol		1,500	3000	ND	Pass
Pentanes		2,500	5000	ND	Pass
2-Propanol (IPA)		2,500	5000	ND	Pass
Propane		2,500	5000	ND	Pass
Toluene		445.0	890	ND	Pass
Xylenes		1,085	2170	ND	Pass

MICROBIALS TEST RESULTS

Pass

Date Analyzed: 08/07/23 08:05; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director