



BATCH NUMBER: EX081723-SPT1
HARVEST DATE: 08-03-2023
MANUFACTURE DATE: 08-17-2023
EXTRACTION METHOD: WATER
STRAIN: SOUR PAPAYA



Distribution Chain:

Cultivated: Globe Pharmacy Inc (00000045DCYU00647140)
Processed: Globe Pharmacy Inc (00000045DCYU00647140)
Prepared: Globe Pharmacy Inc (00000045DCYU00647140)
Retail: Globe Pharmacy Inc (00000108ESND56774062)
Earth's Healing Inc (00000112ESWR37460976)

USING MARIJUANA DURING PREGNANCY COULD CAUSE BIRTH DEFECTS OR OTHER HEALTH ISSUES TO YOUR UNBORN CHILD.

SAMPLE NAME: LHR SOUR PAPAYA

SAMPLE ID: A23I0005-02

CCB ID: 2308OPT2929.11608

CULTIVATOR/MANUFACTURER

Business Name: Globe Pharmacy Inc

License: GFI00000045DCYU00647140

SAMPLE DETAIL

Date Collected: 9/1/2023 9:38:46AM

Matrix: Live Rosin

Strain: SOUR PAPAYA

Ex. Lot ID: N/A

Batch#: EX081723-SPT1

Batch Size: N/A

Other Information:



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 68.183%
d9-THC + (THCa * 0.877)

Total CBD: ND
CBD + (CBDa * 0.877)

Total Cannabinoids: 78.763%
CBD + CBG + CBN + CBDa + CBGa
+ THCa + THCv + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS

Mycotoxins: PASS

Metals: PASS

Solvents: PASS

Pesticides: PASS

Data Reviewed by Symone Whalin, Technical Laboratory Director



68.183%	78.763%
Total THC	Total Cannabinoids <small>*Q3 Informational use only</small>
ND	N/A
Total CBD	Moisture <small>*Q3 Informational use only</small>

CANNABINOID TEST RESULTS

Date Analyzed: 09/02/23 14:16; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.030000	0.64640	6.46
THCA		0.030000	77.009	770.09
CBD		0.020000	ND	ND
CBDA		0.020000	ND	ND
CBN	Q3M2	0.0040000	ND	ND
delta 8-THC	Q3	0.030000	ND	ND
CBG	Q3	0.0040000	ND	ND
CBGA	Q3	0.0040000	1.1074	11.07
THCV	Q3	0.0040000	ND	ND
Total CBD		0.030000	ND	ND
Total THC		0.030000	68.183	681.83
Total		0.0040000	78.763	787.63

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 09/02/23 15:12; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic		200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead		500	1000	ND	Pass
Mercury		600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




PESTICIDES TEST RESULTS

Pass

Date Analyzed: 09/07/23 19:34; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	L1, V1	0.250	0.5	ND	Pass	Hexythiazox		0.500	1	ND	Pass
Acephate		0.200	0.4	ND	Pass	Imazalil		0.100	0.2	ND	Pass
Acequinocyl		1.00	2	ND	Pass	Imidacloprid		0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Kresoxim-methyl		0.200	0.4	ND	Pass
Aldicarb		0.200	0.4	ND	Pass	Malathion		0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Metaxyl		0.100	0.2	ND	Pass
Bifenazate	M1	0.100	0.2	ND	Pass	Methiocarb		0.100	0.2	ND	Pass
Bifenthrin		0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Boscalid		0.200	0.4	ND	Pass	Myclobutanil		0.100	0.2	ND	Pass
Carbaryl		0.100	0.2	ND	Pass	Naled		0.250	0.5	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Chlorantraniliprole		0.100	0.2	ND	Pass	Paclobutrazol		0.200	0.4	ND	Pass
Chlorfenapyr	M2	0.500	1	ND	Pass	Permethrins		0.100	0.2	ND	Pass
Chlorpyrifos	M2	0.100	0.2	ND	Pass	Phosmet		0.100	0.2	ND	Pass
Clofentezine		0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Cyfluthrin	L1	0.500	1	ND	Pass	Prallethrin		0.100	0.2	ND	Pass
Cypermethrin		0.500	1	ND	Pass	Propiconazole	M2	0.200	0.4	ND	Pass
Daminozide		0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)		0.0500	0.1	ND	Pass	Pyrethrins	M1, M2	0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben		0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad	M2	0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox		0.200	0.4	ND	Pass	Spirotetramat		0.100	0.2	ND	Pass
Etoxazole	M2	0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb		0.100	0.2	ND	Pass	Tebuconazole		0.200	0.4	ND	Pass
Fenpyroximate		0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil		0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Flonicamid		0.500	1	ND	Pass	Trifloxystrobin	M2	0.100	0.2	ND	Pass
Fludioxonil	M2	0.200	0.4	ND	Pass						

MYCOTOXINS TEST RESULTS

Pass

Date Analyzed: 09/02/23 16:34; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Aflatoxin B1		10.0		ND	
Aflatoxin B2		10.0		ND	
Aflatoxin G1		10.0		ND	
Aflatoxin G2		10.0		ND	
Ochratoxin A	M2, V1	10.0	20	ND	Pass
Total Aflatoxins		10.0	20	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




RESIDUAL SOLVENTS TEST RESULTS

Pass

Date Analyzed: 09/02/23 12:35; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm	
Acetone	M1	500.0	1000	ND	Pass
Acetonitrile	L1, M1, V1	205.0	410	ND	Pass
Benzene		1.000	2	ND	Pass
Butanes		2,500	5000	ND	Pass
Chloroform		30.00	60	ND	Pass
Dichloromethane		300.0	600	ND	Pass
Ethanol		2,500	5000	ND	Pass
Ethyl acetate		2,500	5000	ND	Pass
Ethyl ether		2,500	5000	ND	Pass
Heptane		2,500	5000	ND	Pass
Hexanes		145.0	290	ND	Pass
Isopropyl acetate		2,500	5000	ND	Pass
Methanol		1,500	3000	ND	Pass
Pentanes		2,500	5000	ND	Pass
2-Propanol (IPA)	M1	2,500	5000	ND	Pass
Propane		2,500	5000	ND	Pass
Toluene		445.0	890	ND	Pass
Xylenes		1,085	2170	ND	Pass

MICROBIALS TEST RESULTS

Pass

Date Analyzed: 09/03/23 08:01; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director


