



Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Batch Number:	EX042823WZPXFP
Harvest Date:	04/10/2023
Manufacture Date:	04/28/2023
Extraction Method:	Water
Distribution Chain:	Globe Pharmacy Inc (00000045DCYU00647140) to Globe Pharmacy Inc (00000108ESND56774062)



PRODUCED ON: MAY 24, 2023

GLOBE FARMACY INC.

EX LHR WILSON ZERO PHENO MIX

CERTIFICATE OF ANALYSIS
REGULATORY COMPLIANCE TESTING

PASS




POTENCY
TESTED



TERPENES
NT



MOISTURE
NT




FOREIGN MATTER
NT

PASS
PESTICIDES


PASS
MYCOTOXINS


PASS
SOLVENTS


PASS
HEAVY METALS


PASS
MICROBIALS


CANNABINOID SUMMARY





** TOTAL THC = (THCA X 0.877) + THC | TOTAL CBD = (CBDA X 0.877) + CBD

54.15 %
TOTAL THC**

0.32 %
TOTAL CBD**

67.70 %
TOTAL CANNABINOIDS

TERPENOID SUMMARY

TOTAL TERPENES		NT
LIMONENE		NT
TRANS-NEROLIDOL		NT
TRANS-β-CARYOPHYLLENE		NT

SAMPLE INFO

BATCH NO.: EX042823WZPXPFP
MATRIX: CONCENTRATE
CATEGORY: INHALABLE
SAMPLE ID: PS-230518-002
COLLECTED ON: MAY 18, 2023
RECEIVED ON: MAY 18, 2023
BATCH/SAMPLE SIZE: 600 G / 8.11130 G
RECEIVED BY: LAURA PIESLEWICZ

CULTIVATOR INFO

LICENSE
00000045DCYU00647140
MEDICINAL - CULTIVATOR LICENSE
CULTIVATOR
GLOBE FARMACY INC
2727 N FAIRVIEW AVE
TUCSON, ARIZONA 85705

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTTRULL
LAB DIRECTOR, PLANT SAFE
MAY 24, 2023






HPLC-POT-L020: CANNABINOIDS BY HPLC | MAY 22, 2023

TESTED

ANALYTE	LOQ (mg/g)	LIMIT	AMT	AMT	ANALYTE	LOQ (mg/g)	LIMIT	AMT	AMT
CBC	Q3	1.00	ND	ND	CBN	Q3	1.00	ND	ND
CBCA	Q3	2.00	12.5 mg/g	1.25 %	CBNA	Q3	1.00	1.1 mg/g	0.11 %
CBD	1.00	1.00	ND	ND	Δ ⁸ -THC	Q3	1.00	< LOQ	< LOQ
CBDA	1.00	1.00	3.7 mg/g	0.37 %	Δ ⁹ -THC	1.00	1.00	20.1 mg/g	2.01 %
CBDV	Q3	1.00	ND	ND	THCA	D1	4.00	594.5 mg/g	59.45 %
CBDVA	Q3	1.00	ND	ND	THCV	Q3	1.00	< LOQ	< LOQ
CBG	Q3	1.00	2.7 mg/g	0.27 %	THCVA	Q3	1.00	23.3 mg/g	2.33 %
CBGA	Q3	1.00	15.5 mg/g	1.55 %	TOTAL THC**			541.5 mg/g	54.15 %
CBL	Q3	1.00	3.6 mg/g	0.36 %	TOTAL CBD**			3.2 mg/g	0.32 %

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC



ICP-HVY-L021: HEAVY METALS BY ICP-MS | MAY 19, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
ARSENIC	0.20	0.4	ND	PASS	LEAD	0.50	1	ND	PASS
CADMIUM	0.20	0.4	ND	PASS	MERCURY	0.60	1.2	ND	PASS



LC-PES-L022: PESTICIDES BY LC-MS/MS | MAY 23, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	
ABAMECTIN	M2	0.25	0.5	ND	PASS	MALATHION	0.10	0.2	ND	PASS
ACEPHATE	0.20	0.4	ND	PASS	METALAXYL	0.10	0.2	ND	PASS	
ACEQUINOCYL	1.00	2	ND	PASS	METHIOCARB	0.10	0.2	ND	PASS	
ACETAMIPRID	0.10	0.2	ND	PASS	METHOMYL	0.20	0.4	ND	PASS	
ALDICARB	0.20	0.4	ND	PASS	MYCLOBUTANIL	0.10	0.2	ND	PASS	
AZOXYSTROBIN	0.10	0.2	ND	PASS	NALED	0.25	0.5	ND	PASS	
BIFENAZATE	M1	0.10	0.2	ND	PASS	OXAMYL	0.50	1	ND	PASS
BIFENTHRIN	M2	0.10	0.2	ND	PASS	PACLOBUTRAZOL	0.20	0.4	ND	PASS
BOSCALID	0.20	0.4	ND	PASS	PENDIMETHALIN	Q3 M2	0.05	ND	N/A	
CARBARYL	0.10	0.2	ND	PASS	PERMETHRIN	M2	0.10	0.2	ND	PASS
CARBOFURAN	0.10	0.2	ND	PASS	PHOSMET	0.10	0.2	ND	PASS	
CHLORANTRANILIPROLE	0.10	0.2	ND	PASS	PIPERONYLBUTOXIDE	1.00	2	ND	PASS	
CHLORFENAPYR	M2	0.50	1	ND	PASS	PRALLETHRIN	0.10	0.2	ND	PASS
CHLORPYRIFOS	0.10	0.2	ND	PASS	PROPICONAZOLE	M2	0.20	0.4	ND	PASS
CLOFENTEZINE	M2	0.10	0.2	ND	PASS	PROPOXUR	0.10	0.2	ND	PASS
CYFLUTHRIN	M2	0.50	1	ND	PASS	PYRETHRINS	0.50	1	ND	PASS
CYPERMETHRIN	I1	0.50	1	ND	PASS	PYRETHRINS CINERIN I	0.50	ND	N/A	
DAMINOZIDE	0.50	1	ND	PASS	PYRETHRINS CINERIN II	0.50	ND	N/A		
DIAZINON	0.10	0.2	ND	PASS	PYRETHRINS JASMOLIN I	M2	0.50	ND	N/A	
DICHLORVOS	0.05	0.1	ND	PASS	PYRETHRINS JASMOLIN II	0.50	ND	N/A		
DIMETHOATE	0.10	0.2	ND	PASS	PYRETHRINS PYRETHRIN I	M2	0.50	ND	N/A	

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
MAY 24, 2023



ETHOPROPHOS	0.10	0.2	ND	PASS	PYRETHRINS PYRETHRIN II	0.50	ND	N/A	
ETOFENPROX	0.20	0.4	ND	PASS	PYRIDABEN	M2 0.10	0.2	ND	PASS
ETOXAZOLE	0.10	0.2	ND	PASS	SPINOSAD	0.10	0.2	ND	PASS
FENOXYCARB	0.10	0.2	ND	PASS	SPINOSAD A	0.10	ND	N/A	
FENPYROXIMATE	M2 0.20	0.4	ND	PASS	SPINOSAD D	M2 0.10	ND	N/A	
FIPRONIL	0.20	0.4	ND	PASS	SPIROMESIFEN	0.10	0.2	ND	PASS
FLONICAMID	0.50	1	ND	PASS	SPIROTETRAMAT	0.10	0.2	ND	PASS
FLUDIOXONIL	0.20	0.4	ND	PASS	SPIROXAMINE	M1 0.20	0.4	ND	PASS
HEXYTHIAZOX	0.50	1	ND	PASS	TEBUCONAZOLE	M2 0.20	0.4	ND	PASS
IMAZALIL	0.10	0.2	ND	PASS	THIACLOPRID	0.10	0.2	ND	PASS
IMIDACLOPRID	0.20	0.4	ND	PASS	THIAMETHOXAM	0.10	0.2	ND	PASS
KRESOXIM-METHYL	0.20	0.4	ND	PASS	TRIFLOXYSTROBIN	0.10	0.2	ND	PASS



LC-MYC-L022: MYCOTOXINS BY LC-MS/MS | MAY 23, 2023

PASS

ANALYTE	LOQ (µg/kg)	LIMIT (µg/kg)	AMT (µg/kg)	PASS/FAIL	ANALYTE	LOQ (µg/kg)	LIMIT (µg/kg)	AMT (µg/kg)	PASS/FAIL
AFLATOXINS		20	ND	PASS	AFLATOXIN G1	10.00		ND	N/A
AFLATOXIN B1	10.00		ND	N/A	AFLATOXIN G2	10.00		ND	N/A
AFLATOXIN B2	M2 10.00		ND	N/A	OCHRATOXIN A	R1 10.00	20	ND	PASS



GC-RSO-L023: RESIDUAL SOLVENTS BY GC-MS | MAY 18, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
ACETONE	400.00	1000	ND	PASS	2,2-DIMETHYLBUTANE	120.00		ND	N/A
ACETONITRILE	160.00	410	ND	PASS	2,3-DIMETHYLBUTANE	120.00		ND	N/A
BENZENE	1.00	2	ND	PASS	ISOPROPYL ACETATE	2000.00	5000	ND	PASS
BUTANES	2000.00	5000	ND	PASS	ISOPROPYL ALCOHOL	2000.00	5000	ND	PASS
BUTANE	2000.00		ND	N/A	METHANOL	1200.00	3000	ND	PASS
ISOBUTANE	2000.00		ND	N/A	PENTANES	2000.00	5000	ND	PASS
CHLOROFORM	30.00	60	ND	PASS	PENTANE	2000.00		ND	N/A
DICHLOROMETHANE	240.00	600	ND	PASS	ISOPENTANE	2000.00		ND	N/A
ETHANOL	2000.00	5000	ND	PASS	NEOPENTANE	2000.00		ND	N/A
ETHYL ACETATE	2000.00	5000	ND	PASS	PROPANE	2000.00	5000	ND	PASS
ETHYL ETHER	2000.00	5000	ND	PASS	TOLUENE	400.00	890	ND	PASS
HEPTANE	2000.00	5000	ND	PASS	TOTAL XYLENES		2170	ND	PASS
HEXANES	120.00	290	ND	PASS	O-XYLENE	864.00		ND	N/A
HEXANE	120.00		ND	N/A	P- AND M-XYLENE	1736.00		ND	N/A
2-METHYLPENTANE	120.00		ND	N/A	ETHYLBENZENE	864.00		ND	N/A
3-METHYLPENTANE	120.00		ND	N/A					



PCR-ASP-L017: ASPERGILLUS BY QPCR | MAY 24, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (Units)	PASS/FAIL	ANALYTE	LIMIT (CFU/g)	AMT (Units)	PASS/FAIL
ASPERGILLUS FLAVUS	Any	ND	PASS	ASPERGILLUS NIGER	Any	ND	PASS

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
MAY 24, 2023

David Luttrull





TMP-ECO-L018: E. COLI BY PETRI-FILM | MAY 19, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
ESCHERICHIA COLI	100	<10	PASS



PCR-SAL-L016: SALMONELLA BY QPCR | MAY 19, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (Units)	PASS/FAIL
SALMONELLA SPP.	Any	ND	PASS

PRODUCT IMAGES



Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
 LAB DIRECTOR, PLANT SAFE
 MAY 24, 2023

