



**BATCH NUMBER:** K061623R43-RRP  
**HARVEST DATE:** SEE BELOW  
**MANUFACTURE DATE:** 06-16-2023  
**EXTRACTION METHOD:** KIEF EXTRACTED THROUGH TRIMMING PROCESS

<b>STRAIN:</b>	<b>HARVEST:</b>	<b>BATCH:</b>
Red Pop	04.29.2023	042923R37-RRP
Red Pop	05.15.2023	051523R39-RRP
Red Pop	05.31.2023	053123R41-RRP

### Distribution Chain:

Cultivated: Globe Farmacy Inc (00000045DCYU00647140)  
Processed: Globe Farmacy Inc (00000045DCYU00647140)  
Prepared: Globe Farmacy Inc (00000045DCYU00647140)  
Retail: Globe Farmacy Inc (00000108ESND56774062)  
Earth's Healing Inc (00000112ESWR37460976)

**USING MARIJUANA DURING PREGNANCY COULD CAUSE BIRTH DEFECTS OR OTHER HEALTH ISSUES TO YOUR UNBORN CHILD.**

**SAMPLE NAME:** Kief - Red Pop  
**SAMPLE ID:** A23I0043-02  
**CCB ID:** 2309OPT2964.11763

**CULTIVATOR/MANUFACTURER**  
**Business Name:** Globe Farmacy Inc  
**License:** GFI00000045DCYU00647140

**SAMPLE DETAIL**

**Date Collected:** 9/8/2023 9:15:25AM  
**Matrix:** Kief  
**Strain:** Red Pop  
**Ex. Lot ID:** N/A  
**Batch#:** K061623R43-RRP  
**Batch Size:** N/A  
**Other Information:**



Scan QR code to verify authenticity of results.

**CANNABINOID ANALYSIS SUMMARY**

**Total THC: 45.598%**  
 d9-THC + (THCa \* 0.877)

**Total CBD: ND**  
 CBD + (CBDa \* 0.877)

**Total Cannabinoids: 52.033%**  
 CBD + CBG + CBN + CBDa + CBGa  
 + THCa + THCv + d8THC + d9THC

**SAFETY ANALYSIS SUMMARY**

**Microbials: PASS**

**Mycotoxins: PASS**

**Metals: PASS**

**Solvents: PASS**

**Pesticides: PASS**

Data Reviewed by Symone Whalin, Technical Laboratory Director




<b>45.598%</b>	<b>52.033%</b>
<b>Total THC</b>	<b>Total Cannabinoids</b> <small>*Q3 Informational use only</small>
<b>ND</b>	<b>N/A</b>
<b>Total CBD</b>	<b>Moisture</b> <small>*Q3 Informational use only</small>

### CANNABINOID TEST RESULTS

Date Analyzed: 09/09/23 16:30; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.030000	3.4201	34.20
THCA		0.030000	48.094	480.94
CBD		0.020000	ND	ND
CBDA		0.020000	ND	ND
CBN	Q3M2	0.0040000	ND	ND
delta 8-THC	Q3	0.030000	ND	ND
CBG	Q3	0.0040000	ND	ND
CBGA	Q3	0.0040000	0.51920	5.19
THCV	Q3	0.0040000	ND	ND
Total CBD		0.030000	ND	ND
Total THC		0.030000	45.598	455.98
<b>Total</b>		0.0040000	<b>52.033</b>	<b>520.33</b>

### HEAVY METALS TEST RESULTS

**Pass**

Date Analyzed: 09/09/23 12:16; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic		200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead		500	1000	ND	Pass
Mercury		600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




**PESTICIDES TEST RESULTS**

**Pass**

Date Analyzed: 09/10/23 14:29; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	L1, V1	0.250	0.5	ND	Pass	Hexythiazox	M2	0.500	1	ND	Pass
Acephate		0.200	0.4	ND	Pass	Imazalil		0.100	0.2	ND	Pass
Acequinocyl		1.00	2	ND	Pass	Imidacloprid		0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Kresoxim-methyl	R1	0.200	0.4	ND	Pass
Aldicarb		0.200	0.4	ND	Pass	Malathion	V1	0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Metaxyl		0.100	0.2	ND	Pass
Bifenazate		0.100	0.2	ND	Pass	Methiocarb		0.100	0.2	ND	Pass
Bifenthrin		0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Boscalid		0.200	0.4	ND	Pass	Myclobutanil		0.100	0.2	ND	Pass
Carbaryl	R1	0.100	0.2	ND	Pass	Naled	R1	0.250	0.5	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Chlorantraniliprole	L1	0.100	0.2	ND	Pass	Paclobutrazol	M2	0.200	0.4	ND	Pass
Chlorfenapyr	L1, V1	0.500	1	ND	Pass	Permethrins	M2	0.100	0.2	ND	Pass
Chlorpyrifos	M2	0.100	0.2	ND	Pass	Phosmet		0.100	0.2	ND	Pass
Clofentezine		0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Cyfluthrin		0.500	1	ND	Pass	Prallethrin		0.100	0.2	ND	Pass
Cypermethrin	M1, V1	0.500	1	ND	Pass	Propiconazole		0.200	0.4	ND	Pass
Daminozide		0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)		0.0500	0.1	ND	Pass	Pyrethrins		0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben		0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad		0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox	M2	0.200	0.4	ND	Pass	Spirotetramat		0.100	0.2	ND	Pass
Etoxazole		0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb		0.100	0.2	ND	Pass	Tebuconazole	R1	0.200	0.4	ND	Pass
Fenpyroximate		0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil	R1	0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Flonicamid		0.500	1	ND	Pass	Trifloxystrobin	M2	0.100	0.2	ND	Pass
Fludioxonil		0.200	0.4	ND	Pass						

**MYCOTOXINS TEST RESULTS**

**Pass**

Date Analyzed: 09/09/23 17:35; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Aflatoxin B1		10.0		ND	
Aflatoxin B2		10.0		ND	
Aflatoxin G1		10.0		ND	
Aflatoxin G2		10.0		ND	
Ochratoxin A	R1	10.0	20	ND	Pass
Total Aflatoxins		10.0	20	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




**RESIDUAL SOLVENTS TEST RESULTS**

**Pass**

Date Analyzed: 09/09/23 12:51; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm	
Acetone	M1	500.0	1000	ND	Pass
Acetonitrile		205.0	410	ND	Pass
Benzene		1,000	2	ND	Pass
Butanes		2,500	5000	ND	Pass
Chloroform		30.00	60	ND	Pass
Dichloromethane		300.0	600	ND	Pass
Ethanol		2,500	5000	ND	Pass
Ethyl acetate		2,500	5000	ND	Pass
Ethyl ether		2,500	5000	ND	Pass
Heptane		2,500	5000	ND	Pass
Hexanes		145.0	290	ND	Pass
Isopropyl acetate		2,500	5000	ND	Pass
Methanol	M1	1,500	3000	ND	Pass
Pentanes		2,500	5000	ND	Pass
2-Propanol (IPA)	M1	2,500	5000	ND	Pass
Propane		2,500	5000	ND	Pass
Toluene		445.0	890	ND	Pass
Xylenes		1,085	2170	ND	Pass

**MICROBIALS TEST RESULTS**

**Pass**

Date Analyzed: 09/10/23 07:53; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director


