

Bad Apple

Sample ID: 2310APO2994.13817 Strain: Bad Apple

Matrix: Plant Type: Flower - Cured Source Batch #: Produced: Collected: 10/26/2023 05:00 pm Received: 10/26/2023 Completed: 11/01/2023 Batch #: AZ-02-101623-BAP

Apollo Labs

17301 North Perimeter Drive

Scottsdale, AZ 85255

(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

Date Tested

10/30/2023

11/01/2023

10/30/2023

11/01/2023

10/27/2023

10/27/2023

1 of 5

Result

Complete

Complete

8.9% - Complete

Pass

Pass

Pass

Pass

Client CNCTD, LLC Lic. # 00000018ESKD27426528

Lot #: AZ-02-101623-BAP

Summary

Cannabinoids

Moisture (Q3)

Terpenes


Microbials

Pesticides

Heavy Metals

Test

Batch



Cannabinoids

Complete

26.5635% Total THC	<loc Total C</loc 	-	30.802 Total Canna	(03)	2.4217% Total Terpenes
Analyte LOD	LOQ	Result	Result		Q
%	%	%	mg/g		-
THCa	0.1000	30.0075	300.075		
Δ9-THC	0.1000	0.2469	2.469		
Δ8-THC	0.1000	ND	ND		
THCV	0.1000	ND	ND		
CBDa	0.1000	<loq< th=""><th><loq< th=""><th></th><th></th></loq<></th></loq<>	<loq< th=""><th></th><th></th></loq<>		
CBD	0.1000	ND	ND		
CBDVa	0.1000	ND	ND		
CBDV	0.1000	ND	ND		
CBN	0.1000	ND	ND		
CBGa	0.1000	0.4444	4.444		
CBG	0.1000	0.1032	1.032		
CBC	0.1000	ND	ND		
Total THC		26.5635	265.6350		
Total CBD		<loq< th=""><th><loq< th=""><th></th><th></th></loq<></th></loq<>	<loq< th=""><th></th><th></th></loq<>		
Total		30.8020	308.020		

Date Tested: 10/30/2023 07:00 am



Bryant Kearl

Lab Director

11/01/2023

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



LABS

100

PPM

0.2500

0.2000

0.1000

0.2000

0.1000

0.1000

0.1000

0.2000

0.1000

0.1000

0.2000

Limit

PPM

0.5000

0.4000

0.2000

0.4000

0.2000

0.2000

0.2000

0.4000

0.2000

0.2000

0.4000

Bad Apple

Sample ID: 2310APO2994.13817 Strain: Bad Apple

Matrix: Plant Type: Flower - Cured Source Batch #:

Pesticides

Analyte

Abamectin

Acetamiprid

Azoxystrobin

Bifenazate

Bifenthrin

Boscalid

Carbaryl

Carbofuran

Chlorfenapyr

Chlorpyrifos

Clofentezine

Cypermethrin

Daminozide

Diazinon

Dichlorvos

Dimethoate

Ethoprophos

Etofenprox

Fenoxycarb

Flonicamid

Fludioxonil

Fenpyroximate

Etoxazole

Fipronil

Cyfluthrin

Chlorantraniliprole

Acephate

Aldicarb

Produced: Collected: 10/26/2023 05:00 pm Received: 10/26/2023 Completed: 11/01/2023

Batch #: AZ-02-101623-BAP

Mass

PPM

ND

Scottsdale, AZ 85255

17301 North Perimeter Drive

Q

M2

М1

Status

Pass

Apollo Labs

Client CNCTD, LLC

Analyte

Imazalil

Hexythiazox

Imidacloprid

Malathion

Metalaxyl

Methiocarb

Myclobutanil

Thiamethoxam

Trifloxystrobin

Methomyl

Naled

Kresoxim Methyl

(602) 767-7600

Lot #: AZ-02-101623-BAP

Lic. # 0000018ESKD27426528

100

PPM

0.5000

0.1000

0.2000

0.2000

0.1000

0.1000

0.1000

0.2000

0.1000

0.2500

0.1000

0.1000

Limit

PPM

1.0000

0.2000

0.4000

0.4000

0.2000

0.2000

0.2000

0.4000

0.2000

0.5000

0.2000

0.2000

Mass

PPM

ND

http://www.apollolabscorp.com

Lic# 0000013LCRK62049775

Pass

Status

Pass

Pass Pass

Pass

Pass

Pass

Pass

Pass

Pass

Pass

Pass

Pass Pass

Pass

Pass

Pass

Pass

Pass

Q

M1

M2

M2

M1

M1

M1

M1

012000	012000					012000	010 0 0 0	
0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND
0.5000	1.0000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND
0.1000	0.2000	ND	M2	Pass	Permethrins	0.1000	0.2000	ND
0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND
0.5000	1.0000	ND	M1	Pass	Piperonyl	1.0000	2.0000	ND
0.5000	1.0000	ND	M1	Pass	Butoxide	1.0000	2.0000	ND
0.5000	1.0000	ND	M1	Pass	Prallethrin	0.1000	0.2000	ND
0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND
0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND
0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND
0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND
0.2000	0.4000	ND	M2	Pass	Spinosad	0.1000	0.2000	ND
0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND
0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND
0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000	ND
0.2000	0.4000	ND	M1	Pass	Tebuconazole	0.2000	0.4000	ND
0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND

Pass

Date Tested: 10/27/2023 07:00 am



Bryant Kearl Lab Director 11/01/2023

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



LABS

Bad Apple

Sample ID: 2310APO2994.13817 Strain: Bad Apple

Matrix: Plant Type: Flower - Cured Source Batch #:

Produced: Collected: 10/26/2023 05:00 pm Received: 10/26/2023

Scottsdale, AZ 85255

17301 North Perimeter Drive

Apollo Labs

Completed: 11/01/2023

Client CNCTD, LLC Lic. # 0000018ESKD27426528

http://www.apollolabscorp.com

Lic# 0000013LCRK62049775

Lot #: AZ-02-101623-BAP

(602) 767-7600

Regulatory	Compliance	lesting

3 of 5

Pass

Batch #: AZ-02-101623-BAP Microbials

Analyte	Limit	Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger	Detected/Not Detected in 1g	ND	Pass	
Aspergillus terreus	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 11/01/2023 12:00 am

Mycotoxins					No	t Tested
Analyte	LOD	LOQ	Limit	Units	Status	Q

Date Tested:

Heavy Metals Pass Analyte LOD LOQ Limit Units Status Q PPM PPM PPM PPM Pass Arsenic 0.1330 ND 0.0660 0.4000 Cadmium 0.0660 0.1330 0.4000 ND Pass 0.1660 0.3330 1.0000 ND Pass Lead 0.0330 ND 0.0660 0.2000 Pass Mercury

Date Tested: 10/27/2023 07:00 am



Bryant Kearl

Lab Director

11/01/2023

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Bad Apple

Sample ID: 2310APO2994.13817 Strain: Bad Apple

Matrix: Plant Type: Flower - Cured Source Batch #:

Terpenes

<u>Analyte</u> 100 100 Q Mass Mass 0 Mass Mass Analyte % % % % mg/g mg/g D,L-Limonene 0.0010 0.9773 9.773 Q3 Carvone 0.0010 ND ND Q3 β-Caryophyllene 0.0010 0.3185 3.185 Q3 Cedrol 0.0010 ND ND Q3 β-Myrcene 0.0010 0.3127 3.127 Q3 cis-Citral 0.0010 ND ND **O**3 0.0010 0.2120 2.120 Q3 cis-Farnesol 0.0010 ND ND Q3 Linalool β-Pinene 0.0010 0.1221 1.221 Q3 cis-Nerolidol 0.0010 ND ND Q3 0.0010 0.0860 0.860 Q3 0.0010 ND ND Q3 α -Humulene Citronello α -Pinene 0.0010 0.0743 0.743 Q3 Eucalyptol 0.0010 ND ND Q3 Guaiol 0.0010 0.0648 0.648 Q3 y-Terpinene 0.0010 ND ND Q3 Endo-Fenchyl Alcohol 0.0010 0.0648 0.648 Q3 Geraniol 0.0010 ND ND Q3 0.0010 0.0509 0.509 0.0010 ND ND **O**3 α-Terpineol **O**3 Isoborneol trans-Nerolidol 0.0010 0.0377 0.377 Q3 Isobornyl Acetate 0.0010 ND ND Q3 Isopulegol α-Bisabolol 0.0010 0.0319 0.319 Q3 0.0010 ND ND Q3 0.0010 0.0182 Camphene 0.182 Q3 m-Cymene 0.0010 ND ND Q3 0.0010 0.0121 ND Geranyl Acetate 0.121 Q3 Menthol 0.0010 ND Q3 0.0010 0.0097 0.097 0.0010 ND cis-beta-Ocimene 03 I-Menthone ND 03 Terpinolene 0.0085 0.085 Q3 0.0010 ND ND Q3 Nerol Caryophyllene Oxide 0.0065 0.065 Q3 Nootkatone 0.0010 ND ND Q3 D,L-Borneol 0.0010 0.0054 0.054 Q3 0.0010 ND ND Q3 o,p-Cymene Fenchone 0.0035 0.035 Q3 **Octyl Acetate** 0.0010 ND ND Q3 Valencene 0.0010 0.0034 0.034 **O**3 Phytane 0.0010 ND ND **O**3 0.0015 0.015 Q3 Piperitone 0.0010 ND ND Q3 Sabinene Hydrate 3-Carene ND ND Q3 Pulegone 0.0010 ND ND Q3 α-Cedrene 0.0010 ND ND Q3 Sabinene 0.0010 ND ND Q3 α -Phellandrene 0.0010 ND ND Q3 Safranal 0.0010 ND ND Q3 ND ND Q3 0.0010 ND ND Q3 α-Terpinene Terpinen-4-ol 0.0010 ND ND Q3 0.0010 ND ND 03 α-Thuione Thymol trans-B-Farnesene 0.0010 ND ND Q3 trans-Citral 0.0010 ND ND Q3 0.0010 Camphor 0.0010 ND ND Q3 trans-beta-Ocimene ND ND Q3 Carvacrol 0.0010 ND ND Q3 Verbenone 0.0010 ND ND Q3 Total 2.4217 24.217

Primary Aromas



Date Tested: 10/30/2023 12:00 am Terpenes analysis is not regulated by AZDHS.



Fight Carl

Lab Director 11/01/2023

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Apollo Labs(60217301 North Perimeter DrivehttpScottsdale, AZ 85255Lic#

Produced:

Collected: 10/26/2023 05:00 pm

Received: 10/26/2023

Completed: 11/01/2023

Batch #: AZ-02-101623-BAP

(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

Lic. # 0000018ESKD27426528

Lot #: AZ-02-101623-BAP

Client

CNCTD, LLC

Regulatory Compliance Testing

4 of 5

LABS

Bad Apple

Sample ID: 2310APO2994.13817 Strain: Bad Apple

Matrix: Plant Type: Flower - Cured Source Batch #:

Qualifiers Definitions

Qualifier Notation	Qualifier Description
1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection $(K)(3)$, but the recovery in subsection $(K)(2)$ was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) (1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317



Bryant Kearl Lab Director 11/01/2023

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



5 of 5

Regulatory Compliance Testing

Client Collected: 10/26/2023 05:00 pm CNCTD, LLC Lic. # 0000018ESKD27426528

(602) 767-7600

Apollo Labs

Produced:

Received: 10/26/2023

Completed: 11/01/2023

Batch #: AZ-02-101623-BAP

17301 North Perimeter Drive

Scottsdale, AZ 85255

Lot #: AZ-02-101623-BAP

http://www.apollolabscorp.com

Lic# 00000013LCRK62049775

Qualifier Notation	Qualifier Description
11	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) (1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317