

## Genesis Biocenticals, LLC

1120 W Watkins St  
Phoenix, AZ 85007  
shonae.j@genbioaz.com  
(847) 682-4899  
Lic. #00000058DCQU00115543  
Harvest Dates: 11/22/2023

## Sample: 2312TLL0069.0193

Strain: Lemon Granita  
Parent Batch #: ; Batch#: LMGR-2177-20231122; Batch Size: 11 g  
Sample Received: 12/15/2023; Report Created: 12/21/2023; Expires: 12/21/2024  
Manufacturing Date:  
Sampling: ; Environment:

## Lemon Granita Flower/Pre-Roll

Plant, Flower - Cured  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



## Safety

<b>Pass</b> Pesticides	<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins
<b>Complete</b> Solvents	<b>Pass</b> Metals	<b>Not Tested</b> Foreign Matter

## Cannabinoids

TPL\_Potency\_01

<b>24.92%</b> Total THC	<b>&lt;LOQ</b> Total CBD	<b>NT</b> Moisture
----------------------------	-----------------------------	-----------------------

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.20	28.41	284.1	
Δ9-THC	0.20	<LOQ	<LOQ	
Δ8-THC	0.20	ND	ND	
THCV	0.20	ND	ND	
CBDa	0.20	ND	ND	
CBD	0.20	ND	ND	
CBDV	0.20	ND	ND	
CBN	0.20	ND	ND	
CBGa	0.20	1.42	14.2	
CBG	0.20	<LOQ	<LOQ	
CBC	0.20	ND	ND	
<b>Total</b>		<b>29.83</b>	<b>298.3</b>	

Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD  
Instrument: HPLC-DAD: ; Method: TPL\_Potency\_01

## Terpenes

TPL\_Terpenes\_01

 Hops	 Cinnamon	 Lemon
----------	--------------	-----------

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
α-Humulene		0.6010	6.010	Q3
β-Caryophyllene		0.5090	5.090	Q3
δ-Limonene		0.4700	4.700	Q3
Ocimene		0.4420	4.420	Q3
Linalool		0.2960	2.960	Q3
β-Pinene		0.2420	2.420	Q3
α-Pinene		0.2410	2.410	Q3
Nerolidol		0.1320	1.320	Q3
trans-Nerolidol		0.1320	1.320	Q3
β-Myrcene		0.1140	1.140	Q3
Guaiol		0.0980	0.980	Q3
Terpinolene		0.0770	0.770	Q3
γ-Terpinene		0.0670	0.670	Q3
α-Terpinene		0.0610	0.610	Q3
α-Bisabolol		0.0510	0.510	Q3
Eucalyptol		0.0500	0.500	Q3
Caryophyllene Oxide		0.0350	0.350	Q3
Camphene		0.0320	0.320	Q3
3-Carene		<	<	Q3
cis-Nerolidol		<	<	Q3
Geraniol		<	<	Q3
Isopulegol		<	<	Q3
p-Cymene		<	<	Q3
<b>Total</b>		<b>3.6500</b>	<b>36.500</b>	

Instrument: GCMS; Method: TPL\_terp\_01  
Notes:

## Genesis Biocenticals, LLC

1120 W Watkins St  
Phoenix, AZ 85007  
shonae.j@genbioaz.com  
(847) 682-4899  
Lic. #0000058DCQU00115543  
Harvest Dates: 11/22/2023

## Sample: 2312TLL0069.0193

Strain: Lemon Granita  
Parent Batch #: ; Batch#: LMGR-2177-20231122; Batch Size: 11 g  
Sample Received: 12/15/2023; Report Created: 12/21/2023; Expires: 12/21/2024  
Manufacturing Date:  
Sampling: ; Environment:

## Lemon Granita Flower/Pre-Roll

Plant, Flower - Cured  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



### Residual Solvents

### Complete

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM		
Acetone	400.0	1000.0	NR	NT	Q3
Acetonitrile	164.0	410.0	NR	NT	Q3
Benzene	0.8	2.0	NR	NT	Q3
n-Butane			NR	NT	Q3
Isobutane			NR	NT	Q3
Butanes	2000.0	5000.0	NR	NT	Q3
Chloroform	24.0	60.0	NR	NT	Q3
Dichloromethane	240.0	600.0	NR	NT	Q3
Ethanol	2000.0	5000.0	NR	NT	Q3
Ethyl-Acetate	2000.0	5000.0	NR	NT	Q3
Ethyl-Ether	2000.0	5000.0	NR	NT	Q3
Heptane	2000.0	5000.0	NR	NT	Q3
n-Hexane			NR	NT	Q3
2-Methyl-Pentane			NR	NT	Q3
3-Methyl-Pentane			NR	NT	Q3
2,2-Dimethyl-Butane			NR	NT	Q3
2,3-Dimethyl-Butane			NR	NT	Q3
Hexanes	116.0	290.0	NR	NT	Q3
Isopropyl-Acetate	2000.0	5000.0	NR	NT	Q3
Methanol	1200.0	3000.0	NR	NT	Q3
n-Pentane			NR	NT	Q3
Isopentane			NR	NT	Q3
Neopentane			NR	NT	Q3
Pentanes	2000.0	5000.0	NR	NT	Q3
2-Propanol	2000.0	5000.0	NR	NT	Q3
Propane	2000.0	5000.0	NR	NT	Q3
Toluene	356.0	890.0	NR	NT	Q3
1,2-Dimethyl-Benzene			NR	NT	Q3
1,3-Dimethyl-Benzene			NR	NT	Q3
1,4-Dimethyl-Benzene			NR	NT	Q3
Ethyl-Benzene			NR	NT	Q3
Xylenes	868.0	2170.0	NR	NT	Q3

### Heavy Metals

### Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	V1
Cadmium	200.0	400.0	<LOQ	Pass	
Lead	500.0	1000.0	ND	Pass	
Mercury	100.0	200.0	<LOQ	Pass	

### Mycotoxins

### Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
B1	8	0	ND	Pass	
B2	8	0	ND	Pass	
G1	8	0	ND	Pass	I1
G2	4	0	ND	Pass	
Ochratoxin A	8	20	ND	Pass	I1,R1
Total Aflatoxins	1	20	ND	Pass	

Instrument: HS-GCMS ; Method: TPL\_ResSolv\_01



# Certificate of Analysis

Powered by Confident Cannabis  
3 of 5

## Genesis Bioceuticals, LLC

1120 W Watkins St  
Phoenix, AZ 85007  
shonae.j@genbioaz.com  
(847) 682-4899  
Lic. #00000058DCQU00115543  
Harvest Dates: 11/22/2023

Sample: 2312TLL0069.0193

Strain: Lemon Granita  
Parent Batch #: ; Batch#: LMGR-2177-20231122; Batch Size: 11 g  
Sample Received: 12/15/2023; Report Created: 12/21/2023; Expires: 12/21/2024  
Manufacturing Date:  
Sampling: ; Environment:

## Lemon Granita Flower/Pre-Roll

Plant, Flower - Cured  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



### Microbials

Pass

Analyte	LOQ	Limit	Result	Status	Qualifier
E. Coli	CFU/g 10	CFU/g 100	CFU/g <10	Pass	

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

Instrument: ; Method:



1721 E McDowell Road  
Phoenix, AZ  
(631) 953-6921  
<https://www.transparentlabsaz.com>  
Lic# 0000029LRCXG19240160

Brian DiMarco  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

## Genesis Biocenticals, LLC

1120 W Watkins St  
Phoenix, AZ 85007  
shonae.j@genbioaz.com  
(847) 682-4899  
Lic. #00000058DCQU00115543  
Harvest Dates: 11/22/2023

## Sample: 2312TLL0069.0193

Strain: Lemon Granita  
Parent Batch #: ; Batch#: LMGR-2177-20231122; Batch Size: 11 g  
Sample Received: 12/15/2023; Report Created: 12/21/2023; Expires: 12/21/2024  
Manufacturing Date:  
Sampling: ; Environment:

## Lemon Granita Flower/Pre-Roll

Plant, Flower - Cured  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



## Pesticides TPL\_Pesticides\_01

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier	Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.21	0.50	ND	Pass		Hexythiazox	0.42	1.00	ND	Pass	M2
Acephate	0.17	0.40	ND	Pass		Imazalil	0.09	0.20	ND	Pass	
Acetamiprid	0.09	0.20	ND	Pass		Imidacloprid	0.17	0.40	ND	Pass	
Aldicarb	0.17	0.40	ND	Pass		Kresoxim	0.17	0.40	ND	Pass	
Azoxystrobin	0.09	0.20	ND	Pass		Methyl					
Bifenazate	0.09	0.20	ND	Pass		Malathion	0.09	0.20	ND	Pass	M1
Bifenthrin	0.09	0.20	ND	Pass		Metalaxyl	0.09	0.20	ND	Pass	
Boscalid	0.17	0.40	ND	Pass	M1	Methiocarb	0.09	0.20	ND	Pass	M1
Carbaryl	0.09	0.20	ND	Pass		Methomyl	0.17	0.40	ND	Pass	
Carbofuran	0.09	0.20	ND	Pass		Myclobutanil	0.09	0.20	ND	Pass	M1
Chlorantraniliprole	0.09	0.20	ND	Pass	M1	Naled	0.21	0.50	ND	Pass	
Chlorfenapyr	0.42	1.00	ND	Pass	11,M2	Oxamyl	0.42	1.00	ND	Pass	
Chlorpyrifos	0.09	0.20	ND	Pass	M2	Paclobutrazol	0.17	0.40	ND	Pass	
Clofentezine	0.09	0.20	ND	Pass		Permethrin	0.09	0.20	ND	Pass	
Cyfluthrin	0.42	1.00	ND	Pass		Phosmet	0.09	0.20	ND	Pass	M1
Cypermethrin	0.42	1.00	ND	Pass		Piperonyl					
Daminozide	0.42	1.00	ND	Pass		Butoxide	0.85	2.00	ND	Pass	M2
Diazinon	0.09	0.20	ND	Pass		Prallethrin	0.09	0.20	ND	Pass	
Dichlorvos	0.04	0.10	ND	Pass	11	Propiconazole	0.17	0.40	ND	Pass	
Dimethoate	0.09	0.20	ND	Pass		Propoxur	0.09	0.20	ND	Pass	M1
Ethoprophos	0.09	0.20	ND	Pass	M1	Pyrethrins	0.42	1.00	ND	Pass	M1
Etofenprox	0.17	0.40	ND	Pass		Pyridaben	0.09	0.20	ND	Pass	M2
Etoazole	0.09	0.20	ND	Pass		Spinosad	0.09	0.20	ND	Pass	
Fenoxycarb	0.09	0.20	ND	Pass		Spiromesifen	0.09	0.20	ND	Pass	
Fenpyroximate	0.17	0.40	ND	Pass		Spirotetramat	0.09	0.20	ND	Pass	
Fipronil	0.17	0.40	ND	Pass	M1	Spiroxamine	0.17	0.40	ND	Pass	
Flonicamid	0.42	1.00	ND	Pass		Tebuconazole	0.17	0.40	ND	Pass	
Fludioxonil	0.17	0.40	ND	Pass	M1	Thiacloprid	0.09	0.20	ND	Pass	
						Thiamethoxam	0.09	0.20	ND	Pass	
						Trifloxystrobin	0.09	0.20	ND	Pass	

Instrument: LC-QQQ

1721 E McDowell Road  
Phoenix, AZ  
(631) 953-6921  
<https://www.transparentlabsaz.com>  
Lic# 0000029LRCXG19240160

Brian DiMarco  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was below LOQ,

B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.

D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,

I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,

L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,

M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,

M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,

M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,

M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,

M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,

N1 - A description of the variance is described in the final report of testing,

R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,

R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)

Q1 = Sample integrity was not maintained,

Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices

Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(I)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.