

Powered by Confident LIMS 1 of 4

Strain: Strawberries n Cream

Sample: 2401TLL0012.0095

Genesis Bioceuticals, LLC

1120 W Watkins St Phoenix, AZ 85007 shonae.j@genbioaz.com

(847) 682-4899

Parent Batch #: ; Batch#: STCR-2261-20231227; Batch Size: 11 g Sample Received: 01/17/2024; Report Created: 01/19/2024; Expires: 01/19/2025

Manufacturing Date: Sampling: ; Environment:

Lic. #00000058DCQU00115543 Harvest Dates: 11/28/2023

Strawberries n Cream Flower/Pre-Roll

Plant, Flower - Cured

Dispensary License #: ; Manufacturing License #: 00000058DCQU00115543; Cultivation License #: 00000058DCQU00115543





Safety

Pass Pesticides

Pass Microbials

Pass

Metals

Cannabinoids

TPL_Potency_01

Analyte

THCa

Δ9-ΤΗС

Δ8-ΤΗС

THCV

CBDa

CBD

CBN

CBG

CBC

Total

CBGa

CBDV

28.61% **Total THC**

<LOQ **Total CBD**

LOO

0.20

0.20

0.20

0.20

Mass

32.62

<LOQ

ND

ND

ND

ND

ND

ND

1.71

<LOQ

34.33

ND

34.33% **Total Cannabinoids** Q3

Qualifier

Mass

mg/g

326.2

<LOQ

ND

ND

ND

ND

ND

ND

17.1

ND

<LOO

343.3

Terpe	nes enes_01







Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
α-Bisabolol		1.08	10.8	Q3
Guaiol		0.89	8.9	Q3
α-Humulene		0.47	4.7	Q3
Terpinolene		0.39	3.9	Q3
trans-Nerolidol		0.34	3.4	Q3
Camphene		0.21	2.1	Q3
β-Myrcene		0.14	1.4	Q3
Caryophyllene Oxide		0.11	1.1	Q3
y-Terpinene		0.06	0.6	Q3
cis-Nerolidol		0.06	0.6	Q3
Eucalyptol		0.05	0.5	Q3
3-Carene		0.05	0.5	Q3
p-Cymene		0.03	0.3	Q3
α-Pinene		0.02	0.2	Q3
Geraniol		0.01	0.1	Q3
α-Terpinene		<	<	Q3
β-Caryophyllene		<	<	Q3
β-Pinene		<	<	Q3
δ-Limonene		<	<	Q3
Isopulegol		<	<	Q3
Linalool		<	<	Q3
Ocimene		<	<	Q3
T-4-1		0.00	00.0	-

Instrument: GCMS; Method: TPL_Terp_01

Total THC = THCa * 0.877 + Δ9-THC Total CBD = CBDa * 0.877 + CBD

Instrument: HPLC-DAD: ; Method: TPL_Potency_01

1721 E McDowell Road Phoenix, AZ (602) 368-4233

https://www.transparentlabsaz.com Lic# 0000029LRCXG19240160

Total

Brian DiMarco Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com

3.90

39.0



www.confidentlims.com

(866) 506-5866

The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Powered by Confident LIMS 2 of 4

Genesis Bioceuticals, LLC

1120 W Watkins St Phoenix, AZ 85007 shonae.j@genbioaz.com

(847) 682-4899 Lic. #00000058DCQU00115543 Sample: 2401TLL0012.0095

Strain: Strawberries n Cream

Parent Batch #:; Batch#: STCR-2261-20231227; Batch Size: 11 g Sample Received: 01/17/2024; Report Created: 01/19/2024; Expires: 01/19/2025

Manufacturing Date:

Sampling: ; Environment:

Strawberries n Cream Flower/Pre-Roll

Plant, Flower - Cured

Harvest Dates: 11/28/2023

Dispensary License #: ; Manufacturing License #: 00000058DCQU00115543; Cultivation License #: 00000058DCQU00115543



Pesticides TPL_Pesticides_01

Pass

Analyte	LOQ	Limit	Mass	Status Q	ualifier	Analyte	LOQ	Limit	Mass	Status C	Qualifier
	PPM	PPM	PPM			<u> </u>	PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass V:	1 L1 R1	Hexythiazox	0.48	1.00	ND	Pass	
Acephate	0.19	0.40	ND	Pass		lmazalil	0.10	0.20	ND	Pass	
Acetamiprid	0.10	0.20	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass	
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	
Azoxystrobin	0.10	0.20	ND	Pass		Methyl	0.17	0.40	ND	Fa55	
Bifenazate	0.10	0.20	ND	Pass		Malathion	0.10	0.20	ND	Pass	
Bifenthrin	0.10	0.20	ND	Pass		Metalaxyl	0.10	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass	R2	Methiocarb	0.10	0.20	ND	Pass	
Carbaryl	0.10	0.20	ND	Pass		Methomyl	0.19	0.40	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass	
Chlorantraniliprole	0.10	0.20	ND	Pass		Naled	0.24	0.50	ND	Pass	
Chlorfenapyr	0.48	1.00	ND	Pass	M2	Oxamyl	0.48	1.00	ND	Pass	
Chlorpyrifos	0.10	0.20	ND	Pass		Paclobutrazol	0.19	0.40	ND	Pass	
Clofentezine	0.10	0.20	ND	Pass	M2	Permethrin	0.10	0.20	ND	Pass	M2 I1
Cyfluthrin	0.48	1.00	ND	Pass	M2	Phosmet	0.10	0.20	ND	Pass	
Cypermethrin	0.48	1.00	ND	Pass		Piperonyl	0.96	2.00	1.10	Pass	M4
Daminozide	0.48	1.00	ND	Pass		Butoxide	0.70	2.00	1.10	Fa55	1714
Diazinon	0.10	0.20	ND	Pass		Prallethrin	0.10	0.20	ND	Pass	
Dichlorvos	0.05	0.10	ND	Pass		Propiconazole	0.19	0.40	ND	Pass	
Dimethoate	0.10	0.20	ND	Pass		Propoxur	0.10	0.20	ND	Pass	
Ethoprophos	0.10	0.20	ND	Pass		Pyrethrins	0.48	1.00	ND	Pass	
Etofenprox	0.19	0.40	ND	Pass		Pyridaben	0.10	0.20	ND	Pass	
Etoxazole	0.10	0.20	ND	Pass		Spinosad	0.10	0.20	ND	Pass	
Fenoxycarb	0.10	0.20	ND	Pass		Spiromesifen	0.10	0.20	ND	Pass	
Fenpyroximate	0.19	0.40	ND	Pass		Spirotetramat	0.10	0.20	ND	Pass	
Fipronil	0.19	0.40	ND	Pass		Spiroxamine	0.19	0.40	ND	Pass	
Flonicamid	0.48	1.00	ND	Pass		Tebuconazole	0.19	0.40	ND	Pass	
Fludioxonil	0.19	0.40	ND	Pass		Thiacloprid	0.10	0.20	ND	Pass	
						Thiamethoxam	0.10	0.20	ND	Pass	
						Trifloxystrobin	0.10	0.20	ND	Pass	

Instrument: LC-QQQ; Method: TPL_Pesticides_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 https://www.transparentlabsaz.com Lic# 0000029LRCXG19240160

Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



www.confidentlims.com

The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Powered by Confident LIMS 3 of 4

Strain: Strawberries n Cream

Sample: 2401TLL0012.0095

Genesis Bioceuticals, LLC

1120 W Watkins St Phoenix, AZ 85007 shonae.j@genbioaz.com

(847) 682-4899

Parent Batch #:; Batch#: STCR-2261-20231227; Batch Size: 11 g Sample Received: 01/17/2024; Report Created: 01/19/2024; Expires: 01/19/2025

Manufacturing Date: Sampling: ; Environment:

Lic. #00000058DCQU00115543 Harvest Dates: 11/28/2023

Strawberries n Cream Flower/Pre-Roll

Plant, Flower - Cured

Dispensary License #: ; Manufacturing License #: 00000058DCQU00115543; Cultivation License #: 00000058DCQU00115543



S				Pass
LOQ	Limit	Mass	Status	Qualifier
PPB	PPB	PPB		
200.0	400.0	ND	Pass	
200.0	400.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
500.0	1000.0	ND	Pass	L1
100.0	200.0	<loq< th=""><th>Pass</th><th><u>L1</u></th></loq<>	Pass	<u>L1</u>
	PPB 200.0 200.0 500.0	LOQ Limit PPB PPB 200.0 400.0 200.0 400.0 500.0 1000.0	LOQ Limit Mass PPB PPB PPB 200.0 400.0 ND 200.0 400.0 < LOQ 500.0 1000.0 ND	LOQ Limit Mass Status PPB PPB PPB 200.0 400.0 ND Pass 200.0 400.0 <loq< td=""> Pass 500.0 1000.0 ND Pass</loq<>

Microbials				Pass
Analyte	LOQ	Limit	Result	StatusQualifier
	CFU/g	CFU/g	CFU/g	
E. Coli	10	100	<10	Pass

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

Instrument: ICPMS; Method: AOAC 2021.03

Instrument: qPCR/Plating; AOAC Methods 082102, 022202 and 2018.13



1721 E McDowell Road Phoenix, AZ (602) 368-4233

https://www.transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



www.confidentlims.com

The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Powered by Confident LIMS 4 of 4

- B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was blow LOQ,
- B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.
- D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,
- I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,
- L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,
- M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,
- M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,
- M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,
- M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,
- N1 A description of the variance is described in the final report of testing,
- R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,
- R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)
- Q1 = Sample integrity was not maintained,
- Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices
- Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317
- $V1 = The\ recovery\ from\ continuing\ calibration\ verification\ standards\ exceeded\ the\ acceptance\ limits\ denoted\ in\ A.C.C\ 17\ R9-17-403.03(J)(1)(b),\ but\ the\ sample's\ target\ analytes\ were\ not\ detected\ above\ the\ maximum\ allowable\ concentrations\ for\ the\ analytes\ in\ the\ sample.$

1721 E McDowell Road

Phoenix, AZ (602) 368-4233

https://www.transparentlabsaz.com Lic# 0000029LRCXG19240160 Brian DiMarco Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866



www.confidentlims.com

The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.