

Genesis Biocenticals, LLC

1120 W Watkins St
Phoenix, AZ 85007
shonae.j@genbioaz.com
(847) 682-4899
Lic. #00000058DCQU00115543
Harvest Dates: 11/22/2023

Sample: 2312TLL0069.0196

Strain: Tropic Banana
Parent Batch #: ; Batch#: TRBA-2179-20231122; Batch Size: 11 g
Sample Received: 12/15/2023; Report Created: 12/21/2023; Expires: 12/21/2024
Manufacturing Date:
Sampling: ; Environment:

Tropic Banana Flower/Pre-ROII

Plant, Flower - Cured
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins
Complete Solvents	Pass Metals	Not Tested Foreign Matter

Cannabinoids

TPL_Potency_01

24.80% Total THC	<LOQ Total CBD	NT Moisture
----------------------------	-----------------------------	-----------------------

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.20	28.00	280.0	
Δ9-THC	0.20	0.24	2.4	
Δ8-THC	0.20	ND	ND	
THCV	0.20	ND	ND	
CBDa	0.20	<LOQ	<LOQ	
CBD	0.20	ND	ND	
CBDV	0.20	ND	ND	
CBN	0.20	ND	ND	
CBGa	0.20	1.02	10.2	
CBG	0.20	<LOQ	<LOQ	
CBC	0.20	ND	ND	
Total		29.26	292.6	

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
Instrument: HPLC-DAD; ; Method: TPL_Potency_01

Terpenes

TPL_Terpenes_01

 Hops	 Cinnamon	 Lavender
----------	--------------	--------------

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
α-Humulene		1.5360	15.360	Q3
β-Caryophyllene		1.2940	12.940	Q3
Linalool		0.3950	3.950	Q3
δ-Limonene		0.3500	3.500	Q3
Ocimene		0.3140	3.140	Q3
Guaiol		0.2700	2.700	Q3
β-Myrcene		0.2020	2.020	Q3
α-Bisabolol		0.1700	1.700	Q3
β-Pinene		0.1380	1.380	Q3
Terpinolene		0.0760	0.760	Q3
γ-Terpinene		0.0670	0.670	Q3
Eucalyptol		0.0480	0.480	Q3
Nerolidol		0.0470	0.470	Q3
trans-Nerolidol		0.0470	0.470	Q3
α-Pinene		0.0460	0.460	Q3
Caryophyllene Oxide		0.0420	0.420	Q3
Camphene		0.0160	0.160	Q3
3-Carene		<	<	Q3
α-Terpinene		<	<	Q3
cis-Nerolidol		<	<	Q3
Geraniol		<	<	Q3
Isopulegol		<	<	Q3
p-Cymene		<	<	Q3
Total		5.0580	50.580	

Instrument: GCMS; Method: TPL_terp_01
Notes:

Genesis Biocenticals, LLC

1120 W Watkins St
Phoenix, AZ 85007
shonae.j@genbioaz.com
(847) 682-4899
Lic. #00000058DCQU00115543
Harvest Dates: 11/22/2023

Sample: 2312TLL0069.0196

Strain: Tropic Banana
Parent Batch #: ; Batch#: TRBA-2179-20231122; Batch Size: 11 g
Sample Received: 12/15/2023; Report Created: 12/21/2023; Expires: 12/21/2024
Manufacturing Date:
Sampling: ; Environment:

Tropic Banana Flower/Pre-ROII

Plant, Flower - Cured
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



Residual Solvents

Complete

Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM		
Acetone	400.0	1000.0	NR	NT	Q3
Acetonitrile	164.0	410.0	NR	NT	Q3
Benzene	0.8	2.0	NR	NT	Q3
n-Butane			NR	NT	Q3
Isobutane			NR	NT	Q3
Butanes	2000.0	5000.0	NR	NT	Q3
Chloroform	24.0	60.0	NR	NT	Q3
Dichloromethane	240.0	600.0	NR	NT	Q3
Ethanol	2000.0	5000.0	NR	NT	Q3
Ethyl-Acetate	2000.0	5000.0	NR	NT	Q3
Ethyl-Ether	2000.0	5000.0	NR	NT	Q3
Heptane	2000.0	5000.0	NR	NT	Q3
n-Hexane			NR	NT	Q3
2-Methyl-Pentane			NR	NT	Q3
3-Methyl-Pentane			NR	NT	Q3
2,2-Dimethyl-Butane			NR	NT	Q3
2,3-Dimethyl-Butane			NR	NT	Q3
Hexanes	116.0	290.0	NR	NT	Q3
Isopropyl-Acetate	2000.0	5000.0	NR	NT	Q3
Methanol	1200.0	3000.0	NR	NT	Q3
n-Pentane			NR	NT	Q3
Isopentane			NR	NT	Q3
Neopentane			NR	NT	Q3
Pentanes	2000.0	5000.0	NR	NT	Q3
2-Propanol	2000.0	5000.0	NR	NT	Q3
Propane	2000.0	5000.0	NR	NT	Q3
Toluene	356.0	890.0	NR	NT	Q3
1,2-Dimethyl-Benzene			NR	NT	Q3
1,3-Dimethyl-Benzene			NR	NT	Q3
1,4-Dimethyl-Benzene			NR	NT	Q3
Ethyl-Benzene			NR	NT	Q3
Xylenes	868.0	2170.0	NR	NT	Q3

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	V1
Cadmium	200.0	400.0	<LOQ	Pass	
Lead	500.0	1000.0	ND	Pass	V1
Mercury	100.0	200.0	<LOQ	Pass	

Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
B1	9	0	ND	Pass	
B2	9	0	ND	Pass	
G1	9	0	ND	Pass	I1
G2	5	0	ND	Pass	
Ochratoxin A	9	20	ND	Pass	I1,R1
Total Aflatoxins	1	20	ND	Pass	

Instrument: HS-GCMS ; Method: TPL_ResSolv_01

1721 E McDowell Road
Phoenix, AZ
(631) 953-6921
<https://www.transparentlabsaz.com>
Lic# 0000029LRCXG19240160

Brian DiMarco
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Certificate of Analysis

Powered by Confident Cannabis
3 of 5

Genesis Bioceuticals, LLC

1120 W Watkins St
Phoenix, AZ 85007
shonae.j@genbioaz.com
(847) 682-4899
Lic. #00000058DCQU00115543
Harvest Dates: 11/22/2023

Sample: 2312TLL0069.0196

Strain: Tropic Banana
Parent Batch #: ; Batch#: TRBA-2179-20231122; Batch Size: 11 g
Sample Received: 12/15/2023; Report Created: 12/21/2023; Expires: 12/21/2024
Manufacturing Date:
Sampling: ; Environment:

Tropic Banana Flower/Pre-ROII

Plant, Flower - Cured
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



Microbials

Pass

Analyte	LOQ	Limit	Result	Status	Qualifier
E. Coli	CFU/g 10	CFU/g 100	CFU/g <10	Pass	

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

Instrument: ; Method:



1721 E McDowell Road
Phoenix, AZ
(631) 953-6921
<https://www.transparentlabsaz.com>
Lic# 0000029LRCXG19240160

Brian DiMarco
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Certificate of Analysis

Powered by Confident Cannabis
4 of 5

Genesis Biocenticals, LLC

1120 W Watkins St
Phoenix, AZ 85007
shonae.j@genbioaz.com
(847) 682-4899
Lic. #00000058DCQU00115543
Harvest Dates: 11/22/2023

Sample: 2312TLL0069.0196

Strain: Tropic Banana
Parent Batch #: ; Batch#: TRBA-2179-20231122; Batch Size: 11 g
Sample Received: 12/15/2023; Report Created: 12/21/2023; Expires: 12/21/2024
Manufacturing Date:
Sampling: ; Environment:

Tropic Banana Flower/Pre-ROII

Plant, Flower - Cured
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



Pesticides TPL_Pesticides_01

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier	Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.23	0.50	ND	Pass		Hexythiazox	0.46	1.00	ND	Pass	M2
Acephate	0.19	0.40	ND	Pass		Imazalil	0.09	0.20	ND	Pass	
Acetamiprid	0.09	0.20	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass	
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	
Azoxystrobin	0.09	0.20	ND	Pass		Methyl					
Bifenazate	0.09	0.20	ND	Pass		Malathion	0.09	0.20	ND	Pass	M1
Bifenthrin	0.09	0.20	ND	Pass		Metalaxyl	0.09	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass	M1	Methiocarb	0.09	0.20	ND	Pass	M1
Carbaryl	0.09	0.20	ND	Pass		Methomyl	0.19	0.40	ND	Pass	
Carbofuran	0.09	0.20	ND	Pass		Myclobutanil	0.09	0.20	ND	Pass	M1
Chlorantraniliprole	0.09	0.20	ND	Pass	M1	Naled	0.23	0.50	ND	Pass	
Chlorfenapyr	0.46	1.00	ND	Pass	11,M2	Oxamyl	0.46	1.00	ND	Pass	
Chlorpyrifos	0.09	0.20	ND	Pass	M2	Paclobutrazol	0.19	0.40	ND	Pass	
Clofentezine	0.09	0.20	ND	Pass		Permethrin	0.09	0.20	ND	Pass	
Cyfluthrin	0.46	1.00	ND	Pass		Phosmet	0.09	0.20	ND	Pass	M1
Cypermethrin	0.46	1.00	ND	Pass		Piperonyl					
Daminozide	0.46	1.00	ND	Pass		Butoxide	0.93	2.00	<LOQ	Pass	M2
Diazinon	0.09	0.20	ND	Pass		Prallethrin	0.09	0.20	ND	Pass	
Dichlorvos	0.05	0.10	ND	Pass	11	Propiconazole	0.19	0.40	ND	Pass	
Dimethoate	0.09	0.20	ND	Pass		Propoxur	0.09	0.20	ND	Pass	M1
Ethoprophos	0.09	0.20	ND	Pass	M1	Pyrethrins	0.46	1.00	ND	Pass	M1
Etofenprox	0.19	0.40	ND	Pass		Pyridaben	0.09	0.20	ND	Pass	M2
Etoxazole	0.09	0.20	ND	Pass		Spinosad	0.09	0.20	ND	Pass	
Fenoxycarb	0.09	0.20	ND	Pass		Spiromesifen	0.09	0.20	ND	Pass	
Fenpyroximate	0.19	0.40	ND	Pass		Spirotetramat	0.09	0.20	ND	Pass	
Fipronil	0.19	0.40	ND	Pass	M1	Spiroxamine	0.19	0.40	ND	Pass	
Flonicamid	0.46	1.00	ND	Pass		Tebuconazole	0.19	0.40	ND	Pass	
Fludioxonil	0.19	0.40	ND	Pass	M1	Thiacloprid	0.09	0.20	ND	Pass	
						Thiamethoxam	0.09	0.20	ND	Pass	
						Trifloxystrobin	0.09	0.20	ND	Pass	

Instrument: LC-QQQ

1721 E McDowell Road
Phoenix, AZ
(631) 953-6921
https://www.transparentlabsaz.com
Lic# 0000029LRCXG19240160

Brian DiMarco
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was below LOQ,

B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.

D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,

I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,

L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,

M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,

M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,

M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,

M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,

M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,

N1 - A description of the variance is described in the final report of testing,

R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,

R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)

Q1 = Sample integrity was not maintained,

Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices

Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(I)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.