

## Genesis Biocenticals, LLC

1120 W Watkins St  
Phoenix, AZ 85007  
shonae.j@genbioaz.com  
(847) 682-4899  
Lic. #00000058DCQU00115543  
Harvest Dates: 10/02/2023

## Sample: 2312TLL0080.0251

Strain: Tropic Banana Shatter  
Parent Batch #: ; Batch#: TRBA-2214-20231207-s; Batch Size: 11 g  
Sample Received: 12/27/2023; Report Created: 12/31/2023; Expires: 12/31/2024  
Manufacturing Date: 12/07/2023  
Sampling: ; Environment:

## Tropic Banana Shatter

Concentrates & Extracts, Shatter, Extraction Method: Butane  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



## Safety

<b>Pass</b> Pesticides	<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins
<b>Pass</b> Solvents	<b>Pass</b> Metals	<b>Not Tested</b> Foreign Matter

## Cannabinoids

TPL\_Potency\_01

<b>77.83%</b> Total THC	<b>0.14%</b> Total CBD	<b>NT</b> Moisture
----------------------------	---------------------------	-----------------------

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.10	87.29	872.9	M2
Δ9-THC	0.10	1.27	12.7	M2
Δ8-THC	0.10	ND	ND	M2
THCV	0.10	<LOQ	<LOQ	M2
CBDa	0.10	0.17	1.7	M2
CBD	0.10	ND	ND	M2
CBDV	0.10	ND	ND	M2
CBN	0.10	ND	ND	M2
CBGa	0.10	3.51	35.1	M2
CBG	0.10	0.40	4.0	M2
CBC	0.10	ND	ND	M2
<b>Total</b>		<b>92.64</b>	<b>926.4</b>	

Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD  
Instrument: HPLC-DAD: ; Method: TPL\_Potency\_01

## Terpenes

TPL\_Terpenes\_01

Hops	Cinnamon	Lemon
------	----------	-------

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
α-Humulene		1.5916	15.916	Q3
β-Caryophyllene		1.3400	13.400	Q3
δ-Limonene		0.7035	7.035	Q3
Linalool		0.6535	6.535	Q3
Ocimene		0.6060	6.060	Q3
β-Myrcene		0.4056	4.056	Q3
Guaiol		0.2737	2.737	Q3
β-Pinene		0.2059	2.059	Q3
α-Bisabolol		0.1909	1.909	Q3
Nerolidol		0.1735	1.735	Q3
Caryophyllene Oxide		0.1464	1.464	Q3
trans-Nerolidol		0.1085	1.085	Q3
α-Pinene		0.0927	0.927	Q3
Terpinolene		0.0887	0.887	Q3
γ-Terpinene		0.0700	0.700	Q3
cis-Nerolidol		0.0650	0.650	Q3
Eucalyptol		0.0487	0.487	Q3
Camphene		0.0288	0.288	Q3
Isopulegol		0.0068	0.068	Q3
3-Carene		<	<	Q3
α-Terpinene		<	<	Q3
Geraniol		<	<	Q3
p-Cymene		<	<	Q3
<b>Total</b>		<b>6.7998</b>	<b>67.998</b>	

Instrument: GCMS; Method: TPL\_Terp\_01  
Notes:

1721 E McDowell Road  
Phoenix, AZ  
(631) 953-6921  
<https://www.transparentlabsaz.com>  
Lic# 0000029LRCXG19240160

Brian DiMarco  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



## Genesis Biocenticals, LLC

1120 W Watkins St  
Phoenix, AZ 85007  
shonae.j@genbioaz.com  
(847) 682-4899  
Lic. #00000058DCQU00115543  
Harvest Dates: 10/02/2023

## Sample: 2312TLL0080.0251

Strain: Tropic Banana Shatter  
Parent Batch #: ; Batch#: TRBA-2214-20231207-s; Batch Size: 11 g  
Sample Received: 12/27/2023; Report Created: 12/31/2023; Expires: 12/31/2024  
Manufacturing Date: 12/07/2023  
Sampling: ; Environment:

## Tropic Banana Shatter

Concentrates & Extracts, Shatter, Extraction Method: Butane  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



### Residual Solvents

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM		
Acetone	200.0	1000.0	ND	Pass	
Acetonitrile	82.0	410.0	ND	Pass	
Benzene	0.4	2.0	ND	Pass	
n-Butane			ND	Tested	
Isobutane			ND	Tested	
Butanes	500.0	5000.0	<LOQ	Pass	
Chloroform	12.0	60.0	ND	Pass	
Dichloromethane	120.0	600.0	ND	Pass	
Ethanol	1000.0	5000.0	ND	Pass	
Ethyl-Acetate	1000.0	5000.0	ND	Pass	
Ethyl-Ether	1000.0	5000.0	ND	Pass	
Heptane	1000.0	5000.0	ND	Pass	
n-Hexane			ND	Tested	
2-Methyl-Pentane			ND	Tested	
3-Methyl-Pentane			ND	Tested	
2,2-Dimethyl-Butane			ND	Tested	
2,3-Dimethyl-Butane			ND	Tested	
Hexanes	145.0	290.0	ND	Pass	
Isopropyl-Acetate	1000.0	5000.0	ND	Pass	
Methanol	600.0	3000.0	ND	Pass	
n-Pentane			ND	Tested	
Isopentane			ND	Tested	
Neopentane			ND	Tested	
Pentanes	1000.0	5000.0	ND	Pass	
2-Propanol	1000.0	5000.0	<LOQ	Pass	
Propane		5000.0	ND	Pass	
Toluene	178.0	890.0	ND	Pass	
1,2-Dimethyl-Benzene			ND	Tested	
1,3-Dimethyl-Benzene			ND	Tested	
1,4-Dimethyl-Benzene			ND	Tested	
Ethyl-Benzene			ND	Tested	
Xylenes	868.0	2170.0	ND	Pass	

### Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	
Cadmium	200.0	400.0	ND	Pass	
Lead	500.0	1000.0	ND	Pass	L1
Mercury	100.0	200.0	<LOQ	Pass	B2, L1, M2

### Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
B1	10	0	ND	Pass	I1, M2
B2	10	0	ND	Pass	I1, M2 R1
G1	10	0	ND	Pass	I1, M2
G2	10	0	ND	Pass	R1
Ochratoxin A	10	20	ND	Pass	I1, V1
Total Aflatoxins	9	20	ND	Pass	I1, M2 R1

Instrument: HS-GCMS

1721 E McDowell Road  
Phoenix, AZ  
(631) 953-6921  
<https://www.transparentlabsaz.com>  
Lic# 0000029LRCXG19240160

Brian DiMarco  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



# Certificate of Analysis

Powered by Confident Cannabis  
3 of 5

## Genesis Bioceuticals, LLC

1120 W Watkins St  
Phoenix, AZ 85007  
shonae.j@genbioaz.com  
(847) 682-4899  
Lic. #00000058DCQU00115543  
Harvest Dates: 10/02/2023

Sample: 2312TLL0080.0251

Strain: Tropic Banana Shatter  
Parent Batch #: ; Batch#: TRBA-2214-20231207-s; Batch Size: 11 g  
Sample Received: 12/27/2023; Report Created: 12/31/2023; Expires: 12/31/2024  
Manufacturing Date: 12/07/2023  
Sampling: ; Environment:

## Tropic Banana Shatter

Concentrates & Extracts, Shatter, Extraction Method: Butane  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



### Microbials

Pass

Analyte	LOQ	Limit	Result	Status	Qualifier
E. Coli	CFU/g 10	CFU/g 100	CFU/g <10	Pass	

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

Instrument: qPCR/Plating



1721 E McDowell Road  
Phoenix, AZ  
(631) 953-6921  
<https://www.transparentlabsaz.com>  
Lic# 0000029LRCXG19240160

Brian DiMarco  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

## Genesis Biocenticals, LLC

1120 W Watkins St  
Phoenix, AZ 85007  
shonae.j@genbioaz.com  
(847) 682-4899  
Lic. #00000058DCQU00115543  
Harvest Dates: 10/02/2023

## Sample: 2312TLL0080.0251

Strain: Tropic Banana Shatter  
Parent Batch #: ; Batch#: TRBA-2214-20231207-s; Batch Size: 11 g  
Sample Received: 12/27/2023; Report Created: 12/31/2023; Expires: 12/31/2024  
Manufacturing Date: 12/07/2023  
Sampling: ; Environment:

## Tropic Banana Shatter

Concentrates & Extracts, Shatter, Extraction Method: Butane  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



## Pesticides TPL\_Pesticides\_01

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier	Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass	M2	Hexythiazox	0.47	1.00	ND	Pass	M2
Acephate	0.19	0.40	ND	Pass		Imazalil	0.10	0.20	ND	Pass	
Acetamiprid	0.10	0.20	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass	
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	M2
Azoxystrobin	0.10	0.20	ND	Pass		Methyl					
Bifenazate	0.10	0.20	ND	Pass		Malathion	0.10	0.20	ND	Pass	
Bifenthrin	0.10	0.20	ND	Pass	M2	Metalaxyl	0.10	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass	M2	Methiocarb	0.10	0.20	ND	Pass	
Carbaryl	0.10	0.20	ND	Pass		Methomyl	0.19	0.40	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass	M2
Chlorantraniliprole	0.10	0.20	ND	Pass		Naled	0.24	0.50	ND	Pass	M2
Chlorfenapyr	0.47	1.00	ND	Pass	I1, M2	Oxamyl	0.47	1.00	ND	Pass	
Chlorpyrifos	0.10	0.20	ND	Pass	M2	Paclbutrazol	0.19	0.40	ND	Pass	
Clofentezine	0.10	0.20	ND	Pass	M2	Permethrin	0.10	0.20	ND	Pass	M2
Cyfluthrin	0.47	1.00	ND	Pass	M2	Phosmet	0.10	0.20	ND	Pass	M2
Cypermethrin	0.47	1.00	ND	Pass	M2	Piperonyl	0.95	2.00	<LOQ	Pass	M2
Daminozide	0.47	1.00	ND	Pass		Butoxide					
Diazinon	0.10	0.20	ND	Pass		Prallethrin	0.10	0.20	ND	Pass	
Dichlorvos	0.05	0.10	ND	Pass	M2	Propiconazole	0.19	0.40	ND	Pass	
Dimethoate	0.10	0.20	ND	Pass		Propoxur	0.10	0.20	ND	Pass	
Ethoprophos	0.10	0.20	ND	Pass	M2	Pyrethrins	0.40	1.00	<LOQ	Pass	
Etofenprox	0.19	0.40	ND	Pass	M2	Pyridaben	0.10	0.20	ND	Pass	M2
Etoxazole	0.10	0.20	ND	Pass		Spinosad	0.10	0.20	ND	Pass	M2
Fenoxycarb	0.10	0.20	ND	Pass	M2	Spiromesifen	0.10	0.20	ND	Pass	
Fenpyroximate	0.19	0.40	ND	Pass	M2	Spirotetramat	0.10	0.20	ND	Pass	
Fipronil	0.19	0.40	ND	Pass	I1	Spiroxamine	0.19	0.40	ND	Pass	
Flonicamid	0.47	1.00	ND	Pass		Tebuconazole	0.19	0.40	ND	Pass	M2
Fludioxonil	0.19	0.40	ND	Pass	M2	Thiacloprid	0.10	0.20	ND	Pass	M2
						Thiamethoxam	0.10	0.20	ND	Pass	
						Trifloxystrobin	0.10	0.20	ND	Pass	M2

Instrument: LC-QQQ

1721 E McDowell Road  
Phoenix, AZ  
(631) 953-6921  
https://www.transparentlabsaz.com  
Lic# 0000029LRCXG19240160

Brian DiMarco  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was below LOQ,

B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.

D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,

I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,

L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,

M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,

M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,

M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,

M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,

M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,

N1 - A description of the variance is described in the final report of testing,

R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,

R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)

Q1 = Sample integrity was not maintained,

Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices

Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(I)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.