## **Caviar Joint Shadowban**

Sample ID: 2310APO2829.13170 Strain: Shadowban

Matrix: Concentrates & Extracts Type: Caviar Preroll Produced: Collected: 10/17/2023 04:31 pm Received: 10/17/2023 Completed: 10/20/2023

Batch #: 56SHDWBNCAVJ

Client

**Tru Med**Lic. # 00000079DCUU00478781

Lot #:



Summary		
Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/18/2023	Complete
Terpenes	10/19/2023	Complete
Residual Solvents	10/18/2023	Pass
Microbials	10/20/2023	Pass
Mycotoxins	10/18/2023	Pass
Pesticides	10/18/2023	Pass
Heavy Metals	10/18/2023	Pass

Cannabinoids Complete

45.9397%	0.1023%	53.1493%	1.7350%
Total THC	Total CBD	Total Cannabinoids (Q3)	Total Terpenes (Q3)

Analyte	LOD	LOQ	Result	Result	
	%	%	%	mg/g	
THCa		0.1000	45.0444	450.444	
Δ9-THC		0.1000	6.4357	64.357	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	ND	ND	
CBDa		0.1000	0.1167	1.167	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBGa		0.1000	1.2619	12.619	
CBG		0.1000	0.2906	2.906	
CBC		0.1000	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Total THC			45.9397	459.3970	
Total CBD			0.1023	1.0230	
Total			53.1493	531.493	

Date Tested:  $10/18/2023\,07:00\,\text{am}$ 





Bryant Kearl Lab Director 10/20/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

2 of 6

#### Caviar Joint Shadowban

Sample ID: 2310APO2829.13170

Strain: Shadowban

Matrix: Concentrates & Extracts Type: Caviar Preroll Produced:

Collected: 10/17/2023 04:31 pm Received: 10/17/2023

Completed: 10/20/2023 Batch #: 56SHDWBNCAVJ Client

**Tru Med**Lic. # 00000079DCUU00478781

Lot #:

Pesticides Pass

Analyte	LOQ	Limit	Mass	Q	Status	Analyte	LOQ	Limit	Mass	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND	M2R1	Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	lmazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND	M1	Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND	M1	Pass	Butoxide	0.4000	0.0000	NID		
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND	M1	Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND	M1	Pass
Ethoprophos	0.1000	0.2000 0.4000	ND ND	M2	Pass Pass	Pyridaben Spinosad	0.1000	0.2000	ND ND	M2	Pass Pass
Etofenprox Etoxazole	0.2000	0.4000	ND ND	MZ	Pass	Spiriosau Spiromesifen	0.1000	0.2000	ND	MZ	Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND ND		Pass
Fenoxycard	0.1000	0.4000	ND	M1	Pass	Spiroxamine	0.1000	0.4000	ND ND	M1	Pass
Fipronil	0.2000	0.4000	ND	MI	Pass	Tebuconazole	0.2000	0.4000	ND	MIT	Pass
Flonicamid	0.2000	1.0000	ND		Pass	Thiacloprid	0.2000	0.4000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
i iuuioxoiiii	0.2000	U. <del>T</del> UUU	ND		1,422	Trifloxystrobin	0.1000	0.2000	ND		Pass
						II IIIOAYSU ODIII	0.1000	0.2000	שוו		гаээ

Date Tested: 10/18/2023 07:00 am





Bryant Kearl Lab Director 10/20/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

3 of 6

## **Caviar Joint Shadowban**

Sample ID: 2310APO2829.13170

Strain: Shadowban

Matrix: Concentrates & Extracts Type: Caviar Preroll Produced: Collected: 10/17/2023 04:31 pm Received: 10/17/2023 Completed: 10/20/2023

Batch #: 56SHDWBNCAVJ

Client

**Tru Med**Lic. # 00000079DCUU00478781

Lot #:

Microbials Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger	Detected/Not Detected in 1g	ND	Pass	
Aspergillus terreus	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 10/20/2023 12:00 am

Mycotoxins Pass

Analyte		LOD	LOQ	Limit	Units	Status	Q
	Į.	ıg/kg	µg/kg	µg/kg	μg/kg		
B1		5	10	20	ND	Pass	
B2		5	10	20	ND	Pass	
G1		5	10	20	ND	Pass	
G2		5	10	20	ND	Pass	
Total Aflatoxins		5	10	20	ND	Pass	
Ochratoxin A		5	10	20	ND	Pass	R1

Date Tested: 10/18/2023 07:00 am

Heavy Metals Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.0660	0.1330	0.4000	ND	Pass	
Cadmium	0.0660	0.1330	0.4000	ND	Pass	
Lead	0.1660	0.3330	1.0000	ND	Pass	
Mercury	0.0330	0.0660	0.2000	ND	Pass	

Date Tested: 10/18/2023 07:00 am





Bryant Kearl Lab Director 10/20/2023







(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

4 of 6

#### Caviar Joint Shadowban

Sample ID: 2310APO2829.13170

Strain: Shadowban

Matrix: Concentrates & Extracts Type: Caviar Preroll Produced:

Collected: 10/17/2023 04:31 pm Received: 10/17/2023

Completed: 10/20/2023 Batch #: 56SHDWBNCAVJ Client

**Tru Med**Lic. # 00000079DCUU00478781

Lot #:

#### **Residual Solvents**

Analyte	LOQ	Limit	Mass	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

LABS

Date Tested: 10/18/2023 07:00 am





Bryant Kearl Lab Director 10/20/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

5 of 6

#### Caviar Joint Shadowban

Sample ID: 2310APO2829.13170

Strain: Shadowban

Matrix: Concentrates & Extracts Type: Caviar Preroll

Produced:

Collected: 10/17/2023 04:31 pm Received: 10/17/2023

Completed: 10/20/2023 Batch #: 56SHDWBNCAVJ Client

Tru Med Lic. # 00000079DCUU00478781

Lot #:

#### **Terpenes**

A 1.	100			•	
Analyte	LOQ %	Mass %	Mass	Q	
0 Carrianhyllana	0.0010	0.3484	mg/g 3.484	Q3	
β-Caryophyllene D,L-Limonene	0.0010	0.3333	3.333		
Linalool	0.0010	0.3333	2.111	Q3 Q3	
β-Myrcene	0.0010	0.2111	2.111 1.754	Q3 Q3	
ρ-Myrcene α-Humulene	0.0010	0.1734	1.734	Q3 Q3	
Caryophyllene Oxide	0.0010	0.1127	1.127	Q3 Q3	
α-Bisabolol	0.0010	0.1048	0.929	Q3 Q3	
	0.0010	0.0929	0.929	-	
α-Terpineol β-Pinene	0.0010	0.0807	0.807	Q3	
•	0.0010	0.0753	0.753	Q3	
Endo-Fenchyl Alcohol α-Pinene	0.0010	0.0704	0.704	Q3	
Geranyl Acetate	0.0010	0.0443	0.443	Q3 Q3	
Valencene	0.0010	0.0152	0.152	Q3 Q3	
Fenchone	0.0010	0.0139	0.139	Q3 Q3	
D,L-Borneol	0.0010	0.0136	0.136	Q3 Q3	
Camphene	0.0010	0.0138	0.130	Q3 Q3	
Guaiol	0.0010	0.0132	0.132	Q3	
3-Carene	0.0010	0.0103 ND	0.103 ND	Q3	
α-Cedrene	0.0010	ND	ND	Q3	
α-Cedrene α-Phellandrene	0.0010	ND	ND	Q3	
α-Terpinene	0.0010	ND	ND	Q3	
α-Thujone	0.0010	ND	ND	Q3	
•	0.0010	ND	ND	Q3	
trans-β-Farnesene	0.0010	ND ND	ND ND		
Camphor Carvacrol	0.0010	ND ND	ND ND	Q3	
				Q3	
Carvone	0.0010	ND	ND	Q3	
Cedrol	0.0010	ND	ND	Q3	
cis-Citral	0.0010	ND	ND	Q3	
cis-Farnesol	0.0010	ND	ND	Q3	

Analyte	LOQ	Mass	Mass	Q	
	%	%	mg/g		
cis-Nerolidol	0.0010	ND	ND	Q3	
cis-beta-Ocimene	0.0010	ND	ND	Q3	
Citronellol	0.0010	ND	ND	Q3	
Eucalyptol	0.0010	ND	ND	Q3	
y-Terpinene	0.0010	ND	ND	Q3	
Geraniol	0.0010	ND	ND	Q3	
Isoborneol	0.0010	ND	ND	Q3	
Isobornyl Acetate	0.0010	ND	ND	Q3	
Isopulegol	0.0010	ND	ND	Q3	
m-Cymene	0.0010	ND	ND	Q3	
Menthol	0.0010	ND	ND	Q3	
L-Menthone	0.0010	ND	ND	Q3	
Nerol	0.0010	ND	ND	Q3	
Nootkatone	0.0010	ND	ND	Q3	
o,p-Cymene	0.0010	ND	ND	Q3	
Octyl Acetate	0.0010	ND	ND	Q3	
Phytane	0.0010	ND	ND	Q3	
Piperitone	0.0010	ND	ND	Q3	
Pulegone	0.0010	ND	ND	Q3	
Sabinene	0.0010	ND	ND	Q3	
Sabinene Hydrate	0.0010	ND	ND	Q3	
Safranal	0.0010	ND	ND	Q3	
Terpinen-4-ol	0.0010	ND	ND	Q3	
Terpinolene	0.0010	ND	ND	Q3	
Thymol	0.0010	ND	ND	Q3	
trans-Citral	0.0010	ND	ND	Q3	
trans-Nerolidol	0.0010	ND	ND	Q3	
trans-beta-Ocimene	0.0010	ND	ND	Q3	
Verbenone	0.0010	ND	ND	Q3	
Total		1.7350	17.350		

#### **Primary Aromas**











Date Tested: 10/19/2023 12:00 am Terpenes analysis is not regulated by AZDHS.





Bryant Kearl Lab Director 10/20/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

6 of 6

### **Caviar Joint Shadowban**

Sample ID: 2310APO2829.13170 Strain: Shadowban

Matrix: Concentrates & Extracts Type: Caviar Preroll Produced: Collected: 10/17/2023 04:31 pm Received: 10/17/2023 Completed: 10/20/2023 Batch #: 56SHDWBNCAVJ Client **Tru Med** Lic. # 00000079DCUU00478781

Lot #:

# **Qualifiers Definitions**

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection $(K)(2)(c)$ , but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
М3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection $(K)(3)$ , but the recovery in subsection $(K)(2)$ was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) $(1)(b)$ , but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317





Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



10/20/2023