

SAMPLE NAME: Glitter Bomb 0808R27GB

SAMPLE ID: A23H0132-04

CCB ID: 2308OPT2829.11154

CULTIVATOR/MANUFACTURER

Business Name: TRU Infusion/Natures Wonder

License: 000000035DCCB00049778

SAMPLE DETAIL

Date Collected: 8/17/2023 1:02:42PM

Matrix: Flower - Cured

Strain: Glitter Bomb

Ex. Lot ID: N/A

Batch#: 0808R27GB

Batch Size: N/A

Other Information:



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 24.551%
d9-THC + (THCa * 0.877)

Total CBD: ND
CBD + (CBDa * 0.877)

Total Cannabinoids: 28.743%
CBD + CBG + CBN + CBDa + CBGa
+ THCa + THCv + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS

Mycotoxins: NOT TESTED

Metals: PASS

Solvents: NOT TESTED

Pesticides: PASS

TERPENE ANALYSIS SUMMARY

*Q3 Informational use only

beta-Myrcene: 1.079%

Caryophyllene: 0.7125%

Humulene: 0.1904%

Data Reviewed by Symone Whalin, Technical Laboratory Director




24.551%	28.743%
Total THC	Total Cannabinoids <small>*Q3 Informational use only</small>
ND	N/A
Total CBD	Moisture <small>*Q3 Informational use only</small>

CANNABINOID TEST RESULTS

Date Analyzed: 08/18/23 17:53; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.030000	0.38000	3.80
THCA		0.030000	27.561	275.61
CBD		0.030000	ND	ND
CBDA		0.030000	ND	ND
CBN	Q3M2	0.030000	ND	ND
delta 8-THC	Q3	0.030000	ND	ND
CBG	Q3	0.030000	ND	ND
CBGA	Q3	0.030000	0.80180	8.02
THCV	Q3	0.030000	ND	ND
Total CBD		0.030000	ND	ND
Total THC		0.030000	24.551	245.51
Total		0.030000	28.743	287.43

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 08/19/23 16:52; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic		200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead	L1	500	1000	ND	Pass
Mercury	L1	600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




TERPENE TEST RESULTS

***Q3- Terpene results are for informational use only.**

Date Analyzed:08/19/23 07:34; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
beta-Myrcene	Q3	0.04000	1.079	10.79
Caryophyllene	Q3	0.04000	0.7125	7.13
Humulene	Q3	0.04000	0.1904	1.90
Linalool	Q3	0.04000	0.1725	1.73
cis-beta-Ocimene	Q3	0.04000	0.1711	1.71
d-Limonene	Q3	0.04000	0.07370	0.74
alpha-Bisabolol	Q3	0.04000	0.06620	0.66
alpha-Cedrene	Q3	0.04000	ND	ND
alpha-Phellandrene	Q3	0.04000	ND	ND
alpha-Pinene	Q3	0.04000	ND	ND
alpha-Terpinene	Q3	0.04000	ND	ND
alpha-Terpineol	Q3	0.04000	ND	ND
beta-Pinene	Q3	0.04000	ND	ND
gamma-Terpinene	Q3	0.04000	ND	ND
gamma-Terpineol	Q3	0.04000	ND	ND
3-Carene	Q3	0.04000	ND	ND
Camphene	Q3	0.04000	ND	ND
Camphor	Q3	0.04000	ND	ND
Caryophyllene Oxide	Q3	0.04000	ND	ND
Cedrol	Q3	0.04000	ND	ND
endo-Borneol	Q3	0.04000	ND	ND
Eucalyptol	Q3	0.04000	ND	ND
Farnesene	Q3	0.04000	ND	ND
Fenchol	Q3	0.04000	ND	ND
Fenchone	Q3	0.04000	ND	ND
Geraniol	Q3	0.04000	ND	ND
Geranyl acetate	Q3	0.04000	ND	ND
Guaiol	Q3	0.04000	ND	ND
Isoborneol	Q3	0.04000	ND	ND
Isopulegol	Q3	0.04000	ND	ND
Menthol	Q3	0.04000	ND	ND
Nerol	Q3	0.04000	ND	ND
Nerolidol	Q3	0.04000	ND	ND
Pulegone	Q3	0.04000	ND	ND
Sabinene	Q3	0.04000	ND	ND
Sabinene Acetate	Q3	0.04000	ND	ND
Terpinolene	Q3	0.04000	ND	ND
Valencene	Q3	0.04000	ND	ND
trans-beta-Ocimene	Q3	0.04000	ND	ND

2.498%

Total Terpenes

Data Reviewed by Symone Whalin, Technical Laboratory Director



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
 The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory to provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1 Q3 testing result is for information purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labelling requirements in R9-17-317-Q3.



PESTICIDES TEST RESULTS

Pass

Date Analyzed: 08/19/23 07:49; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	L1, V1	0.250	0.5	ND	Pass	Hexythiazox	V1	0.500	1	ND	Pass
Acephate		0.200	0.4	ND	Pass	Imazalil	V1	0.100	0.2	ND	Pass
Acequinocyl	L1, V1	1.00	2	ND	Pass	Imidacloprid	L1, V1	0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Kresoxim-methyl		0.200	0.4	ND	Pass
Aldicarb		0.200	0.4	ND	Pass	Malathion		0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Metaxyl		0.100	0.2	ND	Pass
Bifenazate	L1	0.100	0.2	ND	Pass	Methiocarb		0.100	0.2	ND	Pass
Bifenthrin	L1, V1	0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Boscalid	V1	0.200	0.4	ND	Pass	Myclobutanil	V1	0.100	0.2	ND	Pass
Carbaryl		0.100	0.2	ND	Pass	Naled	V1	0.250	0.5	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Chlorantraniliprole	L1, V1	0.100	0.2	ND	Pass	Paclobutrazol	V1	0.200	0.4	ND	Pass
Chlorfenapyr	L1, V1	0.500	1	ND	Pass	Permethrins	L1, V1	0.100	0.2	ND	Pass
Chlorpyrifos		0.100	0.2	ND	Pass	Phosmet	V1	0.100	0.2	ND	Pass
Clofentezine		0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Cyfluthrin	L1, V1	0.500	1	ND	Pass	Prallethrin	L1, V1	0.100	0.2	ND	Pass
Cypermethrin	L1, V1	0.500	1	ND	Pass	Propiconazole		0.200	0.4	ND	Pass
Daminozide		0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)		0.0500	0.1	ND	Pass	Pyrethrins	L1, V1	0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben	V1	0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad		0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox		0.200	0.4	ND	Pass	Spirotetramat	L1, V1	0.100	0.2	ND	Pass
Etoxazole		0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb	V1	0.100	0.2	ND	Pass	Tebuconazole	V1	0.200	0.4	ND	Pass
Fenpyroximate	V1	0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil	R1, V1	0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Fonicamid	V1	0.500	1	ND	Pass	Trifloxystrobin	M2	0.100	0.2	ND	Pass
Fludioxonil	V1	0.200	0.4	ND	Pass						

Symone Whalin

Data Reviewed by Symone Whalin, Technical Laboratory Director





MICROBIALS TEST RESULTS

Pass

Date Analyzed: 08/21/23 08:15; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director

Symone Whalin

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589

The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory to provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1 Q3 testing result is for information purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labelling requirements in R9-17-317-Q3.

