(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

1 of 5


### **Jet Fuel OG**

Sample ID: 2308APO2066.9842 Strain: Jet Fuel OG

Matrix: Plant Type: Flower - Cured Produced: Collected: 08/18/2023 03:07 pm Received: 08/18/2023 Completed: 08/23/2023 Batch #: 20230811JFO-13T3 Client

**Aeriz AZ** Lic. # 00000106DCQV00747138

Lot #:



Summary		
Test	Date Tested	Result
Batch		Pass
Cannabinoids	08/21/2023	Complete
Terpenes	08/22/2023	Complete
Microbials	08/21/2023	Pass
Pesticides	08/21/2023	Pass
Heavy Metals	08/21/2023	Pass

Cannabinoids Complete

	27.3901%		<loq< th=""><th>32.4406%</th><th></th><th colspan="3">2.1956%</th></loq<>		32.4406%		2.1956%		
	Total THC		Total CBD		Total Cannabinoids (Q3)	L	Total Terpenes	(Q3)	
Analyte		LOD	LOQ	Result	Result			C	
		%	%	%	mg/g				

	100	100	D 11	ъ и
Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
THCa		0.1000	30.8074	308.074
Δ9-THC		0.1000	0.3720	3.720
Δ8-THC		0.1000	ND	ND
THCV		0.1000	ND	ND
CBDa		0.1000	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBD		0.1000	ND	ND
CBDVa		0.1000	ND	ND
CBDV		0.1000	ND	ND
CBN		0.1000	ND	ND
CBGa		0.1000	1.1137	11.137
CBG		0.1000	0.1476	1.476
CBC		0.1000	ND	ND
Total THC			27.3901	273.9010
Total CBD			<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Total			32.4406	324.406

Date Tested: 08/21/2023 07:00 am





Bryant Kearl Lab Director 08/23/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

2 of 5

#### **Jet Fuel OG**

Sample ID: 2308APO2066.9842

Strain: Jet Fuel OG

Matrix: Plant Type: Flower - Cured Produced:

Collected: 08/18/2023 03:07 pm Received: 08/18/2023 Completed: 08/23/2023 Batch #: 20230811JFO-13T3 Client

**Aeriz AZ** Lic. # 00000106DCQV00747138

Lot #:

Pesticides											Pass
Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
•	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acequinocyl	1.0000	2.0000	ND		Pass	Imidacloprid	0.2000	0.4000	ND	M1	Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND	M2	Pass	Methomyl	0.2000	0.4000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Myclobutanil Myclobutanil	0.1000	0.2000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND	M2	Pass	Permethrins	0.1000	0.2000	ND	M2	Pass
Chlorpyrifos	0.1000	0.2000	ND	M2	Pass	Phosmet	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Piperonyl Butoxide	1.0000	2.0000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND	M1	Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND	M2	Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Spinosad	0.1000	0.2000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spirotetramat	0.1000	0.2000	ND	M1	Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiroxamine	0.2000	0.4000	ND	M1	Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Trifloxystrobin	0.1000	0.2000	ND	M2	Pass

# LABS

Pass

#### Herbicides

Fludioxonil

Analyte	LOQ	Limit	Units	Q	Status
•	PPM	PPM	PPM		
Pendimethalin	0.0500	0.1000	ND		Pass

Date Tested: 08/21/2023 07:00 am Pendimethalin is no longer a regulated parameter pursuant to HB2605 2021.

0.4000

ND





Bryant Kearl Lab Director 08/23/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

3 of 5

#### **Jet Fuel OG**

Sample ID: 2308APO2066.9842

Strain: Jet Fuel OG

Matrix: Plant Type: Flower - Cured Produced: Collected: 08/18/2023 03:07 pm Received: 08/18/2023 Completed: 08/23/2023 Batch #: 20230811JFO-13T3 Client **Aeriz AZ** 

Lic. # 00000106DCQV00747138

Lot #:

Microbials				Pass
Analyte	Limit	Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g	ND	Pass	
Aspergillus flavus	Detected/Not Detected in 1g	ND	Pass	
Aspergillus fumigatus	Detected/Not Detected in 1g	ND	Pass	
Aspergillus niger	Detected/Not Detected in 1g	ND	Pass	
Aspergillus terreus	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 08/21/2023 12:00 am

Mycotoxins Not Tested

Analyte LOD LOQ Limit Units Status Q

# LABS

Date Tested:

Heavy Metals Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	μg/g	µg/g	µg/g	μg/g		
Arsenic	0.066	0.133	0.4	ND	Pass	
Cadmium	0.066	0.133	0.4	ND	Pass	
Lead	0.166	0.333	1	ND	Pass	
Mercury	0.2	0.4	1.2	ND	Pass	

Date Tested: 08/21/2023 07:00 am





Bryant Kearl Lab Director 08/23/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

4 of 5

### **Jet Fuel OG**

Sample ID: 2308APO2066.9842

Strain: Jet Fuel OG

Matrix: Plant Type: Flower - Cured Produced: Collected: 08/18/2023 03:07 pm Received: 08/18/2023 Completed: 08/23/2023 Batch #: 20230811JFO-13T3 Client

**Aeriz AZ** Lic. # 00000106DCQV00747138

Lot #:

#### **Terpenes**

Analyte	LOQ	Mass	Mass	Q	
	%	%	mg/g		
trans-Caryophyllene	0.0057	0.9228	9.228	Q3	
β-Myrcene	0.0055	0.2775	2.775	Q3	
Limonene	0.0054	0.2654	2.654	Q3	
α-Humulene	0.0059	0.2311	2.311	Q3	
Linalool	0.0061	0.1214	1.214	Q3	
α-Bisabolol	0.0072	0.0816	0.816	Q3	
β-Pinene	0.0049	0.0735	0.735	Q3	
trans-Nerolidol	0.0089	0.0449	0.449	Q3	
α-Pinene	0.0056	0.0375	0.375	Q3	
Endo-Fenchyl Alcohol	0.0136	0.0297	0.297	Q3	
Caryophyllene Oxide	0.0064	0.0178	0.178	Q3	
Geraniol	0.0083	0.0161	0.161	Q3	
Camphene	0.0039	0.0148	0.148	Q3	
Borneol	0.0062	0.0147	0.147	Q3	
Fenchone	0.0064	0.0145	0.145	Q3	
Terpinolene	0.0047	0.0144	0.144	Q3	
Isopulegol	0.0079	0.0100	0.100	Q3	
Ocimene	0.0057	0.0080	0.080	Q3	
3-Carene	0.0051	ND	ND	Q3	

Analyte	LOQ	Mass	Mass	Q	
	%	%	mg/g		
α-Cedrene	0.0052	ND	ND	Q3	
α-Phellandrene	0.0042	ND	ND	Q3	
α-Terpinene	0.0105	<loq< th=""><th><loq< th=""><th>Q3</th><th></th></loq<></th></loq<>	<loq< th=""><th>Q3</th><th></th></loq<>	Q3	
trans-β-Farnesene	0.0049	ND	ND	Q3	
Camphor	0.0154	ND	ND	Q3	
Cedrol	0.0060	ND	ND	Q3	
cis-β-Farnesene	0.0074	ND	ND	Q3	
cis-Nerolidol	0.0086	ND	ND	Q3	
Eucalyptol	0.0054	ND	ND	Q3	
y-Terpinene	0.0049	ND	ND	Q3	
Geranyl Acetate	0.0082	ND	ND	Q3	
Guaiol	0.0065	ND	ND	Q3	
Hexahydro Thymol	0.0109	ND	ND	Q3	
Isoborneol	0.0115	ND	ND	Q3	
Nerol	0.0108	ND	ND	Q3	
Pulegone	0.0072	ND	ND	Q3	
Sabinene	0.0061	ND	ND	Q3	
Sabinene Hydrate	0.0086	ND	ND	Q3	
Valencene	0.0061	ND	ND	Q3	
Total		2.1956	21.956		

# LABS

## **Primary Aromas**











Date Tested: 08/22/2023 12:00 am Terpenes analysis is not regulated by AZDHS.





Bryant Kearl Lab Director 08/23/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

5 of 5

### **Jet Fuel OG**

Sample ID: 2308APO2066.9842 Strain: Jet Fuel OG

Matrix: Plant Type: Flower - Cured Produced: Collected: 08/18/2023 03:07 pm Received: 08/18/2023 Completed: 08/23/2023 Batch #: 20230811JFO-13T3 Client **Aeriz AZ** Lic. # 00000106DCQV00747138

Lot #:

# **Qualifiers Definitions**

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection $(K)(2)(c)$ , but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
М3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection $(K)(3)$ , but the recovery in subsection $(K)(2)$ was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) (1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317





Bryant Kearl Lab Director 08/23/2023

