

Infinity Pool

Sample ID: 2308APO2066.9847
Strain: Infinity Pool

Produced:
Collected: 08/18/2023 03:07 pm
Received: 08/18/2023
Completed: 08/23/2023
Batch #: 20230522GMO-20230515WDM Lot #:

Client
Aeriz AZ
Lic. # 00000106DCQV00747138

Matrix: Plant
Type: Flower - Cured




Summary

| Test | Date Tested | Result |
|--------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 08/21/2023 | Complete |
| Terpenes | 08/23/2023 | Complete |
| Microbials | 08/21/2023 | Pass |
| Pesticides | 08/21/2023 | Pass |
| Heavy Metals | 08/21/2023 | Pass |

Cannabinoids

Complete



| Analyte | LOD % | LOQ % | Result % | Result mg/g | Q |
|------------------|-------|--------|----------------|-----------------|---|
| THCa | | 0.1000 | 30.1096 | 301.096 | |
| Δ9-THC | | 0.1000 | 0.4360 | 4.360 | |
| Δ8-THC | | 0.1000 | ND | ND | |
| THCV | | 0.1000 | ND | ND | |
| CBDa | | 0.1000 | <LOQ | <LOQ | |
| CBD | | 0.1000 | ND | ND | |
| CBDVa | | 0.1000 | ND | ND | |
| CBDV | | 0.1000 | ND | ND | |
| CBN | | 0.1000 | ND | ND | |
| CBGa | | 0.1000 | 1.4063 | 14.063 | |
| CBG | | 0.1000 | <LOQ | <LOQ | |
| CBC | | 0.1000 | ND | ND | |
| Total THC | | | 26.8422 | 268.4220 | |
| Total CBD | | | <LOQ | <LOQ | |
| Total | | | 31.9520 | 319.520 | |

Date Tested: 08/21/2023 07:00 am



Bryant Kearl
Lab Director
08/23/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Infinity Pool

Sample ID: 2308APO2066.9847

Strain: Infinity Pool

Matrix: Plant

Type: Flower - Cured

Produced:

Collected: 08/18/2023 03:07 pm

Received: 08/18/2023

Completed: 08/23/2023

Batch #: 20230522GMO-20230515WDM Lot #:

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Pesticides

| Analyte | LOQ | Limit | Units | Q | Status | Analyte | LOQ | Limit | Units | Q | Status |
|---------------------|--------|--------|-------|----|--------|--------------------|--------|--------|-------|----|--------|
| | PPM | PPM | PPM | | | | PPM | PPM | PPM | | |
| Abamectin | 0.2500 | 0.5000 | ND | | Pass | Hexythiazox | 0.5000 | 1.0000 | ND | | Pass |
| Acephate | 0.2000 | 0.4000 | ND | | Pass | Imazalil | 0.1000 | 0.2000 | ND | | Pass |
| Acequinocyl | 1.0000 | 2.0000 | ND | | Pass | Imidacloprid | 0.2000 | 0.4000 | ND | M1 | Pass |
| Acetamiprid | 0.1000 | 0.2000 | ND | | Pass | Kresoxim Methyl | 0.2000 | 0.4000 | ND | | Pass |
| Aldicarb | 0.2000 | 0.4000 | ND | | Pass | Malathion | 0.1000 | 0.2000 | ND | | Pass |
| Azoxystrobin | 0.1000 | 0.2000 | ND | | Pass | Metalaxyl | 0.1000 | 0.2000 | ND | | Pass |
| Bifenazate | 0.1000 | 0.2000 | ND | | Pass | Methiocarb | 0.1000 | 0.2000 | ND | | Pass |
| Bifenthrin | 0.1000 | 0.2000 | ND | M2 | Pass | Methomyl | 0.2000 | 0.4000 | ND | | Pass |
| Boscalid | 0.2000 | 0.4000 | ND | | Pass | Myclobutanil | 0.1000 | 0.2000 | ND | | Pass |
| Carbaryl | 0.1000 | 0.2000 | ND | | Pass | Naled | 0.2500 | 0.5000 | ND | | Pass |
| Carbofuran | 0.1000 | 0.2000 | ND | | Pass | Oxamyl | 0.5000 | 1.0000 | ND | | Pass |
| Chlorantraniliprole | 0.1000 | 0.2000 | ND | | Pass | Paclobutrazol | 0.2000 | 0.4000 | ND | | Pass |
| Chlorfenapyr | 0.5000 | 1.0000 | ND | M2 | Pass | Permethrins | 0.1000 | 0.2000 | ND | M2 | Pass |
| Chlorpyrifos | 0.1000 | 0.2000 | ND | M2 | Pass | Phosmet | 0.1000 | 0.2000 | ND | | Pass |
| Clofentezine | 0.1000 | 0.2000 | ND | | Pass | Piperonyl Butoxide | 1.0000 | 2.0000 | ND | | Pass |
| Cyfluthrin | 0.5000 | 1.0000 | ND | | Pass | Prallethrin | 0.1000 | 0.2000 | ND | M1 | Pass |
| Cypermethrin | 0.5000 | 1.0000 | ND | | Pass | Propiconazole | 0.2000 | 0.4000 | ND | | Pass |
| Daminozide | 0.5000 | 1.0000 | ND | | Pass | Propoxur | 0.1000 | 0.2000 | ND | | Pass |
| Diazinon | 0.1000 | 0.2000 | ND | | Pass | Pyrethrins | 0.5000 | 1.0000 | ND | M2 | Pass |
| Dichlorvos | 0.0500 | 0.1000 | ND | | Pass | Pyridaben | 0.1000 | 0.2000 | ND | | Pass |
| Dimethoate | 0.1000 | 0.2000 | ND | | Pass | Spinosad | 0.1000 | 0.2000 | ND | | Pass |
| Ethoprophos | 0.1000 | 0.2000 | ND | | Pass | Spiromesifen | 0.1000 | 0.2000 | ND | | Pass |
| Etofenprox | 0.2000 | 0.4000 | ND | | Pass | Spirotetramat | 0.1000 | 0.2000 | ND | M1 | Pass |
| Etoxazole | 0.1000 | 0.2000 | ND | | Pass | Spiroxamine | 0.2000 | 0.4000 | ND | M1 | Pass |
| Fenoxycarb | 0.1000 | 0.2000 | ND | | Pass | Tebuconazole | 0.2000 | 0.4000 | ND | | Pass |
| Fenpyroximate | 0.2000 | 0.4000 | ND | | Pass | Thiacloprid | 0.1000 | 0.2000 | ND | | Pass |
| Fipronil | 0.2000 | 0.4000 | ND | | Pass | Thiamethoxam | 0.1000 | 0.2000 | ND | | Pass |
| Flonicamid | 0.5000 | 1.0000 | ND | | Pass | Trifloxystrobin | 0.1000 | 0.2000 | ND | M2 | Pass |
| Fludioxonil | 0.2000 | 0.4000 | ND | | Pass | | | | | | |

Herbicides

| Analyte | LOQ | Limit | Units | Q | Status |
|---------------|--------|--------|-------|---|--------|
| | PPM | PPM | PPM | | |
| Pendimethalin | 0.0500 | 0.1000 | ND | | Pass |

Date Tested: 08/21/2023 07:00 am

Pendimethalin is no longer a regulated parameter pursuant to HB2605 2021.



Bryant Kearl
Lab Director
08/23/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Infinity Pool

Sample ID: 2308APO2066.9847

Strain: Infinity Pool

Matrix: Plant

Type: Flower - Cured

Produced:

Collected: 08/18/2023 03:07 pm

Received: 08/18/2023

Completed: 08/23/2023

Batch #: 20230522GMO-20230515WDM Lot #:

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Microbials

Pass

| Analyte | Limit | Result | Status | Q |
|-----------------------|-----------------------------|--------|--------|---|
| Salmonella SPP | Detected/Not Detected in 1g | ND | Pass | |
| Aspergillus flavus | Detected/Not Detected in 1g | ND | Pass | |
| Aspergillus fumigatus | Detected/Not Detected in 1g | ND | Pass | |
| Aspergillus niger | Detected/Not Detected in 1g | ND | Pass | |
| Aspergillus terreus | Detected/Not Detected in 1g | ND | Pass | |

| Analyte | LOQ | Limit | Result | Status | Q |
|---------|---------------|----------------|---------------------|--------|---|
| E. Coli | CFU/g 10.0 | CFU/g 100.0 | CFU/g < 10 CFU/g | Pass | |

Date Tested: 08/21/2023 12:00 am

Mycotoxins

Not Tested

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|---------|-----|-----|-------|-------|--------|---|
|---------|-----|-----|-------|-------|--------|---|

Date Tested:

Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|---------|---------------|---------------|-------------|------------|--------|---|
| Arsenic | µg/g 0.066 | µg/g 0.133 | µg/g 0.4 | µg/g ND | Pass | |
| Cadmium | 0.066 | 0.133 | 0.4 | ND | Pass | |
| Lead | 0.166 | 0.333 | 1 | ND | Pass | |
| Mercury | 0.2 | 0.4 | 1.2 | ND | Pass | |

Date Tested: 08/21/2023 07:00 am



Bryant Kearl
Lab Director
08/23/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Infinity Pool

Sample ID: 2308APO2066.9847

Strain: Infinity Pool

Matrix: Plant

Type: Flower - Cured

Produced:

Collected: 08/18/2023 03:07 pm

Received: 08/18/2023

Completed: 08/23/2023

Batch #: 20230522GMO-20230515WDM Lot #:

Client


Aeriz AZ

Lic. # 00000106DCQV00747138

Terpenes

| Analyte | LOQ | Mass | Mass | Q | Analyte | LOQ | Mass | Mass | Q |
|----------------------|--------|--------|-------|----|-------------------|--------|---------------|---------------|----|
| | % | % | mg/g | | | % | % | mg/g | |
| trans-Caryophyllene | 0.0057 | 0.4747 | 4.747 | Q3 | α-Cedrene | 0.0052 | ND | ND | Q3 |
| Limonene | 0.0054 | 0.4596 | 4.596 | Q3 | α-Phellandrene | 0.0042 | ND | ND | Q3 |
| β-Myrcene | 0.0055 | 0.2516 | 2.516 | Q3 | α-Terpinene | 0.0105 | <LOQ | <LOQ | Q3 |
| α-Humulene | 0.0059 | 0.1392 | 1.392 | Q3 | trans-β-Farnesene | 0.0049 | ND | ND | Q3 |
| Linalool | 0.0061 | 0.1257 | 1.257 | Q3 | Camphor | 0.0154 | ND | ND | Q3 |
| α-Bisabolol | 0.0072 | 0.0895 | 0.895 | Q3 | Cedrol | 0.0060 | ND | ND | Q3 |
| β-Pinene | 0.0049 | 0.0875 | 0.875 | Q3 | cis-β-Farnesene | 0.0074 | ND | ND | Q3 |
| Endo-Fenchyl Alcohol | 0.0136 | 0.0544 | 0.544 | Q3 | cis-Nerolidol | 0.0086 | ND | ND | Q3 |
| α-Pinene | 0.0056 | 0.0475 | 0.475 | Q3 | Eucalyptol | 0.0054 | ND | ND | Q3 |
| Guaiol | 0.0065 | 0.0366 | 0.366 | Q3 | Geranyl Acetate | 0.0082 | ND | ND | Q3 |
| Terpinolene | 0.0047 | 0.0196 | 0.196 | Q3 | Hexahydro Thymol | 0.0109 | <LOQ | <LOQ | Q3 |
| Caryophyllene Oxide | 0.0064 | 0.0192 | 0.192 | Q3 | Isoborneol | 0.0115 | <LOQ | <LOQ | Q3 |
| Camphene | 0.0039 | 0.0178 | 0.178 | Q3 | Isopulegol | 0.0079 | ND | ND | Q3 |
| Borneol | 0.0062 | 0.0144 | 0.144 | Q3 | Nerol | 0.0108 | ND | ND | Q3 |
| Geraniol | 0.0083 | 0.0140 | 0.140 | Q3 | Pulegone | 0.0072 | ND | ND | Q3 |
| Ocimene | 0.0057 | 0.0097 | 0.097 | Q3 | Sabinene | 0.0061 | ND | ND | Q3 |
| Fenchone | 0.0064 | 0.0084 | 0.084 | Q3 | Sabinene Hydrate | 0.0086 | ND | ND | Q3 |
| γ-Terpinene | 0.0049 | 0.0069 | 0.069 | Q3 | trans-Nerolidol | 0.0089 | ND | ND | Q3 |
| 3-Carene | 0.0051 | ND | ND | Q3 | Valencene | 0.0061 | ND | ND | Q3 |
| | | | | | Total | | 1.8762 | 18.762 | |

Primary Aromas



Date Tested: 08/23/2023 12:00 am
Terpenes analysis is not regulated by AZDHS.



Bryant Kearl

Bryant Kearl
Lab Director
08/23/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Infinity Pool

Sample ID: 2308APO2066.9847

Strain: Infinity Pool

Matrix: Plant

Type: Flower - Cured

Produced:

Collected: 08/18/2023 03:07 pm

Received: 08/18/2023

Completed: 08/23/2023

Batch #: 20230522GMO-20230515WDM Lot #:

Client

Aeriz AZ

Lic. # 00000106DCQV00747138

Qualifiers Definitions

| Qualifier Notation | Qualifier Description |
|--------------------|--|
| I1 | The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference |
| L1 | When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| M1 | The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| M2 | The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| M3 | The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| R1 | The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria |
| V1 | The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| Q2 | The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis |
| Q3 | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 |



Bryant Kearl
Lab Director
08/23/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

